Toxicology Research Laboratory

UIC The University of Illinois at Chicago

Department of Pharmacology (M/C 868) 1940 W. Taylor St. Chicago, Illinois 60612-7353

| REPORT DOCUMENTATION | | | | | N PAGE | Form Approved OMB No. 0704-0188 | | | |
|--|--------------------------------|------------|--|------------------------|--------------------------------|------------------------------------|------------|------------------|--|
| 1a. REPORT S | ECURITY CLAS | SIFICATION | ON | | 1b. RESTRICTIVE MARKINGS | | | | |
| 2a. SECURITY CLASSIFICATION AUTHORITY Unclassified | | | 3. DISTRIBUTION/AVAILABILITY OF REPORT | | | | | | |
| | FICATION / DOV | VNGRAD | ING SCHEDU | LE | Unlimited | | | | |
| 4 PERFORMIN | NG ORGANIZAT | TION RE | PORT NUMBE | R(S) | S MONITORING | ORGANIZATION RE | PORT NU | MRER(S) | |
| 1 | (VIC/TRL Stu | | | | 3 | | | | |
| 6a. NAME OF | PERFORMING | ORGAN | IZATION | 6b. OFFICE SYMBOL | 7a. NAME OF M | ONITORING ORGAN | IZATION | | |
| | gy Research ty of Illin | | - | (If applicable) | U.S. Army | Medical Materie | l Develo | opment Activity | |
| 6c. ADDRESS | (City, State, an | d ZIP Co | ode) | | 7b. ADDRESS (Ci | ty, State, and ZIP Co | ode) | | |
| | ent of Pharm | | y (M/C 868) | | ATIN: MOMR | | | | |
| | Taylor Stre IL 60612- | | | | Fort Detri | .ck MD 21702-5014 | | | |
| | FUNDING/SPO | | IG | 8b. OFFICE SYMBOL | | T INSTRUMENT IDE | NTIFICATI | ON NUMBER | |
| | ATION U.S. | _ | | (If applicable) | | | | | |
| | l Developmer | | | MCMR-UMP | DAMD17-92-C | | | | |
| 8c. ADDRESS (| | I ZIP COO | de) | | PROGRAM | PROJECT | TASK | WORK UNIT | |
| Fort Det | | 2 5000 | | | ELEMENT NO. | NO. | NO. | ACCESSION NO. | |
| | k, MD 2170 | | | | 63807A | 30463807 | QC | 073 | |
| 11. TITLE (Incl | ude Security C | lassifica | tion) | | | | | | |
| Developa | mental Toxic | ity (Se | egment II) | Study of WR238605 Si | uccinate in Rat | S | | | |
| 12. PERSONAL | | - | | | | | | | |
| | | | | cieca, M. (PAI) | | | | | |
| 13a. TYPE OF Study | REPORT | | 13b. TIME CO | | 14. DATE OF REPO | RT (Year, Month, D | lay) 15. | PAGE COUNT | |
| 16. SUPPLEME | NTARY NOTA | TION | | | | | | | |
| | | | | | | | | | |
| 17. | COSATI | CODES | | 18. SUBJECT TERMS (C | ontinue on revers | se if necessary and | identify b | ov block number) | |
| FIELD | GROUP | | 3-GROUP | 10. 300320. 1211113 (0 | on revers | ic in necessary and | | | |
| | | | | | | | | | |
| 40 40670467 | 16- 11- | | 16 | | | | | | |
| This study evaluated the developmental toxicity of WR238605 Succinate in time-mated CD° female rats. Doses were 0, 3, 10, and 30 mg base/kg/day administered by gavage during gestation days (GD) 6 - 15 (GD0 = day of vaginal plug). In addition, a positive control group was administered retinol palmitate, 1000 mg/kg/day, on GD9 and 10 by gavage. Maternal toxic manifestations were observed in the high dose and to a lesser extent in the mid dose and positive control groups. A significant decrease in body weight from GD8 resulting in a reduction in total weight gain was associated with a significant decrease in food consumption in high dose females (i.e., 30 mg base/kg/day). Mid dose females (i.e., 10 mg base/kg/day) showed significant decreases in body weight and food consumption only during the period of dosing (i.e., GD6 - 15). Other toxic manifestations were limited to rough coat in two animals at the high dose and enlarged spleen in 16 high dose and 1 mid dose animals. Toxicity was not observed in the low dose level. The positive control group showed a significant decrease in body weight and total weight gain from GD10 - GD20, in addition to a decrease in food consumption during the dosing period (i.e., GD6 - GD15). | | | | | | | | | |
| | TION/AVAILAB SIFIED/UNLIMIT | | SAME AS R | PT. DTIC USERS | 21. ABSTRACT SE Unclassific | | TION | | |
| | F RESPONSIBLE | | | LI DIIC OSERS | | (Include Area Code) | 22c. OF | FICE SYMBOL | |
| Barry S | S. Levine | | | | (312) 996- | | N/ | | |

SECURITY CLASSIFICATION OF THIS PAGE

| JECONITY CLASSIFICATION OF TH | DOCUMENTATIO | N PAGE | | | Form Approved OMB No. 0704-0188 | | |
|---|-----------------|---|---------------------------------|----------------------------------|------------------------------------|----------------------------|--|
| 1a. REPORT SECURITY CLASSIFICA | ATION | | 1b. RESTRICTIVE MARKINGS | | | | |
| 2a. SECURITY CLASSIFICATION AU Unclassified 2b. DECLASSIFICATION / DOWNGR | | ILE | 3. DISTRIBUTION Unlimited | N/AVAILABILITY O | F REPORT | | |
| 4. PERFORMING ORGANIZATION | | R(S) | 5. MONITORING | ORGANIZATION R | EPORT NU | M8ER(S) | |
| UIC-10B (UIC/TRL Study N | | | | | | =-:-== | |
| Toxicology Research Labo University of Illinois a | oratory | 6b. OFFICE SYMBOL (If applicable) | | ONITORING ORGA Medical Materi | | opment Activity | |
| 6c ADDRESS (City, State, and ZIP Department of Pharmacolo 1940 W. Taylor Street Chicago, IL 60612-7353 | Code) | | ATIN: MCMF Fort Detri | | | | |
| 8a. NAME OF FUNDING/SPONSO ORGANIZATION U.S. Army Materiel Development Ac | Medical | 8b. OFFICE SYMBOL (If applicable) MCMR-UMP | 9. PROCUREMEN DAMD17-92-C | T INSTRUMENT ID | ENTIFICATI | ON NUMBER | |
| 8c. ADDRESS (City, State, and ZIP) | | TICHK-OPE | | FUNDING NUMBER | ts | | |
| Fort Detrick Frederick, MD 21702-500 | | | PROGRAM ELEMENT NO. | PROJECT NO. | TASK NO. | WORK UNIT ACCESSION NO. | |
| 11. TITLE (Include Security Classifi | | | 63807A | 30463807 | ∞ | 073 | |
| Developmental Toxicity | | Study of WR238605 S | uccinate in Rat | .s | | | |
| 12. PERSONAL AUTHOR(S) Levine, B.S., Youssef, | A F and Mor | roices M (PAT) | | | | | |
| 13a. TYPE OF REPORT Study | 13b. TIME CO | OVERED | 14. DATE OF REPO | ORT (Year, Month, | Day) 15. | PAGE COUNT | |
| 16. SUPPLEMENTARY NOTATION | | | | | - | | |
| 17. COSATI CODE | | 18. SUBJECT TERMS (C | Continue on revers | se if necessary and | identify b | by block number) | |
| FIELD GROUP S | U8-GROUP | Rats WR238605 Succi | nate | | | | |
| | | Developmental | | | | | |
| 19. ABSTRACT (Continue on rever | se if necessary | and identify by block no | umber) | | | | |
| This study evaluated the developmental toxicity of WR238605 Succinate in time-mated CD° female rats. Doses were 0, 3, 10, and 30 mg base/kg/day administered by gavage during gestation days (GD) 6 - 15 (GD0 = day of vaginal plug). In addition, a positive control group was administered retinol palmitate, 1000 mg/kg/day, on GD9 and 10 by gavage. Maternal toxicity was observed in the high dose and to a lesser extent in the mid dose. At the high dose, significant decreases in body weight, total weight gain and food consumption were observed throughout the study with rough coat seen in two animals. In addition, enlarged spleen was observed at necropsy in 16 high dose and 1 mid dose females. In the mid dose, marginal decreases in body weight and food consumption were observed during the dosing period. Maternal toxicity was not observed in the low dose. Doses of WR238605 succinate used in the present study were not developmentally toxic. Retinol palmitate (1000 mg/kg/day on GD 9 & 10) was developmentally and maternally toxic. Significant decreases in body weight, total weight gain and uterine weights were observed. In addition, significant increases in fetal malformations and decreases in fetal body weights and the number of viable fetuses were observed. In conclusion, WR238605 succinate was maternally toxic in rats at 10 mg base/kg/day, however developmental toxicity was not observed up to 30 mg base/kg/day, the highest dose level tested. | | | | | | | |
| 20. DISTRIBUTION / AVAILABILITY UNCLASSIFIED/UNLIMITED | SAME AS R | PT. DTIC USERS | Unclassifie | | | | |
| 22a. NAME OF RESPONSIBLE INDI | VIDUAL | | 22b. TELEPHONE ((312) 996-5 | (Include Area Code 5543 | 22c. OF | | |
| Barry S. Levine (312) 996–3343 N/A DD Form 1473, JUN 86 Previous editions are obsolete. SECURITY CLASSIFICATION OF THIS PAGE | | | | | | The second second second | |

Task Order No.: UIC-10B

Study No.: 154

Title Page

Study Report for Task Order No. UIC-10B

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS

Sponsor: U.S. Army Medical Materiel

Development Activity

Test Article: WR238605 Succinate

Contract No.: DAMD17-92-C-2001

Study Director

Barry S. Levine, D.Sc., D.A.B.T.

In-Life Phase Completed On

November 4, 1994

Performing Laboratory

TOXICOLOGY RESEARCH LABORATORY (TRL)
University of Illinois at Chicago (UIC)
Department of Pharmacology
1940 W. Taylor St.
Chicago, IL 60612-7353

The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.

Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B Study No.: 154

STATEMENT OF COMPLIANCE

To the best of my knowledge, Study No. 154 entitled "Developmental Toxicity (Segment II) Study of WR238605 Succinate in Rats" was conducted in compliance with the Good Laboratory Practices regulations as published in 21 CFR 58, 40 CFR 160 and 40 CFR 792 in all material aspects.

The protocol for this study was approved by the UIC Animal Care Committee.

Signature

Study Director

Barry S. Levine, D.Sc., D.A.B.T.

Date

OUALITY ASSURANCE STATEMENT

STUDY TITLE: DEVELOPMENTAL TOXICITY (SEGMENT II)
STUDY OF WR238605 SUCCINATE IN RATS

STUDY NUMBER: 154

STUDY DIRECTOR: BARRY S. LEVINE

INITIATION DATE: 6/28/94

This study has been divided into a series of phases. Using a random sampling approach, Quality Assurance personnel monitors each of these phases over a series of studies. Procedures, equipment, documentation, etc., are examined in order to assure that the study is performed in accordance with the Good Laboratory Practice regulations of the Food and Drug Administration and the Environmental Protection Agency to assure that the study is conducted according to the protocol.

The following are the inspection dates, phases inspected, and report dates of QA inspections of the study.

INSPECT ON 6/29/94, TO STUDY DIR 6/29/94, TO MGMT 6/29/94 PHASES: PROTOCOL REVIEW

INSPECT ON 10/20/94, TO STUDY DIR 10/20/94, TO MGMT 10/26/94 PHASES: MORIBUNDITY/MORTALITY, ROOM ENVIRONMENT, FOOD CONSUMPTION, BODY WEIGHT, DOSING AND CLINICAL SIGNS

INSPECT ON 11/1/94, TO STUDY DIR 11/2/94, TO MGMT 11/3/94 PHASES: EUTHANASIA, C-SECTIONING OBSERVATIONS AND FETAL OBSERVATIONS AND EXAMINATIONS

INSPECT ON 1/17/95, TO STUDY DIR 1/17/95, TO MGMT 1/17/95 PHASES: RAW DATA AND DRAFT REPORT FROM THE ANALYTICAL LAB

INSPECT ON 2/9/95, TO STUDY DIR 2/10/95, TO MGMT 3/29/95 PHASES: RAW DATA

INSPECT ON 3/29-30/95, TO STUDY DIR 3/30/95, TO MGMT 3/30/95 PHASES: DRAFT REPORT

Ronald Schaenheell

DA

Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B

Study No.: 154

Signature Page

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS

TRL Chemical No.: 0720614

Sponsor: U.S. Army Medical Materiel

Development Activity

Fort Detrick

Frederick, MD 21702-5009

Test Article: WR238605 Succinate

Sponsor

Representative: George J. Schieferstein, Ph.D.

Testing Facility: TOXICOLOGY RESEARCH LABORATORY (TRL)

University of Illinois at Chicago (UIC) Department of Pharmacology (M/C 868)

1940 W. Taylor St. Chicago, IL 60612-7353

Barry S. Levine, D.Sc., D.A.B.T. Study Director

Date

Ashraf F. Youssef, M.D., Ph.D. Reproductive Toxicologist

Date

In-life Phase Initiation: October 12, 1994

Dosing Initiation: October 18, 1994

In-Life Completion: November 4, 1994



Task Order No.: UIC-10B Study No.: 154

TABLE OF CONTENTS

| TITLE PAGE | | |
|---------------------------------|--|-------|
| STATEMENT | OF COMPLIANCE | , |
| QUALITY AS: | SURANCE STATEMENT 3 | 1 |
| SIGNATURE I | PAGE 4 | - |
| TABLE OF CO | ONTENTS 5 | , |
| 1. | SUMMARY 7 | 1 |
| 2. | INTRODUCTION 7 | 1 |
| 3. | MATERIALS AND METHODS | 1 |
| 5 | 3.1 Test Article 7 3.2 Animals 8 3.3 Experimental Design 9 3.4 Statistical Analyses 10 | 3 |
| 4. | RESULTS | |
| | 4.1 Dosage Formulation Analysis114.2 Mortality/Clinical Signs114.3 Maternal Body Weights114.4 Food Consumption124.5 Cesarean-Section and Maternal Gross Observations124.6 Fetal Observations12 | 1 |
| 5. | DISCUSSION 12 | 1 |
| 6 | REFERENCES | ; |
| 7. | PERSONNEL | } |
| 8. | ARCHIVES 13 | } |
| | TABLES | |
| 1 2 3 4 5 6 7 | Summary of Toxic Responses14Dosage Formulation Analyses15Summary of Clinical Signs16Summary of Body Weights (Maternal)17Summary of Weight Gains (Maternal)19Summary of Daily Mean Food Consumption21Summary of Cesarean-Section Data and Fetal Evaluations22 | 5 7 9 |

Task Order No.: UIC-10B

Study No.: 154

DRAFT

| | _ | |
|------|-----|-----|
| APPE | NDI | CES |

| 1 | Analytical Chemistry Report | 1-1 |
|---|--|-----|
| 2 | Individual Maternal Clinical Signs | 2-1 |
| 3 | Individual Maternal Body Weight and Weight Gain Data | 3-1 |
| 4 | Individual Maternal Food Consumption Data | 4-1 |
| 5 | Teratology Report | 5-1 |
| 6 | Protocol and Amendments | 6-1 |
| 7 | Study Deviations | 7-1 |

Task Order No.: UIC-10B Study No.: 154

DRAFT

SUMMARY

This study evaluated the developmental toxicity of WR238605 Succinate in time-mated CD[®] female rats. Doses were 0, 3, 10, and 30 mg base/kg/day administered by gavage during gestation days (GD) 6 - 15 (GD0 = day of vaginal plug). In addition, a positive control group was administered retinol palmitate, 1000 mg/kg/day, on GD9 and 10 by gavage. The results are summarized in Table 1. Maternal toxic manifestations were observed in the high dose and to a lesser extent in the mid dose and positive control groups. A significant decrease in body weight from GD8 resulting in a reduction in total weight gain was associated with a significant decrease in food consumption in high dose females (i.e., 30 mg base/kg/day). Mid dose females (i.e., 10 mg base/kg/day) showed significant decreases in body weight and food consumption only during the period of dosing (i.e., GD6 - 15). Other toxic manifestations were limited to rough coat in two animals at the high dose and enlarged spleen in 16 high dose and 1 mid dose animals. Toxicity was not observed in the low dose level. The positive control group showed a significant decrease in body weight and total weight gain from GD10 - GD20, in addition to a decrease in food consumption during the dosing period (i.e., GD6 - GD15).

The doses of WR238605 succinate tested in this study did not result in any developmental toxicity. The 3 mg base/kg/day dose was considered the maternal no observable effect level (NOEL) while 30 mg base/kg/day, the highest dose tested, was considered the NOEL for fetal toxicity in rats. Significant developmental toxic manifestations were, however, seen in the positive control group. These manifestations included significant decreases in the number of viable fetuses, fetal body weights and maternal uterine weights. In addition, significant increases in % postimplantation loss, and increased incidences in fetal skeletal and visceral malformations, primarily related to structures of the head, vertebral column and ribs, were noted in retinol palmitate-treated animals.

2. INTRODUCTION

This study was conducted to evaluate the developmental toxicity of WR238605 Succinate in rats. The test article was administered by daily gavage to time-mated CD® females during gestation days 6 - 15. The fetuses were delivered by Cesarean section on gestation day 20. They were examined for external anomalies and then fixed in either Bouin's solution or alcohol for subsequent internal examination. All methods and procedures in this study were conducted in accordance with the Toxicology Research Laboratory, University of Illinois at Chicago and Pathology Associates, Inc. Quality Assurance Programs designed to conform with FDA Good Laboratory Practices Regulations. No unforeseen circumstances affected the integrity of the study. This study was initiated on the night of October 12, 1994 (initiation of mating). Dosing was initiated (stagger-started over four days) on October 18, 1994 (GD6) and the in-life portion was terminated on November 4, 1994 (GD20).

MATERIALS AND METHODS

3.1 Test Article

WR238605 Succinate (Bottle Lot No. BM 12562), a pale yellow powder, was received on 10/05/94 from Herner & Co., and was assigned an in-house chemical number (0720614). The chemical name of the test article is 8-[4-Amino-1-methylbutyl)amino]-2,6-dimethoxy-4-methyl-5-(3-trifluoromethyl-phenoxy)quinoline succinate and the mole fraction of the base is 0.8. It was stored at 0 to 4°C and ambient humidity, and was protected from light (the container was wrapped in aluminum foil). The chemical structure follows.

Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B Study No.: 154

The test article was initially identified by GC-MS and the purity was determined to be 99.91%. The purity was re-determined following the completion of the in-life portion of the study. At that time, the purity was 99.94%. Thus, the test article was stable under storage conditions.

3.2 Animals

One hundred and fifty-six female Virus Antibody Free (VAF) time-mated CD® rats were obtained from Charles River Breeding Laboratories, Portage, MI on October 14 and 17, 1994. The animals were ≈ 9 weeks old upon arrival at the UIC AAALAC-accredited animal facility (date of birth 08/09/94 and 08/12/94). Each animal was given a study-unique number (ear-tag) by the supplier. This number appeared on a cage card visible on the front of each cage. The cage card additionally contained the study number, test article identification, treatment group number, and dose level. Cage cards were color-coded as a function of treatment group. Animals were singly housed in polycarbonate cages with Anderson Bed-a-cob bedding (Heinold Co., Kankakee, IL) in a temperature (65 - 78°F) and humidity (approx. 30 - 70 %) controlled room with a 14 hour light/10 hour dark cycle. The cage size, 840 cm² area and 20 cm height, was adequate to house rats at the upper weight range as described in the Guide for the Care and Use of Laboratory Animals, DHHS (NIH) No. 86.23. All animals were routinely transferred to clean cages with fresh bedding weekly.

Certified Rodent Chow No. 5002 (PMI Feeds, Inc., St. Louis, MO) and tap water from an automatic watering system in which the room distribution lines were flushed daily were provided ad libitum from arrival until termination. The water was not treated with additional chlorine or HCl. There were no known contaminants in the feed or water which were expected to influence the study. The results of the most current comprehensive chemical analyses of Chicago water conducted by the City of Chicago are documented in files maintained by Quality Assurance.



Task Order No.: UIC-10B Study No.: 154

3.3 Experimental Design

The animals were mated on four sequential nights at the suppliers' facility. The morning when the vaginal plug was found was considered gestation day 0 (GD0). At each GD0, 39 females showing vaginal plugs were collected. Each animal was ear tagged and GD0 body weights were obtained by the supplier. Of the 156 presumed pregnant rats which were received, 39 were at GD1, 78 at GD2, and the other 39 were at GD3 upon arrival at the UIC animal facility. All animals were quarantined for at least 3 days before initiation of dosing on GD6. All animals were examined daily during the quarantine period, and were approved for use by the Clinical Veterinarian prior to being placed on test. Animals from each gestation day 0 subset were randomized into five groups on the basis of body weight to result in 25 animals/group. Dosing initiation and subsequent necropsies were staggered over 4 days.

Dose levels were selected on the basis of a range-finding developmental toxicity study in rats (UIC/TRL Study Nos. 153) as follows:

| Group No. | Treatment | Dose Level (mg base/kg/day) | Number of Females* |
|-----------|----------------------------------|---------------------------------------|--------------------|
| 1 | Vehicle | 0 | 25 |
| 2 | WR238605 Succinate | 3 | 25 |
| 3 | WR238605 Succinate | 10 | 25 |
| 4 | WR238605 Succinate | 30 | 25 |
| 5** | Vitamin A (Retinol Palmitate) | 1000 mg/kg/day (250,000 IU/kg/day) | 25 |

^{*} Presumed Pregnant

The test article was administered by gavage once daily during gestation days 6 through 15. The gavage procedure was accomplished by the use of a rigid oral feeding needle, and the dosing suspensions were administered at a dosing volume of 5 ml/kg. Dosage formulations were prepared at the beginning of the study. A stock test article suspension was prepared by suspending the appropriate quantity of the test article in the vehicle (aqueous 1% Methylcellulose/0.2% Tween 80). Dosing suspensions for the lower dose levels were preparerd by diluting the stock with additional vehicle. suspensions were kept at 0 - 4°C. Samples of the dosage formulations used at the beginning of the dosing period were analyzed for test article concentration prior to use. Only samples within 10% of their intended concentration were used. The dosage formulations were re-analyzed at the end of the dosing period. A second set of dosage formulations was prepared near the end of the study to dose animals on the last 1 - 4 days of the dosing period (the range was due to the 4 day stagger-start). These formulations were analyzed at the end of the dosing schedule. Stability data obtained from a previous study (UIC/TRL Study No. 047) indicated that the dosing suspensions were stable for two weeks. Homogeneity data obtained from UIC/TRL Study No. 047 also demonstrated that the test article suspensions were homogeneous (coefficients of variation for sampling in the top, middle and bottom of several test suspensions were typically less than 4%).

^{**} The positive control agent (suspended in water at 200 mg/ml) was administered orally at the specified dose on days 9 and 10 gestation at a dosing volume of 5 ml/kg.

Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B Study No.: 154

Non-fasted body weights were recorded on gestation day 0 (GD0 by the supplier), GD5 (for randomization), and on GD6 - 15, GD18 and GD20. Food consumption for all animals was measured during the following intervals: GD6 - 10, GD10 - 15 and GD15 - 20. Clinical signs were observed and recorded approximately 1 - 2 hours post-dosing on the days of dosing and each morning after completion of the dosing period. Animals were also observed for moribundity/mortality immediately prior to dosing and in the afternoon (after at least six hours), and in the afternoon after completion of the dosing period.

On GD20, all rats were killed in random order by carbon dioxide asphyxiation. The abdominal and thoracic cavities were opened by a ventral midline incision, and the contents examined. In gravid animals, the ovaries were examined. The number of corpora lutea on each ovary were recorded (ovaries discarded after evaluation). The gravid uteri were examined and weighed. The number and location of viable and nonviable fetuses in utero, early and late resorptions and the total number of implantation sites were recorded. A viable fetus was defined as one which responds to stimuli. A non-viable fetus was defined as a term fetus which did not respond to stimuli in utero or was not breathing. An early resorption was defined as one in which it is not grossly evident that organogenesis has occurred. A late resorption was defined as one in which it was grossly evident that organogenesis had occurred. A fetus with evident autolysis was considered a late resorption.

The uterine position of each fetus was documented using the following procedure. All implantation sites, including resorptions, were numbered in consecutive fashion beginning with the left distal uterine horn, noting the position of the cervix. Based on gross necropsy observations, a total of 17 maternal spleens in addition to 2 kidneys were saved in 10% neutral buffered formalin, but were not processed for histopathological examination (Section 4.5). Following gross necropsy examination the carcass of each dam was discarded.

The number of fetuses were recorded. Each fetus was weighed and was individually identified noting litter, uterine placement and study number. All fetuses were euthanized by ip injection of a 40% solution of sodium pentobarbital (0.04 ml/fetus). Subsequently, a morphological examination was performed. A detailed examination of each fetus was conducted to include the eyes, palate, head shape and extremities. Any abnormal finding was recorded. One-half of all fetuses from each litter were fixed in Bouin's solution for subsequent soft tissue examination. Following fixation, each fetus was examined using the Wilson free-hand slicing technique (Wilson, 1965). The remaining fetuses in each litter were fixed in alcohol and eviscerated. The skeletons were examined for alterations following staining with Alizarin Red S, and then cleared in glycerin as recommended by Dawson (Dawson, 1926). Skeletal preparations were stored in 99.5% glycerin/0.5% phenol.

3.4 Statistical Analyses

Maternal body weights and weight gains, uterine absolute weight, maternal food consumption and mean fetal body weights were analyzed by one-way analysis of variance. If a significant F ratio was obtained ($p \le 0.05$), Dunnett's test was used for pair-wise comparisons to the vehicle control group.

Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B Study No.: 154

The incidence of fetal abnormalities was examined in terms of the fetal and litter percentages (% abnormal fetuses/group & % abnormal litters/group). Abnormalities included malformations in addition to variations. The proportions of litters with abnormalities and male to female fetal sex ratios were compared using Fisher's exact test and the Chi-square test, respectively.

Resorptions, non-viable fetuses, viable fetuses, corpora lutea (C.L.), implantations, preimplantation loss*, postimplantation loss**, and total implantation loss*** were compared using the Kruskal-Wallis test. If a significant effect was seen ($p \le 0.05$), the Mann-Whitney U test was used for pair-wise comparisons to the vehicle control group.

*Preimplantation loss% = [(#C.L. - #implantations)/# C.L.] x 100

**Postimplantation loss% = [(#implantations - #live fetuses)/#implantations] x 100

***Total implantation loss% = $[(\#C.L. - \# \text{ live fetuses})/\#C.L.] \times 100$

In addition to the written report, summary data tables of parameters and variability were transmitted to the Sponsor on magnetic media (computer diskette) in "ASCII" form. The transcribed data on disk were no longer considered GLP compliant.

4. RESULTS

4.1 <u>Dosage Formulation Analysis</u>

The results of dosage analyses are shown in Table 2. The Analytical Chemistry Report is in Appendix 1. All dosage formulations were within 10% of their target concentration.

4.2 Mortality/Clinical Signs

The summary of clinical signs of toxicity is in Table 3. Individual maternal clinical signs are in Appendix 2.

No animals died during the study. All females were pregnant and the only clinical sign was one incidence of rough coat in each of two animals in the high dose group.

4.3 <u>Maternal Body Weights</u>

The summaries of maternal body weights and weight gains are in Tables 4 and 5, respectively. Individual maternal body weight data are included in Appendix 3.

High dose females (i.e., 30 mg base/kg/day) showed a significant decrease in body weight from GD8 throughout the study. This decrease resulted in a significant decrease in total weight gain. Mid dose animals generally showed significant decreases in body weight from GD12 through GD15 (except on day 13); however, overall weight gain was not significantly less than the vehicle control group. Body weights were unaffected in low dose animals. In the positive control group, a significant decrease in body weight was observed from GD10 to GD20. This resulted in a significant decrease in total weight gain.

Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B Study No.: 154

4.4 Food Consumption

The summary of mean daily food consumption is in Table 6. Individual maternal food consumption data are shown in Appendix 4.

Food consumption was significantly decreased in the high dose group throughout the study (i.e., GD6 - 20), while animals in the mid dose and positive control groups only showed significant decreases during GD6 to 15. Food consumption was not affected in the low dose group.

4.5 Cesarean-Section and Maternal Gross Observations

The summary of the cesarean section data is in Table 7. The Teratology Report is in Appendix 5.

Enlarged spleens were detected in 16 high dose females (i.e., 30 mg/kg/day) and in one female in the mid dose (i.e., 10 mg/kg/day). In addition, one female in the high dose and one female in the positive control group had hydronephrotic kidneys.

No significant changes in reproductive indices were observed in WR238605-treated animals. A slight, but significant increase in the number of viable fetuses in the low dose in comparison to the control was considered incidental.

Females in the positive control group showed statistically significant decreases in uterine weight and the number of non-viable fetuses. In addition, significant increases in the number of early resorptions and % post-implantation loss were observed.

4.6 Fetal Observations

The summary of fetal observations data is in Table 7. The Teratology report is in Appendix 5.

Fetuses of animals dosed with WR238605 succinate did not show any significant morphologic changes in comparison to the vehicle control group. Fetuses in the positive control group (i.e., retinol palmitate 1000 mg/kg/day on GD9 & 10) showed significant decreases in body weight in both sexes and significant increases in the incidence of several skeletal and visceral anomalies in comparison to the vehicle control group. Salient findings were primarily related to the structures of the head, vertebral column and ribs. In addition, the incidences of four developmental variations, i.e. reduced ossification/unossified skull bones, 14th rudimentary ribs, 14th full ribs and 27 presacral vertebrae, were statistically increased compared to the vehicle control group.

DISCUSSION

This study evaluated the developmental toxicity of WR238605 Succinate in time-mated CD[®] female rats. Doses were 0, 3, 10, and 30 mg base/kg/day administered by gavage during GD6 - 15 (GD0 = day of vaginal plug). In addition, a positive control group was administered retinol palmitate, 1000 mg/kg/day on GD9 and 10 by gavage. In high dose animals, maternal

Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B Study No.: 154

toxic manifestations included rough coat in two animals, significant decreases in body weight from GD8 resulting in significant decreases in total weight gain, and depressed food consumption throughout the study. In the mid dose group, decreases in body weight and daily food consumption were also significant but only during the dosing period. There was also an apparent enlargement of the spleen in 16 females in the high dose and 1 female in the mid dose. Toxic manifestations were not observed in the low dose (i.e., 3 mg base/kg/day). Based on the apparent toxicity at the high and the mid dose, 3 mg base/kg/day was considered the maternal no observable effect level (NOEL).

Fetal toxic manifestations were not seen in WR238605-treated groups, but were observed among the positive control group. These manifestations included significant decreases in fetal body weights and the number of viable fetuses, and significant increases in the incidence of fetuses with skeletal and visceral malformations, primarily related to structures of the head, vertebral column and ribs. Toxicity in the positive control group also included a decrease in uterine weight, an increase in the number of early resorptions and an increase in the % postimplantation loss.

In conclusion, WR238605 succinate was maternally toxic in rats at 10 mg base/kg/day, however developmental toxicity was not observed up to 30 mg base/kg/day, the hightest dose tested.

6. REFERENCES

Dawson, AB (1926). A note on the staining of cleared specimens with Alizarin Red S. Stain Technol. 1:123-124.

Wilson, J.G. (1965). Methods for administering drugs and detecting malformations in experimental animals. *In*: Teratology Principles and Techniques (Wilson, J.G. and Warkany, J., eds.). Un. Chicago Press, pp. 262-277.

7. PERSONNEL

Study Director Reproductive Toxicologist Reproductive Scientist Teratologist (PAI)

Analytical Chemist Clinical Veterinarian Tox. Lab Supervisor Lead Technician

Chemistry Specialist
Quality Assurance

Barry S. Levine, D.Sc., D.A.B.T. Ashraf F. Youssef, M.D., Ph.D.

Roberto A. Matamoros, D.V.M., Ph.D.

Michael D. Mercieca, B.S. Adam Negrusz, Ph.D.

James Artwohl, D.V.M., M.S., D.A.C.L.A.M.

Soudabeh Soura, B.S. Nancy Dinger, B.S. Thomas Tolhurst, B.S. Ronald C. Schoenbeck

Report preparation was assisted by Dr. Ashraf Youssef, Ms. Soudabeh Soura and Ms. Nancy Dinger.

8. ARCHIVES

All raw data, documentation, specimens, test article reserves, and the final report are archived at the Toxicology Research Laboratory, University of Illinois at Chicago, Department of Pharmacology, 1940 W. Taylor St., Chicago, IL 60612-7353.

Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B Study No.: 154

Table 1

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS

Summary of Toxic Responses

| | | WR238605 Succinate | | | | |
|--|-------|--------------------|-------|-------|-------|--|
| Dose Level (mg base/kg/day) | ٥ | 3 | 10 | 30 | 1000° | |
| Number of Females Pregnant (Non-pregnant) | 25(0) | 25(0) | 25(0) | 25(0) | 25(0) | |
| Number of Litters (Early termination of pregnancy) | 25(0) | 25(0) | 25(0) | 25(0) | 25(0) | |
| Clinical Signs (number of females) | - | NE | NE | RC(2) | NE | |
| Decrease in Maternal Body Weight Gain | - | NE | 1 | - | | |
| Decrease in Food Consumption | | NE | 1 | - | 0 | |
| Enlarged Spleen (No. animals) | - | Ĉ. | 1 | 10 | 0 | |
| Hydronephretic Kidney (No. animals) | - | 8 | 0 | 1 | • | |
| Decrease in Uterine Weight | - | NE | NE | NE | + | |
| Early Resorptions | - | 1 | 1 | - | 0 | |
| Post-implantation Loss | - | 1 | 1 | - | + | |
| Decrease in Fetal Body Weight (♀/♂) | -/- | NE/NE | NE/NE | NE/NE | +/+ | |
| External Malformations | - | NE | NE | NE | 0 | |
| Skeletal Malformations | - | NE | NE | NE | | |

CONCLUSIONS

This study evaluated the developmental toxicity of WR238605 Succinate in time-mated CD® female rats. Doses were 0, 3, 10, and 30 mg base/kg/day administered by gavage during gestation days (GD) 6 - 15 (GD0 = day of vaginal plug). In addition, a positive control group was administered retinol palmitate, 1000 mg/kg/day, on GD9 and 10 by gavage. Maternal toxicity was observed in the high dose and to a lesser extent in the mid dose. At the high dose, significant decreases in body weight, total weight gain and food consumption were observed throughout the study with rough coat seen in two animals. In addition, enlarged spleen was observed at necropsy in 16 high dose and 1 mid dose females. In the mid dose, marginal decreases in body weight and food consumption were observed during the dosing period. Maternal toxicity was not observed in the low dose. Doses of WR238605 succinate used in the present study were not developmentally toxic. Retinol palmitate (1000 mg/kg/day on GD 9 & 10) was developmentally and maternally toxic. Significant decreases in body weight, total weight gain and uterine weights were observed. In addition, significant increases in fetal malformations and decreases in fetal body weights and the number of viable fetuses were observed. In conclusion, WR238605 succinate was maternally toxic in rats at 10 mg base/kg/day, however developmental toxicity was not observed up to 30 mg base/kg/day, the highest dose level tested.

+ = Positive effect

NE = No effect

? = Possible effect

RC = Rough Coat "mg/kg/day on GD9 & 10

Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B Study No.: 154

Table 2

DEVELOPMENTAL TOXICITY (SEGMENT II)
STUDY OF WR238605 SUCCINATE IN RATS

Dosage Formulation Analyses^a

| Target Concentration (mg base/ml) | Initia.l (Batch #1) | % Target | Terminal (Batch #1) | % Target | Terminal Batch #2 | % Target |
|---|------------------------|----------|------------------------|----------|----------------------|----------|
| 0.6 | 0.65 ± 0.00 | 108.3 | 0.66 ± 0.00 | 110.0 | 0.60 ± 0.00 | 100.0 |
| 2.0 | 1.90 ± 0.02 | 95.0 | 1.98 ± 0.00 | 99.0 | 2.01 ± 0.00 | 100.5 |
| 6.0 | 6.18 ± 0.02 | 103.0 | 6.05 ± 0.03 | 100.8 | 6.11 ± 0.02 | 101.8 |

^{*}Mean ± standard deviation for triplicate runs.

Table 3 DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS



| L | | SUMMARY C | F CLINI | CAL SI | GNS | | |
|--------|------------------------------|----------------------------------|----------|----------|-----------|-----------|--------------------------------------|
| STUDY: | 154 | | SEX: | FEMAL | E | | |
| | | DOSE: (mg base/kg/day) GROUP: | 0 1-F | 3 2-F | 10 3-F | 30 4-F | 1000 (mg/kg/day) ^a 5-F |
| | Scheduled Sacr Rough Coat | ifice | 25 0 | 25 0 | 25 0 | 25 2 | 25 0 |
| | Total Number of | Animals | 25 | 25 | 25 | 25 | 25 |

^a Retinol Palmitate given on GD9 and GD10 only

Table 4 DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS

DRAFT

| | STUDY: 154 | | | SEX | : FEMALE | 3 |
|-------------|-----------------|-------------|-------|-----------|-----------|--------------------|
| | DOSE: (mg base) | (ka (day) 0 | 7 | 10 | 70 | 1000 (mg/kg/day) a |
| PERIOD | GROUP: | 1-F | 2-F | 10 3-F | 30 4-F | 5-F |
| PERIOD | GROOP: | 1-1 | Z-r | 2-1 | 4-r |)-L |
| | | | | | | |
| DAY 0 | MEAN | 213.2 | | 212.9 | 212.5 | 213.2 |
| | S.D. | 6.65 | 5.47 | 5.20 | 5.68 | 5.07 |
| | N | 25 | 25 | 25 | 25 | 25 |
| DAY 5 | MEAN | 239.6 | 239.3 | 239.1 | 239.3 | 238.4 |
| | S.D. | 9.56 | 7.27 | 7.31 | 9.32 | 8.60 |
| | N | 25 | 25 | 25 | 25 | 25 |
| DAY 6 | MEAN | 241.7 | 239.8 | 240.9 | 241.1 | 240.8 |
| UNI U | S.D. | 10.73 | 8.89 | 7.81 | 9.18 | 8.36 |
| | N N | 25 | 25 | 25 | 25 | 25 |
| DAY 7 | MEAN | 243.2 | 241.8 | 243.1 | 239.4 | 243.9 |
| DAT / | S.D. | 10.72 | 7.97 | 7.95 | 10.07 | 10.18 |
| | N. | 25 | 25 | 25 | 25 | 25 |
| | N | 23 | 23 | 23 | 23 | 23 |
| DAY 8 | MEAN | 250.7 | 247.7 | 245.5 | 239.3* | 247.7 |
| | S.D. | 10.23 | 8.02 | 9.28 | 10.43 | 10.12 |
| | N | 25 | 25 | 25 | 25 | 25 |
| DAY 9 | MEAN | 256.2 | 251.7 | 250.4 | 241.2* | 254.4 |
| <i>57 7</i> | S.D. | 9.99 | 7.56 | 9.35 | 11.65 | 7.58 |
| | N | 25 | 25 | 25 | 25 | 25 |
| DAY 10 | MEAN | 261.8 | 258.0 | 256.8 | 242.2* | 252.1* |
| DAT 10 | S.D. | 10.69 | 8.52 | 11.20 | 11.09 | 7.60 |
| | N | 25 | 25 | 25 | 25 | 25 |
| DAY 11 | MEAN | 268.9 | 263.7 | 262.3 | 243.6* | 249.2* |
| DAT | S.D. | 10.42 | 8.15 | 11.81 | 11.64 | 10.44 |
| | N. | 25 | 25 | 25 | 25 | 25 |
| DAY 43 | MEAN | 27/ 2 | 240 / | 244 1* | 3/5 3* | 256.5* |
| DAY 12 | MEAN | 274.2 | 269.4 | 266.1* | 245.2* | |
| | S.D. | 10.32 | 8.92 | 14.34 | 13.73 | 9.25 |
| | N | 25 | 25 | 25 | 25 | 25 |
| DAY 13 | MEAN | 279.3 | 274.8 | 271.0 | 244.8* | 263.4* |
| | S.D. | 11.55 | 9.58 | 14.88 | 16.58 | 8.47 |
| | N | 25 | 25 | 25 | 25 | 25 |

 $^{^{\}rm a}$ Retinol Palmitate given on GD9 and GD10 only

Table 4 (cont'd) DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS

DRAFT

| | | SUMMA | RY OF BO | DY WEIGH | TS (Grams) | (Maternal) | |
|---------------|-------------------|---|----------------------|-----------------------|-----------------------|--------------------------------------|-------------|
| STU | DY: 154 | | | SEX | : FEMALE | 2 | |
| DO: PERIOD | SE: (mg base/kg | g/day) 0 1-F | 3 2- F | 10 3- F | 30 4-F | 1000 (mg/kg/day) ^a 5-F | |
| | | • | | | | | *********** |
| DAY 14 | MEAN S.D. N | 285.7 12.03 25 | 280.4 10.30 25 | 276.1* 14.55 25 | 244.9* 16.65 25 | 269.2* 8.21 25 | |
| DAY 15 | MEAN S.D. N | 293.7 12.29 25 | 288.3 11.40 25 | 282.0* 15.03 25 | 247.8* 17.38 25 | 277.3* 9.45 25 | |
| DAY 18 | MEAN S.D. N | 326.0 14.17 25 | 323.1 13.32 25 | 317.6 14.45 25 | 282.8* 21.39 25 | 307.4* 14.87 25 | |
| DAY 20 | MEAN S.D. N | 351.3 16.89 25 | 349.8 16.41 25 | 343.2 19.19 25 | 306.6* 25.30 25 | 330.5* 19.86 25 | |

^a Retinol Palmitate given on GD9 and GD10 only

P less than .05 Analysis of Variance using DUNNETT'S Procedure

Table 5 DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS



| | | | SUMMARY | OF | WEIGHT GAIN | IS (Grams) (Ma | ternal) |
|-----|-------|---------------------------|--------------------|--------------------|--------------------|---------------------|--------------------------------------|
| | STUDY | : 154 | | | | FEMALE | |
| PER | | (mg base/kg/day GROUP: | ′) 0 1-F | 3 2-F | 10 3-F | 30 4-F | 1000 (mg/kg/day) ^C 5-F |
| DAY | | MEAN | 1.5 | 2.0 | 2.2 | -1.7 | 3.0 |
| | | S.D. | 9.81 | 6.74 | 6.45 25 | 4.23 | 5.19 25 |
| DAY | 8 | | | 5.9 | | -0.2* | 3.8* |
| | | S.D. | 5.72 25 | 4.45 25 | 4.37 25 | 5.98 25 | 3.27 25 |
| DAY | 9 | MEAN S.D. N | 5.4 2.83 25 | 4.0 3.64 25 | 4.9 3.76 25 | 1.9* 3.87 25 | 6.7 5.22 25 |
| DAY | 10 | MEAN | 5.6 | 6.3 | 6.4 | 1.0* | -2.3* |
| | | S.D. N | 3.12 | 3.53 | | 4.67 25 | 6.36 25 |
| DAY | 11 | MEAN S.D. N | 7.1 2.42 25 | 5.8 3.11 25 | 5.6 4.54 25 | 1.3* 6.66 25 | -3.0* 4.80 25 |
| DAY | 12 | MEAN S.D. N | 5.3 2.28 25 | 5.7 3.00 25 | 3.8 4.57 25 | 1.6* 5.30 25 | 7.4 6.46 25 |
| DAY | 13 | MEAN S.D. | 5.1 3.20 | 5.4 | 4.9 2.89 | -0.4* 8.03 | 6.9 4.43 |
| DAY | 14 | N MEAN | | 5.5 | | 0.2* | 25 5.8 |
| | | S.D. N | 3.11 | 2.60 | 25 | 6.73 25 | 3.57 25 |
| DAY | 15 | MEAN S.D. N | 8.0 3.55 25 | 8.0 2.91 25 | | 2.9* 4.67 25 | 8.0 4.18 25 |
| DAY | 18 | MEAN S.D. N | 32.2 4.20 25 | 34.8 5.10 25 | 35.6 5.96 25 | 35.0 10.83 25 | 30.1 7.86 25 |
| | | | | | | | |

^{*} P less than .05

Analysis of Variance using DUNNETT'S Procedure

^aSuccessive periods

b Baseline is day 6

 $^{^{\}rm C}$ Retinol Palmitate given on GD9 and GD10 only

Table 5 (cont'd) DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS

DRAFT

| | | SUMMARY | OF | WEIGHT | GAINS | (Grams) (| Maternal) | |
|------------|---------------------------|--------------------|----------------------|---------------------|-------|----------------------|----------------------|-----------------------|
| STUDY | : 154 | | | | SEX: | FEMALE | | |
| | (mg base/kg/day GROUP: | /) 0 1-F | 3 2-F | 10 3-1 | | 30 4-F | 1000 (mg, 5-F | /kg/day) ^b |
| DAY 20 | MEAN S.D. N | 25.3 4.06 25 | 26.6 5.25 25 | 25.6 10.12 25 | 2 | 23.8 8.35 25 | 23.1 9.49 25 | |
| TOTAL GAIN | | | 109.9 13.84 25 | 102.3 16.49 | 5 | 65.5* 23.32 25 | 89.6* 18.06 25 | |

^{*} P less than .05

Analysis of Variance using DUNNETT'S Procedure

^aSuccessive periods

b Retinol Palmitate given on GD9 and GD10 only

Table 6 DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS

DRAFT

| | | SUMMAI | Y OF | DAILY MEAN | FOOD CO | ONSUMPT | ON (Grams) |
|-------|------------------------------|----------------------------|--------------------|--------------------|---------------------|---------------------|--------------------------------------|
| ••••• | S | TUDY: 154 | | | SEX | FEMALI | 3 |
| | DOSE: PERIOD ^a | (mg base/kg/day) GROUP: | 0 1-F | 3 2-F | 10 3-F | 30 4-F | 1000 (mg/kg/day) ^C 5-F |
| | DAY 10 ^b | INTAKE (g) S.D. N | 20.2 1.75 25 | 19.2 1.53 25 | 17.8* 2.33 25 | 14.2* 2.54 25 | 17.3* 1.59 25 |
| | DAY 15 | INTAKE (g) S.D. N | 22.7 1.64 25 | 21.1 1.94 25 | 19.6* 2.80 25 | 12.7* 3.70 25 | 18.3* 1.54 25 |
| | DAY 20 | INTAKE (g) S.D. | 22.3 | 21.4 2.33 | 20.9 | 17.5* 2.50 | 21.7 2.08 |

^{*} P less than .05

Analysis of Variance using DUNNETT'S Procedure

a Inclusive intervals

bFood in on day 6

 $^{^{\}mathrm{C}}$ Retinol Palmitate given on GD9 and GD10 only



Task Order No.: UIC-10B Study No.: 154

Table 7

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS

Summary of Cesarean-Section Data and Fetal Evaluations

| | | WR23860 | 05 Succinate | | Retinol Palmitate |
|--|-----------------|-------------------------|--------------|-----------------|------------------------|
| Dose Level (mg base/kg/day) | 0 | 3 | 10 | 30 | 1000° |
| Females Pregnant (Non-pregnant) | 25(0) | 25(0) | 25(0) | 25(0) | 25(0) |
| Litters (Early termination of pregnancy) | 25(0) | 25(0) | 25(0) | 25(0) | 25(0) |
| Uterine Weight (g) ^b | 68.66 ± 8.11 | 74.00 ± 7.79 | 72.61 ± 8.29 | 63.47 ± 17.48 | 58.46 ± 13.59° |
| Early Resorptions (No.) ^b | 0.5 ± 0.8 | 0.5 ± 0.8 | 0.7 ± 0.9 | 0.7 ± 1.0 | 2.1 ± 2.3 ⁴ |
| Viable Fetuses (No.) | 12.1 ± 1.6 | 13.0 ± 1.5 ^d | 12.6 ± 1.5 | 11.5 ± 3.3 | 10.7 ± 2.4^4 |
| Post-implantation Loss (%) | 3.9 | 3.9 | 5.0 | 6.4 | 16.6⁴ |
| Fetal Body Weight (g) ^b - Males | 3.75 ± 0.32 | 3.83 ± 0.26 | 3.87 ± 0.25 | 3.68 ± 0.29 | 3.32 ± 0.37° |
| - Females | 3.64 ± 0.26 | 3.68 ± 0.24 | 3.70 ± 0.23 | 3.49 ± 0.29 | 3.13 ± 0.40° |
| Litters with External Malformations (%) | 4(16) | 0(0) | 0(0) | 2(8) | 25(100)° |
| Litters with Skeletal Malformations (%) | 0(0) | 1(4.8) | 0(0) | 0(0) | 17(85)° |
| Total Litters with Malformations (%) | 4(16) | 1(4) | 0(0) | 2(8) | 25(100)° |

^{*}mg/kg/day on GD9 and GD10

^bMean ± S.D.

^cStatistically significant from vehicle control group using ANOVA/Dunnett's test (p ≤0.05)

^dStatistically significant from vehicle control group using Kruskall-Wallis test (p ≤0.05)

[°]Statistically significant from vehicle control group using the Fisher's Exact Test (p ≤0.05)

APPENDIX 1

Analytical Chemistry Report

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS

UIC/TRL STUDY NUMBER 154

Part I:

Identity, Purity and Stability Study of WR238605

Part II:

Dosing Formulations Analysis of WR238605 in 1% Methylcellulose/

0.2% Tween 80

Analysts:

Adam Negrusz

A. Karl Larsen, Jr.

Study Site:

Drug Disposition Research Laboratory

College of Pharmacy

University of Illinois at Chicago

Chicago, Illinois 60612

Sponsor:

Toxicology Research Laboratory

University of Illinois at Chicago

Chicago, Illinois 60612

Report Prepared by:

Dr. Adam Negrusz

Report Prepared:

January 12, 1995

Approved:

January 12, 1995

Dr. Eugene F. Woods, Ph.D. 6. Soool

Laboratory Director

Part I: Identity, Purity and Stability Study of WR238605

Objective

The objective of this study was to confirm the identity, and establish the purity and stability of WR238605.

Identification

GC-MS System

Gas Chromatograph:

Hewlett-Packard Model 5890 Series II

Mass Selective Detector:

Hewlett-Packard Model 5970

Analytical Column:

30 m x 0.25 mm ID, DB-1 with a 3 micron film thickness.

GC Parameters:

Injector temp. 250°C, oven temp. 70°C initial, 280°C final, 15°C/minute ramp, carrier gas - helium, flow rate 2

ml/minute, split ratio 10:1

Procedure

Subject sample (WR238605 succinate) was submitted by the Toxicology Research Laboratory. The sample was dissolved in hexane:ethanol (4:1) to a concentration of 0.8 μ g base/ml and a 2 μ l aliquot was injected on the column. The MSD scanned from 40 amu to 475 amu at a rate of 1 scan per second.

Results - GC-MS

The mass spectrum indicates a molecular ion m/e 463 (M⁺ free base) and m/e 405 [M⁺ free base minus (CH₂)₃ NH₂]. This pattern is consistent with the structural formula and corresponds to the finding by SRI International (see SRI International Report No. 469, May 9, 1994).

The mass spectrum of the WR238605 sample was previously reported (see Report of UIC/TRL Study No. 097 and Study No. 098 from August 19, 1993) and it is shown in Figure 1.

Purity

Experimental

The subject sample (WR238605 succinate) was supplied by the Toxicology Research Laboratory and stored at $4^{\circ}\text{C} \pm 2^{\circ}\text{C}$ when it was not being analyzed.

Description

DRAFT

A fine powder having a yellow cast and no obvious odor.

Spectrum

An ultraviolet spectrum (Figure 2) recorded on a Spectra Physics multiwavelength detector interfaced with an IBM Personal Data System 2 was obtained from a 1.2 mg base/ml solution of WR238605 prepared in mobile phase. The sample was found to absorb at 218 and 268 nm.

HPLC System

Solvent Delivery System:

Perkin-Elmer Series 3B Pump

Injector:

Rheodyne 7125 with 20 μ l sample loop

Analytical Column:

Bondclone 10 μ C₁₈, 300 mm x 3.9 mm (Phenomenex)

Detector:

Kratos, Spectroflow 773 UV, 268 nm

Integrator:

Perkin-Elmer, LCI-100

Mobile Phase:

9 ml of 85% o-phosphoric acid and 6.8 g of sodium acetate per liter of a mixture of methanol:water (75:25, v/v), flow

1.5 ml/minute

Procedure

Six solutions of WR238605 were prepared as follows. Twenty five mg of WR238605 succinate sample was weighed into a 25 ml volumetric flask. The sample was dissolved in and the volume brought to mark with mobile phase. A 20 μ l aliquot of each solution was immediately chromatographed at 268 nm.

Calculation of Results

Quantitations were based on the assumption of equal detector response per unit weight of all UV-absorbing components. Areas of WR238605 and other detectable components in the subject sample chromatograms were employed in the following equation to calculate the percentage of WR238605 present in the sample:

%PURITY = (area of WR238605/total area) x 100

Results

Typical chromatograms are shown in Figure 3. The subject samples were found to contain less than 1% of one UV-absorbing impurity (268 nm). Percent purity of initial WR238605 sample was found to be 99.91%, standard deviation - 0.06%, terminal 99.94% \pm 0.03%. The assay results are presented in Tables 1 and 2.

FIGURE 1
MASS SPECTRUM OF WR238605 SAMPLE





FIGURE 2 ULTRAVIOLET SPECTRUM OF WR238605



Spectra Display: \FOCUS\WR238X.BFF

FIGURE 3

CHROMATOGRAMS OF WR238605 SAMPLE, CONC. 0.80 MG BASE/ML, 268 NM, A - INITIAL SAMPLE, B - TERMINAL SAMPLE




Table 1

Purity Data for WR238605 Initial Sample

| US |
|----|
| 0 |
| tn |
| 0 |
| S |

| | | | Coldina | | | |
|---------------|----------|--|----------|----------|----------|----------|
| Doct. Ideat. | | · | " | 4 | S | 9 |
| reak lucinity | 4 | 1 | | | 0000 | 2000 |
| A | 5845 | 3211 | 4372 | 7617 | 9800 | 1067 |
| WR238605 | 20568350 | 20383974 | 20512264 | 20527612 | 20510750 | 20548942 |
| Total Area | 20579748 | 20419977 | 20516636 | 20543500 | 20535364 | 20560364 |
| % Purity | 99.94 | 99.82 | 86.98 | 99.92 | 99.88 | 99.94 |
| | | The second secon | | | | |

% Purity - 99.91 ± 0.06

Table 2

Purity Data for WR238605 Terminal Sample

Solutions

| | | | Solutions | | | |
|---------------|----------|----------|-----------|----------|----------|----------|
| | | | | | | |
| Peak Identity | 1 | 2 | 3 | 4 | v. | 9 |
| V | 2538 | 3016 | 3422 | 2779 | 1450 | 2402 |
| WR238605 | 20379994 | 20424860 | 20440788 | 20542162 | 20364232 | 20464028 |
| Total Area | 20398037 | 20437514 | 20460042 | 20547597 | 20369243 | 20467969 |
| % Purity | 99.91 | 99.94 | 99.90 | 76.99 | 99.97 | 86.98 |
| | | | | | | |

% Purity - 99.94 ± 0.03

Part II: Dosing Formulations Analysis of WR238605 in 1% Methylcellulose/0.2% Tween 80

Introduction

Samples from Study No. 154 were submitted by the Toxicology Research Laboratory to the Drug Disposition Research Laboratory for the quantitation of WR238605 in dosing formulations. Samples were received on October 14, 1994 and on October 26, 1994. All samples submitted were analyzed by high performance liquid chromatography by a previously described analytical method (see report UIC/TRL Study No. 098 from August 19, 1993, Part I).

Results

Results of dosing formulations for Study No. 154 are found in Table 3. All dosing formulations analyzed were within 10% of their target concentrations.



Table 3

Results of Dosing Formulations Analysis for Study No. 154

October 14, 1994

| Sample Identification | Target Concentration (mg base/ml) | Mean Concentration ± S.D. (mg base/ml) |
|-----------------------|-----------------------------------|--|
| WHITE | 0 | 0 |
| YELLOW | 0.6 | 0.6462 ± 0.0018 |
| PINK | 2.0 | 1.8991 ± 0.0169 |
| BLUE | 6.0 | 6.1811 ± 0.0154 |

October 26, 1994, Batch #1

| Sample Identification | Target Concentration (mg base/ml) | Mean Concentration ± S.D. (mg base/ml) |
|-----------------------|-----------------------------------|--|
| WHITE | 0 | 0 |
| YELLOW | 0.6 | 0.6575 ± 0.0007 |
| PINK | 2.0 | 1.9752 ± 0.0017 |
| BLUE | 6.0 | 6.0453 ± 0.0329 |

October 26, 1994, Batch #2

| Sample Identification | Target Concentration (mg base/ml) | Mean Concentration ± S.D. (mg base/ml) |
|-----------------------|-----------------------------------|--|
| WHITE | 0 | 0 |
| YELLOW | 0.6 | 0.6004 ± 0.0004 |
| PINK | 2.0 | 2.0106 ± 0.0075 |
| BLUE | 6.0 | 6.1121 ± 0.0174 |

DRAFT

APPENDIX 2

Individual Maternal Clinical Signs

DRAFT

| | | | DUAL CLINIC | | | | | |
|----------------------|--------------------------|-----------------|-------------------------|---------|--------|------------|-------------|------|
| STUDY: 1 DAY 6-DA | 154 AY 20 | GROUP: DOSE: | 1-F 0 (mg base/kg/da | SEX: | FEMALE | | | |
| ANIMAL # C | DBSERVATIONS | | S | EVERITY | LOC | TIME | occur | RRED |
| 346 N | Normal Scheduled Sacr | ifice | | | | DAY DAY | 6-DAY 20 | 19 |
| 349 N | Normal Scheduled Sacr | ifice | | | | DAY DAY | 6-DAY 20 | 19 |
| 352 N | Normal Scheduled Sacr | ifice | | | | DAY DAY | 6-DAY 20 | 19 |
| 357 | Normal Scheduled Sacr | ifice | | | | DAY DAY | 6-DAY 20 | 19 |
| 367 N | Normal Scheduled Sacr | ifice | | | | DAY DAY | 6-DAY 20 | 19 |
| 369 | Normal Scheduled Sacr | ifice | | | | DAY DAY | 6-DAY 20 | 19 |
| 381 | Normal Scheduled Sacr | ifice | | | | DAY DAY | 6-DAY 20 | 19 |
| 386 | Normal Scheduled Sacr | ifice | | | | DAY DAY | 6-DAY 20 | 19 |
| 388 | Normal Scheduled Sacr | ifice | | | | DAY DAY | 6-DAY 20 | 19 |
| 396 | Normal Scheduled Sacr | ifice | | | | DAY DAY | 6-DAY 20 | 19 |
| 412 | Normal Scheduled Sacr | ifice | | | | DAY DAY | 6-DAY 20 | 19 |
| 419 | Normal Scheduled Sacr | ifice | | | | DAY DAY | 6-DAY 20 | 19 |
| 421 | Normal Scheduled Sacr | ifice | | | | DAY DAY | 6-DAY 20 | 19 |

DRAFT

| | | INDIVI | DUAL CLINI | CAL SI | GNS | | | | |
|-------------------|---------------------------|-----------------|----------------------|--------|------|-----|------------|-------------|-----|
| STUDY: DAY 6-1 | 154 DAY 20 | GROUP: DOSE: | 1-F 0 (mg base/kg | /day) | SEX: | | | | |
| ANIMAL # | OBSERVATIONS | | | SEVERI | TY | LOC | TIME | COCCUE | RED |
| 428 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 437 | Normal Scheduled Sacra | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 438 | Normal Scheduled Sacra | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 451 | Normal Scheduled Sacra | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 452 | Normal Scheduled Sacra | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 456 | Normal Scheduled Sacra | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 467 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 471 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 474 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 497 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 500 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 501 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | | | | | | | | | |



| | | | INDIVI | DUAL CLIN | ICAL S | IGNS | | | | |
|---|-------------------|--------------------------|-----------------|----------------------|--------|------|--------|------------|-------------|------|
| | STUDY: DAY 6-1 | 154 DAY 20 | GROUP: DOSE: | 2-F 3 (mg base/kg | ı/day) | SEX: | FEMALE | | | |
| | ANIMAL # | OBSERVATIONS | | | SEVER | ITY | LOC | TIME | E OCCUP | RRED |
| 1 | 350 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 355 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 358 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 360 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 361 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 376 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 393 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 398 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 402 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 1 | 403 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 405 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 413 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 415 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |



| - | | | | | | | | | | |
|---|----------|---------------------------|-----------------|----------------------|--------|--------|-----|------------|-------------|-----|
| | | | INDIVI | DUAL CLIN | ICAL S | IGNS | | | | |
| | | 154 DAY 20 | GROUP: DOSE: | 2-F 3 (mg base/kg | ı/day) | SEX: I | | | | |
| _ | ANIMAL # | OBSERVATIONS | | | SEVER | ITY | LOC | TIME | COCCUE | RED |
| | 431 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 436 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 439 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 454 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 449 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 462 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 473 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 480 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 481 | Normal Scheduled Sacr: | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 484 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 489 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 495 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |



| | | | | | | | | _ |
|------------------|--|--|---|--|---|--|-------------|------------|
| | | | | | • • • • • • • • • | | | |
| STUDY: DAY 6- | 154 DAY 20 | GROUP: DOSE: | 3-F 10 (mg base/kg/day) | SEX: | FEMALE | | | |
| ANIMAL # | OBSERVATIONS | | SEVE | RITY | LOC | TIME | OCCUF | RRED |
| 351 | Normal Scheduled Sacri | ifice | | | | | | 19 |
| 371 | Normal Scheduled Sacri | ifice | | | | | | 19 |
| 378 | Normal Scheduled Sacri | ifice | | | | | | 19 |
| 380 | Normal Scheduled Sacri | ifice | | | | | | 19 |
| 383 | Normal Scheduled Sacri | ifice | | | | DAY DAY | 6-DAY 20 | 19 |
| 384 | Normal Scheduled Sacri | ifice | | | | | | 19 |
| 390 | Normal Scheduled Sacri | ifice | | | | | | 19 |
| 395 | Normal Scheduled Sacri | ifice | | | | DAY DAY | 6-DAY 20 | 19 |
| 400 | Normal Scheduled Sacri | ifice | | | | | | 19 |
| 420 | Normal Scheduled Sacri | ifice | | | | | | 19 |
| 424 | Normal Scheduled Sacri | ifice | | | | | | 19 |
| 425 | Normal Scheduled Sacri | ifice | | | | | | 19 |
| 427 | Normal Scheduled Sacr | ifice | | | | | | 19 |
| | DAY 6- ANIMAL # 351 371 378 380 383 384 390 395 400 420 424 425 | ANIMAL # OBSERVATIONS 351 Normal Scheduled Sacri 371 Normal Scheduled Sacri 378 Normal Scheduled Sacri 380 Normal Scheduled Sacri 381 Normal Scheduled Sacri 382 Normal Scheduled Sacri 383 Normal Scheduled Sacri 384 Normal Scheduled Sacri 385 Normal Scheduled Sacri 400 Normal Scheduled Sacri 400 Normal Scheduled Sacri 400 Normal Scheduled Sacri 420 Normal Scheduled Sacri 420 Normal Scheduled Sacri 420 Normal Scheduled Sacri 421 Normal Scheduled Sacri 422 Normal Scheduled Sacri 423 Normal | STUDY: 154 GROUP: DOSE: ANIMAL # OBSERVATIONS 351 Normal Scheduled Sacrifice 371 Normal Scheduled Sacrifice 378 Normal Scheduled Sacrifice 380 Normal Scheduled Sacrifice 381 Normal Scheduled Sacrifice 382 Normal Scheduled Sacrifice 383 Normal Scheduled Sacrifice 384 Normal Scheduled Sacrifice 385 Normal Scheduled Sacrifice 386 Normal Scheduled Sacrifice 387 Normal Scheduled Sacrifice 388 Normal Scheduled Sacrifice 389 Normal Scheduled Sacrifice 400 Normal Scheduled Sacrifice | STUDY: 154 DAY 6-DAY 20 DOSE: 10 (mg base/kg/day) ANIMAL # OBSERVATIONS 351 Normal Scheduled Sacrifice 371 Normal Scheduled Sacrifice 378 Normal Scheduled Sacrifice 380 Normal Scheduled Sacrifice 381 Normal Scheduled Sacrifice 382 Normal Scheduled Sacrifice 383 Normal Scheduled Sacrifice 384 Normal Scheduled Sacrifice 390 Normal Scheduled Sacrifice 400 Normal Scheduled Sacrifice 400 Normal Scheduled Sacrifice 400 Normal Scheduled Sacrifice 400 Normal Scheduled Sacrifice 420 Normal Scheduled Sacrifice 420 Normal Scheduled Sacrifice 421 Normal Scheduled Sacrifice 422 Normal Scheduled Sacrifice 423 Normal Scheduled Sacrifice | DAY 6-DAY 20 ANIMAL # OBSERVATIONS SEVERITY 351 Normal Scheduled Sacrifice 371 Normal Scheduled Sacrifice 380 Normal Scheduled Sacrifice 381 Normal Scheduled Sacrifice 382 Normal Scheduled Sacrifice 383 Normal Scheduled Sacrifice 384 Normal Scheduled Sacrifice 385 Normal Scheduled Sacrifice 386 Normal Scheduled Sacrifice 387 Normal Scheduled Sacrifice 388 Normal Scheduled Sacrifice 389 Normal Scheduled Sacrifice 390 Normal Scheduled Sacrifice 400 Normal Scheduled Sacrifice 410 Normal Scheduled Sacrifice 420 Normal Scheduled Sacrifice 421 Normal Scheduled Sacrifice 422 Normal Scheduled Sacrifice | STUDY: 154 DAY 6-DAY 20 DOSE: 10 (mg base/kg/day) ANIMAL # OBSERVATIONS SEVERITY LOC 351 Normal Scheduled Sacrifice 371 Normal Scheduled Sacrifice 380 Normal Scheduled Sacrifice 381 Normal Scheduled Sacrifice 382 Normal Scheduled Sacrifice 383 Normal Scheduled Sacrifice 384 Normal Scheduled Sacrifice 395 Normal Scheduled Sacrifice 400 Normal Scheduled Sacrifice 400 Normal Scheduled Sacrifice 410 Normal Scheduled Sacrifice 420 Normal Scheduled Sacrifice 421 Normal Scheduled Sacrifice 422 Normal Scheduled Sacrifice 423 Normal Scheduled Sacrifice 424 Normal Scheduled Sacrifice 425 Normal Scheduled Sacrifice 426 Normal Scheduled Sacrifice | STUDY: 154 | STUDY: 154 |



| | | INDIVI | DUAL CLINI | CAL S | IGNS | | | • | |
|-------------------|--------------------------|-----------------|-----------------------|--------|------|--------|------------|---|-----|
| STUDY: DAY 6-1 | 154 DAY 20 | GROUP: DOSE: | 3-F 10 (mg base/kg | g/day) | SEX: | FEMALE | | | |
| ANIMAL # | OBSERVATIONS | | | SEVER | ITY | LOC | TIME | OCCUP | RED |
| 434 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 435 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 447 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 453 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 457 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 459 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 469 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 472 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 482 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 486 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 494 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| 502 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | | | | | | | | | |

DRAFT

| , | | | INDIVII | DUAL CLINI | CAL S | IGNS | | | | |
|---|-------------------|---|-----------------|-----------------------|--------|------|-----|--------------------------|-----------------------------|---------|
| | STUDY: DAY 6-1 | 154 DAY 20 | GROUP: DOSE: | 4-F 30 (mg base/kg | g/day) | SEX: | | | | |
| | ANIMAL # | OBSERVATIONS | | | SEVER | ITY | Loc | TIME | OCCUR | RED |
| | 354 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 356 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 370 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 374 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 379 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 382 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 385 | Normal Normal Rough Coat Scheduled Sacri | ifice | | | | | DAY DAY DAY DAY | 6-DAY 11-DAY 10 20 | 9 19 |
| | 392 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 399 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 404 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 410 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 417 | Normal Scheduled Sacri | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | | | | | | | | | | |



| ••• | | | | | DUAL CLIN | | | | | | |
|-----|--------------|-------------------------------------|------------------|-----------------|----------------------|---------|------|--------|--------------------------|-------------|-----|
| | STUDY DAY | Y: 154 5-DAY 20 | | GROUP: DOSE: | 4-F 30 (mg base/k | kg/day) | SEX: | FEMALE | | | |
| | ANIMAL # | # OBSERV | ATIONS | | | SEVER | RITY | LOC | TIME | OCCUR | RED |
| | 440 | Normal Normal Rough Schedu | Coat led Sacr | | | | | | DAY DAY DAY DAY | | 14 |
| | 441 | Normal Schedu | led Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 444 | Normal Schedu | led Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 448 | Normal Schedu | led Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 450 | Normal Schedu | led Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 455 | Normal Schedu | led Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 460 | Normal Schedu | led Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 475 | Normal Schedu | led Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 483 | Normal Schedu | led Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 490 | Normal Schedu | led Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 491 | Normal Schedu | led Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | 492 | Normal Schedu | led Sacr | ifice | | | | | DAY DAY | 6-DAY 20 | 19 |
| | | | | | | | | | | | |

DRAFT

| | | | | | | | 10 0 | n | |
|-------------------|--------------------------|---------|----------------------------|------|--------|------------|-------------|------|--|
| | | INDIVII | DUAL CLINICAL S | IGNS | | | | | |
| STUDY: DAY 6-1 | | | 4-F 30 (mg base/kg/day) | SEX: | FEMALE | | | | |
| ANIMAL # | OBSERVATIONS | | SEVER | RITY | LOC | TIME | occu | RRED | |
| 503 | Normal Scheduled Sacr | ifice | | | | DAY DAY | 6-DAY 20 | 19 | |

DRAFT

| | | | | DUAL CLINI | | | | | | |
|---|-------------------|--------------------------|---|---------------------|--------------------|------|--------|------------|-------------|------|
| | STUDY: DAY 6-1 | 154 DAY 20 | GROUP: DOSE: | 5-F 1000 (mg/kg/ | /day) ^a | SEX: | FEMALE | | | |
| • | ANIMAL # | OBSERVATIONS | • | | SEVER | ITY | LOC | TIME | OCCUP | RRED |
| | 353 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 9-DAY 20 | 19 |
| | 362 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 9-DAY 20 | 19 |
| | 364 | Normal Scheduled Sacr | ifice | | | • | | DAY DAY | 9-DAY 20 | 19 |
| | 366 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 9-DAY 20 | 19 |
| | 368 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 9-DAY 20 | 19 |
| | 372 | Normal Scheduled Sacr | ifice | | | , | | DAY DAY | 9-DAY 20 | 19 |
| | 389 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 9-DAY 20 | 19 |
| | 391 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 9-DAY 20 | 19 |
| | 401 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 9-DAY 20 | 19 |
| | 407 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 9-DAY 20 | 19 |
| | 422 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 9-DAY 20 | 19 |
| | 423 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 9-DAY 20 | 19 |
| | 426 | Normal Scheduled Sacr | ifice | | | | | DAY DAY | 9-DAY 20 | 19 |
| | | | | | | | | | | |

 $^{^{\}mathrm{a}}$ Retinol Palmitate given on GD9 and GD10

| | | INDIVII | DUAL C | LINICAL | S | IGNS | | | | |
|-------------------|---------------------------|-----------------|---------------|------------|-----|------|--------|------------|-------------|------|
| STUDY: DAY 6-1 | 154 DAY 20 | GROUP: DOSE: | 5-F 1000 (| mg/kg/day) | а | SEX: | FEMALE | | | |
| ANIMAL # | OBSERVATIONS | | | SEV | ER: | ΙΤΥ | LOC | TIMI | OCCUP | RRED |
| 430 | Normal Scheduled Sacri | lfice | | | | | | DAY DAY | 9-DAY 20 | 19 |
| 432 | Normal Scheduled Sacri | fice | | | | | | DAY DAY | 9-DAY 20 | 19 |
| 442 | Normal Scheduled Sacri | ifice | | | | | | DAY DAY | 9-DAY 20 | 19 |
| 445 | Normal Scheduled Sacri | ifice | | | | | | DAY DAY | 9-DAY 20 | 19 |
| 465 | Normal Scheduled Sacri | ifice | | | | | | DAY DAY | 9-DAY 20 | 19 |
| 468 | Normal Scheduled Sacri | ifice | | | | | | DAY DAY | 9-DAY 20 | 19 |
| 476 | Normal Scheduled Sacri | ifice | | | | | | DAY DAY | 9-DAY 20 | 19 |
| 477 | Normal Scheduled Sacri | ifice | | | | | | DAY DAY | 9-DAY 20 | 19 |
| 485 | Normal Scheduled Sacri | ifice | | | | | | DAY DAY | 9-DAY 20 | 19 |
| 493 | Normal Scheduled Sacri | ifice | | | | | | DAY DAY | 9-DAY 20 | 19 |
| 496 | Normal Scheduled Sacri | ifice | | | | | | DAY DAY | 9-DAY 20 | 19 |
| 499 | Normal Scheduled Sacri | ifice | | | | | | DAY DAY | 9-DAY 20 | 19 |
| | | | | | | | | | | |

 $^{^{\}mathrm{a}}$ Retinol Palmitate given on GD9 and GD10 only

DRAFT

| | | INCIDEN | CE OF (| DBSERVA | TIONS | | | |
|--------|--|--------------------------------|---------------|--------------------|---------------|---------------|--------------------------------------|--|
| STUDY: | 154 | | SI | EX: FEM | ALE | | | |
| | PER I OD | DOSE:(mg base/kg/day GROUP: | /) 0 1-F | 3 2-F | 10 3-F | 30 4-F | 1000 (mg/kg/day) ^a 5-F | |
| | DAY 6 No. Observed Normal | | | 25 25 100% | | | | |
| | DAY 7 No. Observed Normal | | | 25 25 100% | | | | |
| | DAY 8 No. Observed Normal | | | 25 25 100% | | | | |
| | DAY 9 No. Observed Normal | | 25 25 100% | 25 25 100% | 25 25 100% | 25 25 100% | 25 25 100% | |
| | DAY 10 No. Observed Normal Rough Coat | | 25 100% | 25 25 100% 0 | 25 100% | 24 96% | 25 25 100% 0 | |
| | DAY 11 No. Observed Normal | | 25 25 100% | 25 25 100% | 25 25 100% | 25 25 100% | 25 25 100% | |
| | DAY 12 No. Observed Normal | | 25 25 100% | 25 25 100% | 25 25 100% | 25 25 100% | 25 25 100% | |
| | DAY 13 No. Observed Normal | | 25 25 100% | 25 25 100% | 25 25 100% | 25 25 100% | 25 25 100% | |
| | DAY 14 No. Observed Normal | | 25 25 100% | 25 25 100% | 25 25 100% | 25 25 100% | 25 25 100% | |
| | No. Observed Normal | | 25 25 100% | 25 25 100% | 25 25 100% | 25 24 96% | 25 25 100% | |

 $^{^{\}rm a}$ Retinol Palmitate given on GD9 and GD10 only

DEVELOPMENTAL TOXICITY (SEGMENT II) RATS RATS

| | | 1 | NCIDENC | E | OF OI | BSE | RVAT: | ION | is | | | | | |
|--------|--|-------|--------------|-------------------|----------|------------|----------|---------------------|-----------|---------------------|-----------|-------------|-------------------------------------|--|
| STUDY: | 154 | | | | SE | X: | FEMA | LE | | | | | | |
| | PERIOD | | base/kg/day) |) | 0 1-F | | 3 2-F | : | 10 3-F | 4 | 30 - F | | 000 (mg/kg/day) ^a 5-F | |
| | Rough Coat | | | 0 | | 0 | | 0 | | 1 | 4% | 0 | | |
| | DAY 16 No. Observed Normal | | | 25 25 1 | | 25 25 1 | | 25 25 10 | | 25 25 10 | | 25 25 10 | 00% | |
| } | DAY 17 No. Observed Normal | | | 25 25 1 | | 25 25 1 | 00% | 25 25 10 | 00% | 25 25 10 | | 25 25 10 | 00% | |
| 1 | DAY 18 No. Observed Normal | | | 25 25 1 | | 25 25 1 | | 25 25 10 | | 25 25 10 | | 25 25 10 | 00% | |
| l | DAY 19 No. Observed Normal | | | 25 25 1 | | 25 25 1 | 00% | 25 25 10 | | 25 25 10 | | 25 25 10 | 00% | |
|) | DAY 20 No. Observed Scheduled Sacr | ifice | | 25 25 1 | | 25 25 1 | 00% | 25 25 1 0 | 00% | 25 25 1 0 | | 25 25 10 | 00% | |

 $^{^{\}rm a}$ Retinol Palmitate given on GD9 and GD10 only

DRAFT

APPENDIX 3

Individual Maternal Body Weight and Weight Gain Data

DRAFT

| INDIVIDUAL BODY WEIGHTS (Grams) | | | | | | | | | | | | |
|---------------------------------|-------|-------|-------|------|-----------------|---------------|-----------|--------|--------|--------|--------|--------|
| STU | DY: 1 | 54 | | GR0 | OUP: 1 SE: 0 | -F (mg bas | e/kg/day) | SE | X: FE | MALE | | |
| ANIMAL # | DAY 0 | DAY 5 | DAY 6 | | DAY 8 | DAY 9 | DAY 10 | DAY 11 | DAY 12 | DAY 13 | DAY 14 | DAY 15 |
| | | ••••• | | | | | | | | | | |
| 346 | 208 | 231 | 232 | 219 | 229 | 236 | 241 | 246 | 252 | 257 | 263 | 269 |
| 349 | 218 | 245 | 248 | 225 | 246 | 251 | 260 | 266 | 270 | 276 | 277 | 283 |
| 352 | 215 | 242 | 244 | 242 | 256 | 253 | 258 | 267 | 273 | 275 | 281 | 286 |
| 357 | 222 | 261 | 267 | 261 | 268 | 272 | 277 | 287 | 292 | 299 | 306 | 314 |
| 367 | 212 | 247 | 249 | 244 | 250 | 257 | 262 | 268 | 268 | 277 | 283 | 286 |
| 369 | 218 | 252 | 254 | 236 | 258 | 262 | 273 | 278 | 281 | 286 | 293 | 298 |
| 381 | 217 | 246 | 254 | 244 | 261 | 264 | 266 | 275 | 283 | 284 | 293 | 299 |
| 386 | 208 | 234 | 232 | 246 | 245 | 251 | 257 | 265 | 268 | 276 | 281 | 288 |
| 388 | 200 | 231 | 228 | 239 | 238 | 247 | 248 | 260 | 266 | 272 | 283 | 287 |
| 396 | 217 | 242 | 240 | 252 | 255 | 260 | 266 | 275 | 279 | 286 | 293 | 302 |
| 412 | 218 | 250 | 244 | 256 | 264 | 269 | 277 | 283 | 289 | 296 | 304 | 310 |
| 419 | 218 | 244 | 237 | 250 | 251 | 257 | 266 | 271 | 278 | 282 | 287 | 291 |
| 421 | 205 | 236 | 230 | 240 | 244 | 251 | 254 | 264 | 268 | 274 | 281 | 293 |
| 428 | 203 | 232 | 235 | 231 | 239 | 243 | 251 | 256 | 260 | 265 | 271 | 275 |
| 437 | 223 | 239 | 248 | 246 | 254 | 263 | 265 | 270 | 279 | 282 | 287 | 300 |
| 438 | 206 | 235 | 237 | 243 | 250 | 257 | 256 | 263 | 269 | 276 | 283 | 294 |
| 451 | 217 | 233 | 241 | 242 | 247 | 250 | 260 | 265 | 267 | 268 | 277 | 284 |
| 452 | 208 | 244 | 248 | 255 | 260 | 266 | 272 | 277 | 282 | 293 | 294 | 307 |
| 456 | 219 | 255 | 258 | 261 | 266 | 271 | 281 | 282 | 285 | 294 | 297 | 308 |
| 467 | 210 | 239 | 246 | 250 | 257 | 266 | 272 | 281 | 284 | 294 | 302 | 312 |
| 471 | 205 | 220 | 221 | 225 | 230 | 238. | 241 | 248 | 256 | 257 | 261 | 273 |
| 474 | 216 | 229 | 231 | 239 | 245 | 251 | 257 | 265 | 273 | 277 | 282 | 293 |
| 497 | 213 | 226 | 231 | 237 | 244 | 247 | 252 | 261 | 267 | 267 | 270 | 286 |
| 500 | 225 | 244 | 250 | 253 | 259 | 269 | 271 | 281 | 288 | 292 | 300 | 308 |
| 501 | 210 | 233 | 237 | 244 | 252 | 253 | 262 | 269 | 278 | 277 | 293 | 297 |
| MEAN | 213 | 240 | 242 | 243 | 251 | 256 | 262 | 269 | 274 | 279 | 286 | 294 |
| S.D. | 6.6 | 9.6 | 10.7 | 10.7 | 10.2 | 10.0 | 10.7 | 10.4 | 10.3 | 11.5 | 12.0 | 12.3 |
| N | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| | | | | | : D | ata Unav | ailable | | | | | |

| | | | 5 | T |
|--|--|--|---|---|
|--|--|--|---|---|

| | | | | | | ם ם ם |
|------------|--|--|-----------|------------|-----|-------|
| | INDIVI | | Y WEI | GHTS (Gran | ns) | |
| STUDY: 154 | GROUP: DOSE: | 0 (mg base | e/kg/day) | | | |
| | 346 349 352 357 367 369 381 386 388 396 412 419 421 428 437 438 451 456 467 471 474 497 500 501 | 298 309 326 350 316 332 333 316 323 339 343 322 327 306 337 326 313 342 336 343 343 344 348 320 | | | | |

326 14.2 25

··: Data Unavailable

MEAN

S.D.

351 16.9

| STUDY OF WR238605 SUCCINATE IN RATS | | | | | | | | | | | | | |
|-------------------------------------|---------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|---|------------|--|
| | | | | | | | | | | | | | |
| | | | | | | | | | | | 7 12 | Ц | |
| | | | | | | | | | | | • | | |
| | INDIVIDUAL BODY WEIGHTS (Grams) | | | | | | | | | | | | |
| STU | JDY: 15 | 54 | | GRO | DUP: 2 | -F | | SE | X: FE | MALE | | | |
| | | | | DOS | 5E: 3 | (mg bas | e/kg/day) | | | | | | |
| ANIMAL # | DAY U | DAY 5 | DAY 6 | DAY 7 | DAY 8 | DAY 9 | DAY 10 | DAY 11 | DAY 12 | DAY 13 | DAY 14 | DAY 15 | |
| 750 | | | | 240 | 250 | | | | | | | 200 | |
| 350 | 220 | 251 | 256 | 248 | 259 | 260 | 272 | 271 | 279 | 286 | 292 | 299 | |
| 355 358 | 208 | 239 | 244 | 237 | 242 254 | 249 | 252 | 257 | 264 | 266 | 271 | 278 | |
| 360 | 210 220 | 245 | 244 255 | 238 252 | 260 | 248 265 | 260 272 | 268 | 268 | 274 | 282 | 286 | |
| 361 | | 252 242 | 244 | 237 | 251 | 251 | 260 | 278 263 | 289 | 293 279 | 297 286 | 309 | |
| 376 | 213 218 | 247 | 248 | 239 | 253 | 252 | 259 | 265 | 271 266 | 272 | 272 | 293 | |
| 393 | 210 | 232 | 227 | 234 | 241 | 238 | 245 | 252 | | 270 | 272 | 281 | |
| 398 | 213 | 247 | 238 | 250 | 247 | 254 | 262 | 265 | 262 271 | 274 | 279 | 278 285 | |
| 402 | 209 | 234 | 221 | 237 | 239 | 243 | 250 | 256 | 259 | 265 | 274 | 282 | |
| 402 | 215 | 240 | 243 | 245 | 249 | 253 | 256 | 265 | 272 | 272 | 278 | 284 | |
| 405 | 216 | 242 | 239 | 248 | 249 | 253 | 262 | 273 | 281 | 286 | 295 | 303 | |
| 413 | 221 | 244 | 239 | 252 | 253 | 255 | 260 | 264 | 269 | 272 | 276 | 286 | |
| 415 | 219 | 238 | 226 | 225 | 233 | 244 | 251 | 253 | 260 | 263 | 268 | 277 | |
| 431 | 224 | 242 | 244 | 250 | 254 | 257 | 251 | 258 | 266 | 273 | 280 | 284 | |
| 436 | 210 | 247 | 248 | 253 | 257 | 263 | 269 | 274 | 282 | 290 | 296 | 306 | |
| 439 | 204 | 234 | 236 | 239 | 247 | 251 | 258 | 264 | 272 | 277 | 282 | 294 | |
| 454 | 215 | 244 | 247 | 243 | 250 | 255 | 261 | 267 | 276 | 279 | 279 | 290 | |
| 449 | 212 | 229 | 236 | 234 | 242 | 246 | 254 | 260 | 262 | 269 | 278 | 288 | |
| 462 | 214 | 237 | 243 | 245 | 250 | 255 | 263 | 265 | 271 | 276 | 279 | 293 | |
| 473 | 206 | 228 | 232 | 234 | 240 | 245 | 252 | 255 | 260 | 266 | 270 | 276 | |
| 480 | 204 | 237 | 243 | 249 | 254 | 262 | 270 | 277 | 281 | 291 | 300 | 304 | |
| 481 | 220 | 242 | 246 | 252 | 257 | 262 | 269 | 273 | 274 | 281 | 289 | 300 | |
| 484 | 211 | 231 | 235 | 235 | 238 | 245 | 247 | 260 | 262 | 268 | 276 | 284 | |
| 489 | 214 | 234 | 238 | 241 | 243 | 250 | 254 | 265 | 269 | 277 | 282 | 290 | |
| 495 | 208 | 224 | 224 | 228 | 230 | 236 | 240 | 245 | 249 | 252 | 256 | 258 | |
| MEAN | 213 | 239 | 240 | 242 | 248 | 252 | 258 | 264 | 269 | 275 | 280 | 288 | |
| S.D. | 5.5 | 7.3 | 8.9 | 8.0 | 8.0 | 7.6 | 8.5 | 8.1 | 8.9 | 9.6 | 10.3 | 11.4 | |
| N | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | |
| | | | | | : [| Data Unava | ailable | | | | | | |

| | | | 5 | 7 |
|---|----|----|---|---|
|) | UU | 77 | | Ш |

| | INDIVID | UAL BOI | DY WEIG | HTS (Gran | ns) |
|--------|---|--|--|-----------|--------|
| STUDY: | GROUP: DOSE: ANIMAL # | 2-F 3 (mg base DAY 18 | P/kg/day) DAY 20 | | FEMALE |
| | 350 355 358 360 361 376 393 398 402 403 405 413 415 431 436 439 454 449 462 473 480 481 484 489 495 | 329 322 319 342 332 310 322 324 309 341 319 310 327 341 331 328 320 326 304 346 337 309 327 291 | 355 349 346 374 358 342 340 339 350 322 366 349 329 351 366 368 351 351 351 351 351 351 351 351 355 355 | | |

13.3

--: Data Unavailable

S.D. N 16.4

| | | | | 5 | |
|------|---------|------|------|---|--|
| BODY | WEIGHTS | | | | |

| INDIVIDUAL BODY WEIGHTS (Grams) | | | | | | | | | | | | | |
|---|-------|-------|-------|-------|-------|---|---------|--------|---|--------|--------|--------|--|
| STUDY: 154 GROUP: 3-F SEX: FEMALE DOSE: 10 (mg base/kg/day) | | | | | | | | | | | | | |
| ANIMAL # | DAY O | DAY 5 | DAY 6 | DAY 7 | DAY 8 | DAY 9 | nay 10 | /) | DAY 12 | DAY 13 | DAY 14 | 0AY 15 | |
| *************************************** | | | | | | • | | | • | | | | |
| | | | | | | | | | | | | | |
| 351 | 216 | 247 | 248 | 250 | 249 | 253 | 260 | 266 | 273 | 276 | 283 | 287 | |
| 371 | 220 | 253 | 260 | 258 | 261 | 269 | 280 | 280 | 290 | 292 | 294 | 302 | |
| 378 | 216 | 243 | 247 | 248 | 253 | 256 | 264 | 268 | 268 | 277 | 277 | 281 | |
| 380 | 219 | 248 | 248 | 251 | 254 | 254 | 262 | 267 | 271 | 277 | 286 | 291 | |
| 383 | 210 | 238 | 236 | 239 | 237 | 239 | 245 | 249 | 253 | 256 | 262 | 269 | |
| 384 | 211 | 245 | 247 | 227 | 231 | 236 | 238 | 244 | 252 | 262 | 267 | 276 | |
| 390 | 208 | 239 | 246 | 239 | 247 | 250 | 260 | 263 | 271 | 272 | 275 | 284 | |
| 395 | 216 | 248 | 248 | 251 | 254 | 263 | 271 | 277 | 280 | 288 | 294 | 296 | |
| 400 | 205 | 235 | 239 | 239 | 239 | 244 | 249 | 260 | 263 | 271 | 278 | 284 | |
| 420 | 206 | 229 | 232 | 236 | 238 | 242 | 249 | 253 | 258 | 262 | 266 | 269 | |
| 424 | 210 | 241 | 243 | 244 | 244 | 249 | 256 | 263 | 263 | 266 | 271 | 252 | |
| 425 | 225 | 245 | 249 | 248 | 254 | 255 | 263 | 266 | 271 | 277 | 279 | 290 | |
| 427 | 218 | 241 | 248 | 251 | 258 | 263 | 269 | 280 | 284 | 294 | 299 | 306 | |
| 434 | 213 | 234 | 240 | 239 | 248 | 241 | 244 | 254 | 259 | 262 | 268 | 272 | |
| 435 | 214 | 238 | 240 | 246 | 248 | 255 | 255 | 263 | 267 | 270 | 281 | 289 | |
| 447 | 219 | 245 | 236 | 255 | 260 | 267 | 278 | 282 | 286 | 289 | 300 | 304 | |
| 453 | 216 | 245 | 241 | 247 | 250 | 258 | 265 | 272 | 273 | 280 | 278 | 288 | |
| 457 | 206 | 231 | 235 | 236 | 237 | 242 | 246 | 255 | 255 | 260 | 264 | 273 | |
| 459 | 208 | 237 | 239 | 243 | 244 | 251 | 263 | 271 | 278 | 282 | 289 | 298 | |
| 469 | 208 | 228 | 228 | 230 | 231 | 238 | 239 | 249 | 253 | 261 | 261 | 269 | |
| 472 | 213 | 241 | 241 | 246 | 233 | 246 | 250 | 257 | 266 | 267 | 274 | 284 | |
| 482 | 206 | 224 | 226 | 231 | 229 | 237 | 244 | 232 | 218 | 220 | 231 | 245 | |
| 486 | 215 | 240 | 242 | 248 | 251 | 256 | 258 | 265 | 271 | 276 | 283 | 291 | |
| 494 | 210 | 230 | 230 | 236 | 242 | 249 | 256 | 262 | 265 | 273 | 274 | 282 | |
| 502 | 214 | 232 | 234 | 239 | 245 | 247 | 255 | 260 | 264 | 265 | 269 | 269 | |
| MEAN | 213 | 239 | 241 | 243 | 245 | 250 | 257 | 262 | 266 | 271 | 276 | 282 | |
| S.D. | 5.2 | 7.3 | 7.8 | 7.9 | 9.3 | 9.3 | 11.2 | 11.8 | 14.3 | 14.9 | 14.5 | 15.0 | |
| N | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | |
| | | | | | : D | ata Unav | ailable | | | | | | |

| 7 | | | |
|---|---|----|--|
| | 1 | 15 | |

| | | | WEIGH | rs (Gram | ns) |
|------|---|--------------------|---|----------|--------|
| 154 | GROUP: DOSE: | 3-F 10 (mg base | e/kg/day) | | FEMALE |
| | 351 371 378 380 383 384 390 395 400 420 424 425 427 434 435 447 453 457 459 469 472 482 486 494 502 | 318 | 350 380 351 355 318 343 308 355 353 337 321 345 374 343 330 371 351 340 368 322 343 311 349 342 321 | | |

318 14.5 25

--: Data Unavailable

MEAN

S.D.

343

19.2

| | D | \overline{M} | 5 | 77 |
|-----|---|----------------|---|----|
| رنا | M | [2] | 5 | |

| | | | | | | | | | | | ם טכ | Ц | |
|----------|--------|-------|-------|-------|--------|------------|-----------|--------|---------|--------|--------|--------|--|
| | | | | IN | DIVIDU | JAL BO | DY WE | GHTS | (Grams) | | | | |
| STI | JDY: 1 | 54 | | GRO | OUP: 4 | -F | | SE | X: FE | MALE | | | |
| | | • | | DO | SE: 3 | 0 (mg ba | se/kg/day | /) | | | | | |
| ANIMAL # | DAY 0 | DAY 5 | DAY 6 | DAY 7 | DAY 8 | DAY 9 | DAY 10 | DAY 11 | DAY 12 | DAY 13 | DAY 14 | DAY 15 | |
| | | | | | | | | | | | | | |
| 354 | 216 | 254 | 257 | 260 | 257 | 260 | 264 | 269 | 271 | 272 | 268 | 275 | |
| 356 | 215 | 250 | 252 | 251 | 248 | 249 | 245 | 246 | 253 | 254 | 257 | 260 | |
| 370 | 216 | 243 | 248 | 249 | 253 | 247 | 246 | 255 | 245 | 247 | 251 | 257 | |
| 374 | 218 | 243 | 243 | 243 | 239 | 236 | 244 | 248 | 245 | 228 | 235 | 238 | |
| 379 | 209 | 239 | 243 | 228 | 235 | 233 | 229 | 235 | 232 | 230 | 219 | 212 | |
| 382 | 211 | 247 | 249 | 249 | 249 | 251 | 253 | 255 | 264 | 265 | 268 | 269 | |
| 385 | 210 | 234 | 234 | 231 | 222 | 224 | 223 | 225 | 214 | 214 | 215 | 227 | |
| 392 | 213 | 239 | 247 | 243 | 243 | 251 | 241 | 242 | 248 | 251 | 254 | 255 | |
| 399 | 200 | 230 | 231 | 235 | 237 | 241 | 245 | 252 | 255 | 259 | 258 | 262 | |
| 404 | 224 | 249 | 252 | 253 | 251 | 257 | 262 | 264 | 263 | 269 | 268 | 271 | |
| 410 | 207 | 244 | 247 | 249 | 234 | 232 | 243 | 246 | 257 | 269 | 268 | 268 | |
| 417 | 216 | 241 | 243 | 242 | 241 | 246 | 248 | 247 | 250 | 251 | 247 | 247 | |
| 440 | 220 | 259 | 252 | 252 | 252 | 259 | 256 | 238 | 245 | 253 | 256 | 258 | |
| 441 | 210 | 239 | 236 | 232 | 221 | 227 | 226 | 236 | 234 | 236 | 239 | 254 | |
| 444 | 213 | 237 | 238 | 236 | 240 | 239 | 239 | 241 | 242 | 238 | 231 | 233 | |
| 448 | 208 | 232 | 237 | 235 | 240 | 242 | 242 | 246 | 244 | 235 | 236 | 243 | |
| 450 | 215 | 241 | 244 | 243 | 247 | 248 | 245 | 248 | 250 | 247 | 225 | 227 | |
| 455 | 214 | 244 | 243 | 241 | 246 | 251 | 249 | 254 | 258 | 258 | 260 | 266 | |
| 460 | 218 | 228 | 227 | 228 | 233 | 232 | 229 | 221 | 224 | 230 | 237 | 237 | |
| 475 | 215 | 236 | 239 | 235 | 225 | 219 | 227 | 234 | 234 | 244 | 246 | 246 | |
| 483 | 219 | 247 | 250 | 239 | 247 | 254 | 252 | 253 | 261 | 260 | 254 | 260 | |
| 490 | 211 | 232 | 234 | 234 | 240 | 240 | 244 | 238 | 244 | 234 | 242 | 240 | |
| 491 | 203 | 217 | 219 | 216 | 220 | 223 | 226 | 230 | 229 | 231 | 234 | 238 | |
| 492 | 206 | 230 | 232 | 227 | 228 | 230 | 234 | 237 | 237 | 212 | 212 | 214 | |
| 503 | 205 | 228 | 231 | 235 | 234 | 239 | 244 | 229 | 230 | 232 | 243 | 238 | |
| MEAN | 212 | 239 | 241 | 239 | 239 | 241 | 242 | 244 | 245 | 245 | 245 | 248 | |
| S.D. | 5.7 | 9.3 | 9.2 | 10.1 | 10.4 | 11.7 | | 11.6 | 13.7 | 16.6 | 16.7 | 17.4 | |
| N | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | |
| | | | | | : | Data Unava | ailable | | | | | | |

| | | 1,1 | 1 -4 | ر کا |
|--------|---------|-----|------|------|
| Ini | Ini | 111 | 1 1 | 1.1 |
| 1111 | 101 | 101 | | 11 |
| 1 11 1 | (n) | 101 | 1 | 13 |
| 101 | 1 11 1 | 101 | 11 | 1.1 |
| | 1 1 1 1 | | | |

| | INDIVIDUAL BODY WEIGHTS (Grad | ns) |
|------------|---|--------|
| STUDY: 154 | GROUP: 4-F SEX: DOSE: 30(mg base/kg/day) ANIMAL # DAY 18 DAY 20 | FEMALE |

| 354 | 303 | 327 |
|------------|------------|------------|
| 356 | 304 | 325 |
| 370 | 280 | 317 |
| 374 | 280 | 308 |
| 379 | 235 | 250 |
| 382 | 303 | 318 |
| 385 | 267 | 282 |
| 392 | 307 | 330 |
| 399 | 306 | 331 |
| 404 | 304 | 326 |
| 410 | 325 | 360 |
| 417 | 278 | 303 |
| 440 | 286 | 310 |
| 441 | 297 | 326 |
| 444 | 269 | 290 |
| 448 | 261 | 289 |
| 450 | 270 | 267 |
| 455 | 277 | 294 |
| 460 | 275 | 297 |
| 475 | 277 | 310 |
| 483 | 310 | 346 |
| 490 | 263 | 288 |
| 491 | 275 | 306 |
| 492 503 | 247 271 | 270 295 |
| 202 | 2/1 | 242 |
| MEAN | 283 | 307 |
| S.D. | 21.4 | 25.3 |
| N | 25 | 25 |
| : | Data Unava | ilable |

| 2 114 | | | | B | T | |
|-------|--|--|--|---|---|--|
|-------|--|--|--|---|---|--|

| | | | | INI | DIVIDU | AL BO | DY WEI | GHTS | (Grams) | | | |
|----------|--------|-------|-------|------------|--------|--------------|-------------------------|--------|---------|--------|--------|--------|
| STU | JDY: 1 | 54 | | GRO DOS | OUP: 5 | -F 000(mg | l /kg/day) ^c | SE | X: FE | MALE | | |
| ANIMAL # | DAY 0 | DAY 5 | DAY 6 | DAY 7 | DAY 8 | DAY 9 | DAY 10 | DAY 11 | DAY 12 | DAY 13 | DAY 14 | DAY 15 |
| | | | | | | | | | | | | |
| 353 | 215 | 246 | 247 | 252 | 250 | 262 | 258 | 257 | 269 | 273 | 275 | 287 |
| 362 | 220 | 254 | 249 | 255 | 256 | 263 | 254 | 246 | 255 | 267 | 271 | 280 |
| 364 | 209 | 241 | 243 | 242 | 242 | 249 | 248 | 246 | 254 | 266 | 268 | 275 |
| 366 | 211 | 249 | 248 | 252 | 250 | 257 | 260 | 263 | 264 | 271 | 272 | 280 |
| 368 | 219 | 245 | 248 | 249 | 254 | 256 | 257 | 258 | 269 | 271 | 277 | 285 |
| 372 | 217 | 241 | 244 | 243 | 249 | 250 | 253 | 255 | 257 | 270 | 269 | 278 |
| 389 | 209 | 245 | 246 | 249 | 251 | 257 | 255 | 259 | 262 | 264 | 266 | 271 |
| 391 | 212 | 238 | 244 | 245 | 250 | 256 | 254 | 255 | 262 | 271 | 276 | 284 |
| 401 | 219 | 243 | 246 | 259 | 264 | 267 | 243 | 236 | 247 | 255 | 263 | 279 |
| 407 | 205 | 225 | 231 | 232 | 239 | 245 | 244 | 235 | 249 | 251 | 256 | 259 |
| 422 | 214 | 233 | 244 | 240 | 248 | 254 | 254 | 258 | 256 | 260 | 262 | 268 |
| 423 | 218 | 247 | 253 | 253 | 263 | 266 | 269 | 271 | 273 | 274 | 280 | 292 |
| 426 | 216 | 230 | 233 | 236 | 242 | 250 | 247 | 239 | 250 | 253 | 259 | 274 |
| 430 | 213 | 237 | 236 | 247 | 248 | 258 | 245 | 246 | 249 | 261 | 273 | 284 |
| 432 | 214 | 240 | 239 | 248 | 250 | 259 | 255 | 255 | 272 | 276 | 281 | 291 |
| 442 | 211 | 239 | 241 | 247 | 253 | 254 | 259 | 254 | 255 | 267 | 275 | 286 |
| 445 | 220 | 250 | 256 | 256 | 261 | 265 | 267 | 267 | 263 | 270 | 279 | 286 |
| 465 | 211 | 234 | 242 | 244 | 243 | 247 | 248 | 244 | 241 | 246 | 255 | 261 |
| 468 | 204 | 226 | 227 | 233 | 233 | 242 | 237 | 234 | 244 | 251 | 255 | 267 |
| 476 | 204 | 235 | 240 | 246 | 252 | 260 | 254 | 246 | 261 | 265 | 279 | 282 |
| 477 | 220 | 229 | 244 | 243 | 246 | 253 | 250 | 239 | 254 | 263 | 273 | 274 |
| 485 | 217 | 246 | 224 | 212 | 216 | 244 | 252 | 240 | 241 | 259 | 268 | 271 |
| 493 | 207 | 223 | 229 | 232 | 238 | 241 | 240 | 238 | 247 | 253 | 26D | 259 |
| 496 | 215 | 239 | 240 | 250 | 255 | 260 | 254 | 249 | 264 | 272 | 276 | 285 |
| 499 | 209 | 225 | 227 | 232 | 240 | 246 | 246 | 239 | 255 | 256 | 263 | 274 |
| MEAN | 213 | 238 | 241 | 244 | 248 | 254 | 252 | 249 | 257 | 263 | 269 | 277 |
| S.D. | 5.1 | 8.6 | 8.4 | 10.2 | 10.1 | 7.6 | 7.6 | 10.4 | 9.2 | 8.5 | 8.2 | 9.4 |
| N | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| | | | | | : [| ata Unav | ailable | | | | | |

 $^{^{\}mathrm{a}}$ Retinol Palmitate given on GD9 and GD10 only

| | | | F | 1 |
|----|----|------------------------|---|---|
| ال | UU | $\Gamma \Gamma \Gamma$ | U | П |

SEX: FEMALE

| | | | UAL BO | DY WEIG | HTS (Gran | ns) |
|--------|-----|-----------------------------|-----------------|-----------------------------------|-----------|-----|
| STUDY: | 154 | GROUP: DOSE: ANIMAL # | 5-F 1000 (mg | g /kg/day) ^a DAY 20 | SEX: | FE |
| | | | | | | |
| | | 353 | 326 | 346 | | |
| | | 362 | 313 | 304 | | |
| | | 364 | 307 | 327 | | |
| | | 366 | 311 | 333 | | |
| | | 368 | 321 | | | |
| | | 372 | 304 | | | |
| | | 389 | 308 | | | |
| | | 391 | 315 | | | |
| | | 401 | 309 | | | |
| | | 407 | 292 | 309 | | |
| | | 422 | 306 | 329 | | |
| | | 423 | 320 | 349 | | |
| | | 426 | 300 | | | |
| | | 430 | 318 | | | |
| | | 432 | 327 | 365 | | |
| | | 442 | 313 | 341 | | |
| | | 445 | 321 | 357 | | |
| | | 465 | 284 | 304 | | |
| | | 468 | 281 | | | |
| | | 476 | 305 | | | |
| | | 477 | 299 | 328 | | |
| | | 485 | 305 | 330 | | |
| | | 493 | 268 | 281 | | |
| | | 496 | 331 | 356 | | |
| | | 499 | 300 | 325 | | |
| | | | 307 | | | |
| | | S.D. | 14.9 | 19.9 | | |
| | | N | 25 | 25 | | |
| | | : | Data Unav | ailable | | |

 $^{^{\}rm a}$ Retinol Palmitate given on GD9 and GD10 only

| | | | PLODI | Or WK. | 238603 | Succ | INATE | IN RA | 175 | | | |
|------------|--------------|--------------|-------------|-------------|-------------------|-------------------|-----------|-------------------|----------------|--------------|--------------|--|
| | | | | | | | | | 10 0 | 1 | F 77 | |
| | | | | | | | | | | 1 /6\ | 17 11 | |
| | | | | | | | | | וט טו | ם ח ח | U U | |
| | | | | INDI | VIDUAI | WEIG | HT GA | IN (Gram | s ^p | | | |
| STUDY | 154 | | | GROUP | : 1-F | | | SEX: | FEMAL | E | | |
| | | | | DOSE: | 0 (mg | base/kg/d | day) | | | | | |
| ANIMAL # | С | | | | | | | | | | | |
| ANIMAL # | DAY 7 | DAY 8 | DAY 9 | DAY 10 | DAY 11 | DAY 12 | DAY 13 | DAY 14 | DAY 15 | DAY 18 | DAY 20 | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 346 | -13.0 | 10.0 | 7.0 | 5.0 | 5.0 | 6.0 | 5.0 | 6.0 | 6.0 | 29.0 | 24.0 | |
| | -23.0 | 21.0 | 5.0 | 9.0 | 6.0 | 4.0 | 6.0 | 1.0 | 6.0 | 26.0 | | |
| 352 | -2.0 | | | 5.0 | 9.0 | | | | | 40.0 | | |
| | -6.0 | 7.0 | 4.0 | 5.0 | 10.0 | 5.0 | 7.0 | 7.0 | 8.0 | 36.0 | 29.0 | |
| 367 | -5.0 | 6.0 | 7.0 4.0 | 5.0 11.0 | 6.0 | 0.0 | 9.0 | 6.0 | 3.0 | 30.0 | 20.0 | |
| 369 | -18.0 | 22.0 | | 11.0 | 5.0 | | | | 5.0 | 34.0 | 21.0 | |
| | -10.0 | | 3.0 | 2.0 | 9.0 | 8.0 | 1.0 | 9.0 | 6.0 | 34.0 | 25.0 | |
| 386 | 14.0 11.0 | -1.0 -1.0 | 6.0 9.0 | 6.0 1.0 | 8.0 12.0 | 3.0 | 8.0 | 5.0 | 7.0 | 28.0 | 30.0 | |
| 388 | 11.0 | -1.0 | 9.0 | 1.0 | 12.0 | 6.0 | 6.0 | 11.0 | 4.0 | 36.0 | 23.0 | |
| | 12.0 | 3.0 | 5.0 | 6.0 | 9.0 | 4.0 | 7.0 | 7.0 | | 37.0 | | |
| 412 | 12.0 | 8.0 | 5.0 | 8.0 9.0 | 6.0 5.0 | 6.0 7.0 4.0 | 7.0 | 8.0 5.0 7.0 | 6.0 | 33.0 | 31.0 | |
| 419 | 13.0 | 1.0 | 6.0 | 9.0 | 5.0 | 7.0 | 4.0 | 5.0 | 4.0 | 31.0 | 19.0 | |
| 421 | 10.0 | 4.0 | 7.0 | 3.0 | | | | 7.0 | 12.0 | 34.0 | | |
| 428 | -4.0 | 8.0 | 4.0 | 8.0 | 5.0 | 4.0 9.0 6.0 | 5.0 | 6.0 | 4.0 | 31.0 | 23.0 | |
| 437 | -2.0 | 8.0 7.0 | 9.0 | 2.0 -1.0 | 5.0 | 9.0 | 3.0 | 5.0 | 13.0 | 37.0 | 24.0 | |
| 438 | 6.0 | 7.0 | | -1.0 | 7.0 | 6.0 | 7.0 | 7.0 | 11.0 | 32.0 | | |
| 451 | 1.0 | 5.0 | 3.0 | 10.0 | 5.0 | 2.0 | 1.0 | 9.0 | 7.0 | 29.0 | | |
| 452 | 7.0 3.0 | 5.0 5.0 | 6.0 5.0 | 6.0 10.0 | 5.0 1.0 | 2.0 5.0 3.0 | 11.0 | 7.0 | 13.0 | 35.0 | | |
| | | 3.0 | 5.0 | 10.0 | 1.0 | 3.0 | 9.0 | 3.0 | 11.0 | 28.0 | 28.0 | |
| 467 471 | | 7.0 5.0 | 9.0 | 6.0 | 7.0 | 3.0 | 10.0 | 8.0 | 10.0 12.0 | 31.0 33.0 | 29.0 17.0 | |
| 474 | 8.0 | 5.0 6.0 | 8.0 6.0 | 3.0 | 9.0 7.0 8.0 | 8.0 | 1.0 | 4.0 | | | | |
| 4/4 | 6.0 | 7.0 | | | | | | | 11.0 | 31.0 | 25.0 | |
| | | 7.0 | 3.0 10.0 | | | 6.0 | 0.0 | | 16.0 8.0 | 28.0 | 25.0 30.0 | |
| 501 | 3.0 7.0 | 6.0 | 1.0 | 2.0 | 7.0 | 7.0 9.0 | 4.0 | 16.0 | | | | |
| 201 | | 8.0 | 1.0 | 7.0 | 7.0 | 9.0 | -1.0 | 10.0 | 4.0 | 23.0 | 20.0 | |
| MEAN | 1.5 9.81 | 7.5 5.72 | 5.4 | 5.6 3.12 | 7.1 | 5.3 | 5.1 | 6.4 | 8.0 | 32.2 | 25.3 | |
| S.D. | 9.81 | 5.72 | 2.83 | 3.12 | 2.42 | 2.28 | 3.20 | 3.11 | 3.55 | 4.20 | 4.06 | |
| N | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | |
| | | | : [| Data Unava | ailable | b: Sch | eduled Sa | crifice | | | | |
| | | | | | | | | | | | | |

^aSuccessive periods

^CBaseline is day 6

| | INDIVIDUAL WEIGHT GAIN (Grams) ^a | | | | | | | | | | | | |
|----------|---|-------|-------|----------------|--------------|-------------------|-------------------|--------|--------|--------------|--------|--|--|
| STUDY: | 154 | | | GROUP DOSE: | 2-F 3 (mg | base/kg/d | day) | SEX: | FEMAL | E | | | |
| ANIMAL # | DAY 7 ^C | OAY 8 | OAY 9 | OAY 10 | OAY 11 | 0AY 12 | OAY 13 | 0AY 14 | OAY 15 | DAY 18 | OAY 20 | | |
| 350 | -8.0 | 11.0 | 1.0 | 12.0 | -1.0 | 8.0 | 7.0 | 6.0 | 7.0 | 30.0 | 26.0 | | |
| 355 | -7.0 | 5.0 | 7.0 | 3.0 | 5.0 | 7.0 | 2.0 | 5.0 | 7.0 | 44.0 | 27.0 | | |
| 358 | -6.0 | 16.0 | -6.0 | 12.0 | 8.0 | 0.0 | 6.0 | 8.0 | 4.0 | 44.0 33.0 | 27.0 | | |
| 360 | -3.0 | 16.0 | 5.0 | 7.0 | 6.0 | 11.0 | 2.0 6.0 4.0 | 4.0 | 12.0 | 33.0 | 32.0 | | |
| 361 | -7.0 | 14.0 | 0.0 | 9.0 | 3.0 | 8.0 | 8.0 | 7.0 | 7.0 | 39.0 | 26.0 | | |
| 376 | -9-0 | 14.0 | -1.0 | | 6.0 | | 6.0 | 0.0 | 9.0 | 31.0 | 30.0 | | |
| | | 7.0 | -3.0 | | 7.0 | 10.0 | 8.0 | 2.0 | 6.0 | 32.0 | 30.0 | | |
| | 12.0 | -3.0 | 7.0 | 8.0 | 3.0 | 6.0 | 3.0 | 5.0 | 6.0 | 37.0 | 17.0 | | |
| 402 | 16.0 | 2.0 | 4.0 | 7.0 | 6.0 | 3.0 | 6.0 | 9.0 | 8.0 | 42.0 | 26.0 | | |
| 403 | 2.0 | 4.0 | 4.0 | 3.0 | 9.0 11.0 | | | 6.0 | 6.0 | 25.0 38.0 | 13.0 | | |
| | 9.0 | 1.0 | 4.0 | 9.0 | 11.0 | 7.0 8.0 5.0 | 5.0 | 9.0 | 8.0 | 38.0 | 25.0 | | |
| 413 | 13.0 | 1.0 | 2.0 | 5.0 | 4.0 | 5.0 | 3.0 | 4.0 | 10.0 | 33.0 | 30.0 | | |
| 415 | -1.0 | 8.0 | 11_0 | 7.0 | 2.0 | 7.0 | 3.0 | 5.0 | 9.0 | 33.0 | 19.0 | | |
| | | | | | | 8.0 | 7.0 | 7.0 | 4.0 | 43.0 | 24.0 | | |
| | | | | 6.0 | | 8.0 | | | | 35.0 | | | |
| 439 | 3.0 | 8.0 | 4.0 | 7.0 | 6.0 | 8.0 | | 5.0 | 12.0 | 37.0 | 35.0 | | |
| 454 | -4.0 | 7.0 | 5.0 | 6.0 | 6.0 | 9.0 | 3.0 | 0.0 | 11.0 | 38.0 | 30.0 | | |
| 449 | -2.0 2.0 | 8.0 | 4.0 | 8.0 | 6.0 | 2.0 6.0 | 7.0 | 9.0 | 10.0 | 32 N | 31 0 | | |
| 462 | 2.0 | 5.0 | 5.0 | 8.0 | 2.0 | 6.0 | | | 14.0 | 33.0 | 25.0 | | |
| 473 | | | 5.0 | 7.0 | 3.0 | 5.0 | | | 6.0 | 28.0 | 25.0 | | |
| | | 5.0 | 8.0 | | | | | 9.0 | 4.0 | 42.0 | | | |
| | | 5.0 | 5.0 | 7.0 | 4.0 | 1.0 | | 8.0 | 11.0 | 37.0 | 30.0 | | |
| 484 | 0.0 | 3.0 | 7.0 | 2.0 | 13.0 | 2.0 | 6.0 | 8.0 | 8.0 | 25.0 | 26.0 | | |
| 489 | 3.0 | 2.0 | 7.0 | 4.0 | 5.0 | 4.0 | 8.0 | 5.0 | 8.0 | 37.0 | | | |
| 495 | 4.0 | 2.0 | 6_0 | 4.0 | 5.0 | 4.0 | 3.0 | 4.0 | 2.0 | 33.0 | 22.0 | | |
| MEAN | 2.0 | 5.9 | 4.0 | 6.3 | 5.8 | 5.7 | 5.4 | 5.5 | 8.0 | 34.8 | 26.6 | | |
| S.D. | 6.74 | 4.45 | 3.64 | 3.53 | 3.11 | 3.00 | 2.35 | 2.60 | 2.91 | 5.10 | 5.25 | | |
| N | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | | |
| | | | : (| Data Unava | | | eduled Sa | | | | | | |

^aSuccessive periods

^CBaseline is day 6

| | | 5 | 1 |
|----|----------|---|---|
| UU | Γ | | |

| | | | | INDI | VIDUAI | WEIG | HT GA | IN (Gram | s) ^a | | | |
|----------|-----------------------------|-------------------|-------|------------|------------|-------------------|-----------|----------|-------------------|--------------|--------|--|
| STUDY: | 154 | | | GROUP | : 3-F | a basa/ka | = (do) | SEX: | FEMAL | E | | |
| | | | | DOSE. | 10 (11 | ig base/k | g/uay) | | | | | |
| ANIMAL # | DAY 7 | DAY 8 | DAY 9 | DAY 10 | DAY 11 | DAY 12 | DAY 13 | DAY 14 | DAY 15 | DAY 18 | DAY 20 | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 351 | 2.0 | -1.0 | 4.0 | 7.0 | 6.0 | 7.0 | 3.0 | 7.0 | 4.0 | 31.0 | 32.0 | |
| | | | | | | 10.0 | | | | | 40.0 | |
| | | | | 8.0 | | 0.0 | | | 4.0 | | 33.0 | |
| 380 | 3.0 | 3.0 | 0.0 | 8.0 | | 4.0 | | 9_0 | 5.0 | | 28.0 | |
| 383 | 3.0 | -2.0 | 2.0 | | | 4.0 | 3.0 | | | 27.0 | 22.0 | |
| 384 | -20.0 | 4.0 | 5.0 | 2.0 | 6.0 | 8.0 | 10.0 | 5_0 | 0.0 | 39 0 | 28.0 | |
| 390 | 3.0 -20.0 -7.0 3.0 | 4.0 8.0 3.0 | 3.0 | 2.0 | 6.0 3.0 | 8.0 8.0 3.0 | 1.0 | 3.0 | 9.0 9.0 2.0 | 39.0 35.0 | -11.0 | |
| 395 | 3.0 | 3.0 | 9.0 | 8.0 | 6.0 | 3.0 | 8.0 | 6.0 | 2.0 | 42.0 | 17.0 | |
| 400 | 0.0 | 0.0 | 5.0 | 5.0 | 11.0 | 3.0 | 8.0 | 7.0 | 6.0 | 41.0 | 28.0 | |
| | | | 4.0 | | 4.0 | 5.0 | 4.0 | 4.0 | 3.0 | | 29.0 | |
| | 1.0 | | 5.0 | | | | 3.0 | 5.0 | -19.0 | | 13.0 | |
| | | | 1.0 | | 3.0 | | 6.0 | | 11.0 | 32.0 | 23.0 | |
| 427 | 3.0 | 7.0 | 5.0 | | 11.0 | 4.0 | | 5.0 | 7.0 | 34.0 | 34.0 | |
| 434 | -1.0 | 9.0 | | 3.0 | 10.0 | | | 6.0 | 4.0 | 38.0 | 33.0 | |
| 4.55 | 6.0 | 9.0 2.0 5.0 | 7.0 | 0 0 | 8.0 | 5.0 | 3.0 | 11.0 | 4.0 8.0 4.0 | 27 0 | 14.0 | |
| 447 | 19.0 | 5.0 | 7.0 | 11.0 | 4_0 | 4.0 | 3.0 | 11.0 | 4.0 | 33.0 | 34.0 | |
| 453 | 6.0 | 3.0 | 8.0 | 7.0 | 7.0 | 1.0 | 7.0 | -2.0 | 10.0 | 31.0 | 32.0 | |
| | | | 5.0 | 4.0 | 9.0 | 0.0 | 5.0 | 4.0 | 9.0 | | 27.0 | |
| | | | | | | 7.0 | | | 9_0 | 34.0 | 36_0 | |
| | | | | | | 4.0 | | | 8.0 | 28.0 | 25.0 | |
| 472 | 5.0 | -13.0 | 13.0 | 4.0 | 7.0 | 9.0 | | 7.0 | 10.0 | 35.0 | 24.0 | |
| 482 | | -2.0 | 13.0 | | -12-0 | -14.0 | 2.0 | | 14.0 | 37.0 | 29.0 | |
| | | 3.0 | 5.0 | | | 6.0 | 5.0 | 7.0 | 8.0 | 36.0 | 22.0 | |
| 494 | 6.0 | 6.0 | 7.0 | 7.0 | 6.0 | 6.0 | 8.0 | 1.0 | 8.0 8.0 | 32.0 | 28.0 | |
| 502 | 5.0 | 6.0 | 2.0 | 8.0 | 5.0 | 4.0 | 1.0 | 4.0 | 0.0 | 31_0 | 21.0 | |
| MEAN | 2.2 | 2.4 | 4.9 | 6.4 | 5.6 | 3.8 | 4.9 | 5.1 | 5.9 | 35.6 | 25.6 | |
| S.D. | | 4.37 | | 3.13 | | | | | | 5.96 | | |
| N | 25 | 25 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | |
| | | | : | Data Unava | ailable | b: Sch | eduled Sa | crifice | | | | |

^aSuccessive periods

^CBaseline is day 6

| (B) | | 5 | T |
|-----|-------------|---|---|
| UU | $\Box \Box$ | ш | |

| | | | | INDI | VIDUAI | WEIG | HT GA | IN (Gram | s)a | | | |
|----------|---------|-------|-------|-----------|---------|-----------|--------|----------|--------|--------|--------|--|
| | | | | | | | | | | | | |
| STUDY | : 154 | | | GROUP | : 4-F | | | SEX: | FEMAL | E | | |
| | | | | DOSE: | 30 (n | ng base/k | g/day) | | | | | |
| ANIMAL # | OAY 7 C | 8 YAO | OAY 9 | OAY 10 | DAY 11 | DAY 12 | OAY 13 | OAY 14 | DAY 15 | 0AY 18 | DAY 20 | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 354 | 3.0 | -3.0 | 3.0 | 4.0 | 5.0 | 2.0 | 1.0 | -4.0 | 7.0 | 28.0 | 24.0 | |
| 356 | -1.0 | -3.0 | 1.0 | -4.0 | 1.0 | 7.0 | 1.0 | 3.0 | 3.0 | 44.0 | 21.0 | |
| 370 | 1.0 | 4.0 | -6.0 | -1.0 | 9.0 | -10.0 | 2.0 | 4.0 | 6.0 | 23.0 | 37.0 | |
| 374 | 0.0 | -4.0 | -3.0 | 8.0 | 4.0 | -3.0 | -17.0 | 7.0 | 3.0 | 42.0 | 28.0 | |
| 379 | -15.0 | 7.0 | -2.0 | -4.0 | 6.0 | -3.0 | -2.0 | -11.0 | -7.0 | 23.0 | 15.0 | |
| 382 | 0.0 | 0.0 | 2.0 | 2.0 | 2.0 | 9.0 | 1.0 | 3.0 | 1.0 | 34.0 | 15.0 | |
| 385 | -3.0 | -9.0 | 2.0 | -1.0 | 2.0 | -11.0 | 0.0 | 1.0 | 12.0 | 40.0 | 15.0 | |
| 392 | -4.0 | 0.0 | 8.0 | -10.0 | 1.0 | 6.0 | 3.0 | 3.0 | 1.0 | 52.0 | 23.0 | |
| 399 | 4.0 | 2.0 | 4.0 | 4.0 | 7.0 | 3.0 | 4.0 | -1.0 | 4.0 | 44.0 | 25.0 | |
| 404 | 1.0 | -2.0 | 6.0 | 5.0 | 2.0 | -1.0 | 6.0 | -1.0 | 3.0 | 33.0 | 22.0 | |
| 410 | 2.0 | -15.0 | -2.0 | 11.0 | 3.0 | 11.0 | 12.0 | -1.0 | 0.0 | 57.0 | 35.0 | |
| 417 | -1.0 | -1.0 | 5.0 | 2.0 | -1.0 | 3.0 | 1.0 | -4.0 | 0.0 | 31.0 | 25.0 | |
| 440 | 0.0 | 0.0 | 7.0 | -3.0 | -18.0 | 7.0 | 8.0 | 3.0 | 2.0 | 28.0 | 24.0 | |
| 441 | -4.0 | -11.0 | 6.0 | -1.0 | 10.0 | -2.0 | 2.0 | 3.0 | 15.0 | 43.0 | 29.0 | |
| 444 | -2.0 | 4.0 | -1.0 | 0.0 | 2.0 | 1.0 | -4.0 | -7.0 | 2.0 | 36.0 | 21.0 | |
| 448 | -2.0 | 5.0 | 2.0 | 0.0 | 4.0 | -2.0 | -9.0 | 1.0 | 7.0 | 18.0 | 28.0 | |
| 450 | -1.0 | 4.0 | 1.0 | -3.0 | 3.0 | 2.0 | -3.0 | -22.0 | 2.0 | 43.0 | -3.0 | |
| 455 | -2.0 | 5.0 | 5.0 | -2.0 | 5.0 | 4.0 | 0.0 | 2.0 | 6.0 | 11.0 | 17.0 | |
| 460 | 1.0 | 5.0 | -1.0 | -3.0 | -8.0 | 3.0 | 6.0 | 7.0 | 0.0 | 38.0 | 22.0 | |
| 475 | -4.0 | -10.0 | -6.0 | 8.0 | 7.0 | 0.0 | 10.0 | 2.0 | 0.0 | 31.0 | 33.0 | |
| 483 | -11.0 | 8.0 | 7.0 | -2.0 | 1.0 | 8.0 | -1.0 | -6.0 | 6.0 | 50.0 | 36.0 | |
| 490 | 0.0 | 6.0 | 0.0 | 4.0 | -6.0 | 6.0 | -10.0 | 8.0 | -2.0 | 23.0 | 25.0 | |
| 491 | -3.0 | 4.0 | 3.0 | 3.0 | 4.0 | -1.0 | 2.0 | 3.0 | 4.0 | 37.0 | 31.0 | |
| 492 | -5.0 | 1.0 | 2.0 | 4.0 | 3.0 | 0.0 | -25.0 | 0.0 | 2.0 | 33.0 | 23.0 | |
| 503 | 4.0 | -1.0 | 5.0 | 5.0 | -15.0 | 1.0 | 2.0 | 11.0 | -5.0 | 33.0 | 24.0 | |
| MEAN | -1.7 | -0.2 | 1.9 | 1.0 | 1.3 | 1.6 | -0.4 | 0.2 | 2.9 | 35.0 | 23.8 | |
| S.D. | 4.23 | 5.98 | 3.87 | 4.67 | 6.66 | 5.30 | 8.03 | 6.73 | 4.67 | 10.83 | 8.35 | |
| N | 25 | 25 | 25 | 25 | | 25 | 25 | 25 | 25 | 25 | 25 | |
| | | | | Data Unav | ailable | b: Sch | | crifice | | | | |
| | | | | | | | | | | | | |

^aSuccessive periods

^CBaseline is day 6

| | | B | T |
|---|-----|-----|---|
| 1 | D U | bud | |

| | | | | INDI | VIDUAI | WEIG | HT GA | I N (Gram | s) ^a | | | |
|---|---|-------|-------|--------|---------|---------|-----------|------------------|-----------------|--------|---------|--|
| STUDY: | 154 | | | GROUP | : 5-F | | А | SEX: | FEMAL | E | | |
| | | | | DOSE: | 1000 | (mg /kg | /day) | | | | | |
| ANIMAL # | DAY 7 C | DAY 8 | DAY 9 | DAY 10 | DAY 11 | DAY 12 | DAY 13 | DAY 14 | DAY 15 | DAY 18 | DAY 20 | |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | • * * * * * * * * * * * * * * * * * * * | 0 | | | • | •/// | 05 | | 0711 13 | | 071. 20 | |
| | | | | | | | | | | | | |
| 353 | 5.0 | -2.0 | 12.0 | -4.0 | -1.0 | 12.0 | 4.0 | 2.0 | 12.0 | 39.0 | 20.0 | |
| 362 | 6.0 | 1.0 | 7.0 | -9.0 | | | 12.0 | | | | -9.0 | |
| 364 | -1.0 | 0.0 | 7.0 | -1.0 | -2.0 | 8.0 | 12.0 | 2.0 | 7.0 | 32.0 | 20.0 | |
| 366 | 4.0 | -2.0 | 7.0 | 3.0 | 3.0 | 1.0 | 7.0 | 1.0 | 8.0 | 31.0 | 22.0 | |
| 368 | 1.0 | 5.0 | 2.0 | 1.0 | 1.0 | 11.0 | 2.0 | 6.0 | 8.0 | 36.0 | 25.0 | |
| 372 | -1.0 | 6.0 | 1.0 | 3.0 | 2.0 | | 13.0 | -1.0 | 9.0 | 26.0 | 26.0 | |
| 389 | 3.0 | 2.0 | 6.0 | -2.0 | /. 0 | 7 0 | 2.0 | 2.0 | 5.0 | 37.0 | 11.0 | |
| 391 | 1.0 | 5.0 | 6.0 | -2.0 | 1.0 | 7.0 | 9.0 | 5.0 | 8.0 | 31.0 | 27.0 | |
| 401 | 13.0 | 5.0 | 3.0 | -24.0 | -7.0 | 11.0 | 8.0 | 8.0 | | 30.0 | 15.0 | |
| 407 | 1.0 | 7.0 | 6.0 | -1.0 | -9.0 | 14.0 | 2.0 | 5.0 | 3.0 | 33.0 | 17.0 | |
| 422 | -4.0 | 8.0 | 6.0 | 0.0 | 4.0 | -2.0 | 4.0 | 2.0 | 6.0 | 38.0 | 23.0 | |
| 423 | 0.0 | 10.0 | 3.0 | 3.0 | 2.0 | | 1.0 | 6.0 | 12.0 | 28.D | 29.0 | |
| 426 | 3.0 | 6.0 | 8.0 | -3.0 | -8.0 | | 3.0 | 6.0 | 15.0 | 26.0 | 25.0 | |
| 430 | 11.0 | 1.0 | 10.0 | -13.0 | 1.0 | 3.0 | 12.0 | 12.0 | 11.0 | 34.0 | 32.0 | |
| 432 | 9.0 | 2.0 | 9.0 | -4.0 | 0.0 | 17.0 | 4.0 | 5.0 | 10.0 | 36.0 | 38.0 | |
| 442 | 6.0 | 6.0 | 1.0 | 5 0 | -5.0 | 1.0 | 12.0 | 8.0 | 11.0 | 27.0 | 28.0 | |
| 445 | 6.0 0.0 | 5.0 | 4.0 | 2.0 | 0.0 | -4.0 | 7.0 | | 7.0 | 35.0 | 36.0 | |
| 465 | 2.0 | -1.0 | 4.0 | 1.0 | -4.0 | -3.0 | 5.0 | 9.0 | 6.0 | 23.0 | 20.0 | |
| 468 | 6.0 | 0.0 | 9.0 | -5.0 | -3.0 | 10.0 | 7.0 | 4.0 | 12.0 | 14.0 | 21.0 | |
| | | | 8.0 | | | | 4.0 | 14.0 | 3.0 | 23.0 | 35.0 | |
| | -1.0 | 3.D | 7.D | -3.0 | -11.D | 15.0 | 9.0 | | 1.0 | 25.0 | 29.0 | |
| 485 | | 4.0 | 28.0 | 8.0 | -12.0 | 1.0 | 18.0 | 9.0 | | 34.0 | 25.0 | |
| 493 | 3.0 | 6.0 | 3.0 | | -2.0 | 9 0 | 6.0 | 7.0 | -1.0 | 9.0 | 13.0 | |
| 496 | 10.0 | 5.0 | 5.0 | -6.0 | -5.0 | 15.0 | 8.0 | 4.0 | 9.0 | 46.0 | 25.0 | |
| 499 | 5.0 | 8.0 | 6.0 | 0.0 | -7.0 | 16.0 | 1.0 | 7.0 | 11.0 | 26.0 | 25.0 | |
| MEAN | 3.0 | 3.8 | 6.7 | -2.3 | -3.0 | 7.4 | 6.9 | 5.8 | 8.0 | 30.1 | 23.1 | |
| S.D. | 5.19 | 3.27 | 5.22 | | | | 4.43 | | | 7.86 | 9.49 | |
| | | 25 | | | | | 25 | | 25 | 25 | 25 | |
| | | _ | : 1 | | ailable | b: Sch | eduled Sa | crifice | | | | |

^aSuccessive periods

^CBaseline is day 6

 $^{^{\}rm d}$ Retinol Palmitate given on GD9 and GD10 only

DRAFT

APPENDIX 4

Individual Maternal Food Consumption Data



| | | | | | | | |
|----------------------------|-----------|-------------|----------------|-------|------------|---|------|
| INDIVIDUAL | DAIL | Y FOO | D CON | SUMPT | ON (Grams) | a | |
| GROUP: DOSE: ANIMAL# | 0 (mg | base/kg/d | day) OAY 20 | | FEMALE | | |
| | | | | | | | |
| 346 | 17.0 | 22.4 | 20.0 | | | | |
| 349 | 18.0 | 21.0 | 20.4 | | | | |
| 352 | 20.3 | 22.8 | 23.6 | | | | |
| 357 | 21.0 | 24.4 | 24.4 | | | | |
| 367 | 17.5 | 21.4 | 23.2 | | | | |
| 369 | 18.5 | 23.0 | 24.0 | | | | |
| 381 | 22.0 | 24.8 | 23.0 | | | | |
| 386 | 19.5 | 22.0 | 22.6 | | | | |
| 388 | 21.3 | 25.2 | 25.0 | | | | |
| 396 | 19.8 | 22.4 | 25.2 | | | | |
| 412 | 21.3 | 23.6 | 23.8 | | | | |
| 419 | 19.5 | 21.0 | 22.8 | | | | |
| 421 | 20.3 | 22.0 | 22.0 | | | | |
| 428 | 19.8 | 23.8 | 17.8 | | | | |
| 437 | 20.3 | 23.0 | 23.8 | | | | |
| 438 | 18.5 | 21.4 | 22.6 | | | | |
| 451 | 19.3 | 20.8 | 21.6 | | | | |
| 452 | 23.8 | 24.6 | 25.8 | | | | |
| 456 | 21.8 | 22.6 | 22.4 | | | | |
| 467 | 22.8 | 27.0 | 23.0 | | | | |
| 471 | 17.3 | 19.8 | 19.6 | | | | |
| 474 | 21.5 | 22.2 | 21.2 | | | | |
| 497 | 20.3 | 20.8 | 20.0 | | | | |
| 500 | 22.3 | 23.4 | 24.2 | | | | |
| 501 | 20.3 | 23.0 | 16.6 | | | | |
| MEAN | 20.2 | 22.7 | 22.3 | | | | |
| S.D. | 1.75 | 1.64 | 2.27 | | | | |
| N | | 25 | 25 | | | | |
| - | -: Oata U | Inava i lab | le | | | | |

^aInclusive intervals

^bFood in on day 6



| | INDIVIDUA | L DAIL | Y FOO | D CON | SUMPT | ION (Grams) ^a |
|--------------------------|---|--|--|--|-------|--------------------------|
| STUDY: 154 | GROUP: DOSE: ANIMAL # | 3 (mg DAY 10 b | base/kg/c DAY 15 | day) DAY 20 | SEX: | FEMALE |
| ************************ | | | | | | |
| | 350 355 358 360 361 376 393 398 402 403 405 413 415 431 436 439 454 | 17.5 18.5 19.3 19.0 19.5 19.3 16.5 18.5 19.0 20.5 18.8 16.0 19.0 20.0 22.3 20.0 19.5 | 21.8 19.6 20.0 21.6 24.0 21.2 19.4 19.4 20.6 18.6 23.8 19.8 20.0 24.4 22.8 22.4 20.6 | 22.0 21.0 20.8 22.8 23.4 22.2 19.4 20.4 22.2 19.2 23.0 20.4 21.4 20.8 24.4 23.0 22.4 | | |
| | 462 473 480 481 484 489 495 MEAN S.D. N | 19.0 20.5 21.0 21.3 18.8 16.5 18.0 | 21.0 19.6 23.2 20.6 22.0 24.8 17.0 21.1 1.94 25 | 20.6 17.6 24.4 24.4 22.D 14.2 18.8 21.4 2.33 25 | | |
| | | | | | | |

^aInclusive intervals

 $^{^{\}mathrm{b}}\mathrm{Food}$ in on day 6



| | INDIVIDUAI | DAIL | Y FOO | D CON | SUMPTION (Grams) ^a |
|------------|-----------------------------|--------------|---------------------|------------------|-------------------------------|
| STUDY: 154 | GROUP: DOSE: ANIMAL # | 3-F 10 (m | g base/kç DAY 15 | g/day) 0AY 20 | SEX: FEMALE |
| | | | | | |
| | 351 | 16.8 | 19.6 | 19.6 | |
| | 371 | 17.5 | 20.4 | 23.8 | |
| | 378 | 17.0 | 17.0 | 20.8 | |
| | 380 | 17.8 | 22.8 | 21.6 | |
| | 383 | 15.0 | 14.0 | 20.8 | |
| | 384 | 11.3 | 20.6 | 21.4 | |
| | 390 | 16.8 | 18.6 | 19.0 | |
| | 395 | 19.8 | 21.0 | 22.4 | |
| | 400 | 17.3 | 21.6 | 23.8 | |
| | 420 | 19.3 | 18.0 | 18.2 | |
| | 424 | 18.0 | 16.4 | 19.0 | |
| | 425 | 16.8 | 18.4 | 19.2 | |
| | 427 | 17.5 | 22.0 | 22.6 | |
| | 434 | 14.5 | 17.6 | 20.4 | |
| | 435 | 17.8 | 20.8 | 16.8 | |
| | 447 | 21.0 | 22.2 | 21.8 | |
| | 453 | 21.0 | 20.4 | 21.8 | |
| | 457 | 17.8 | 18.8 | 22.2 | |
| | 459 | 19.3 | 22.2 | 23.0 | |
| | 469 | 16.5 | 19.2 | 20.2 | |
| | 472 | 16.0 | 20.0 | 18.4 | |
| | 482 | 17.5 | 12.2 | 20.8 | |
| | 486 | 21.0 | 25.0 | 23.2 | |
| | 494 | 21.8 | 22.2 | 23.2 | |
| | 502 | 20.0 | 19.4 | 19.0 | |
| | MEAN | 17.8 | 19.6 | 20.9 | |
| | S.D. | 2.33 | 2.80 | 1.91 | |
| | N | 25 | 25 | 25 | |
| | | -: Data L | Inava i lab | le | |
| | | | | | |

^aInclusive intervals

bFood in on day 6



| | INDIVIDUAI | DAIL | Y FOO | D CON | SUMPT | ION (Grams) ^a | |
|------------|---|--|-----------|--|-------|--------------------------|------|
| STUDY: 154 | GROUP: DOSE: ANIMAL # | 30 (m | g base/kg | | SEX: | FEMALE | |
| | 354 356 370 374 379 382 385 392 399 404 410 417 440 441 444 448 450 455 460 475 483 490 491 492 503 | 16.8 13.5 17.0 12.8 11.8 18.0 9.5 13.8 16.8 17.5 12.5 12.5 14.5 9.3 14.8 15.5 18.0 13.8 14.8 15.5 18.0 13.8 14.8 15.5 14.3 | | 16.8 19.0 18.4 18.6 14.4 19.0 17.6 21.2 20.2 18.4 22.0 15.6 15.6 20.8 15.6 20.0 14.8 15.8 15.8 15.8 | | | |
| | | | | | | | |

a Inclusive intervals

^bFood in on day 6



| | | | | | | | | | |
|--------|-----|-----------------------------|-------------|----------|-------------------|--------|-------------|--------|------|
| | | INDIVIDUAL | DAIL | Y FOO | D CON | SUMPT: | ION (Grams) | а | |
| STUDY: | 154 | GROUP: DOSE: ANIMAL # | 5-F 1000 | (mg /kg/ | day) ^C | SEX: | FEMALE | •••••• | |
| | | ANIMAL # | DAT TO | DAT 15 | DAY 20 | | | | |
| | | | | | | | | | |
| | | 252 | 40.0 | 40. | 24.2 | | | | |
| | | 353 | 18.0 | 19.4 | | | | | |
| | | 362 | | | 21.0 | | | | |
| | | 364 | 15.5 | 18.2 | 21.8 | | | | |
| | | 366 | 18.5 | 17.6 | 22.2 | | | | |
| | | 368 | 16.8 | 18.2 | 19.6 | | | | |
| | | 372 | 17.5 | 17.2 | 19.2 | | | | |
| | | 389 | 19.8 | 17.0 | 26.0 | | | | |
| | | 391 | 18.0 | | 23.0 | | | | |
| | | 401 | 14.8 | | 22.8 | | | | |
| | | 407 | 16.5 | 17.2 | 20.4 | | | | |
| | | 422 | 16.8 | 15.4 | 21.2 | | | | |
| | | 423 | 17.8 | 18.8 | 22.8 | | | | |
| | | 426 | 16.3 | 18.4 | 21.4 | | | | |
| | | 430 | 14.8 | 18.0 | 21.4 | | | | |
| | | 432 | 17.5 | 21.4 | 24.4 | | | | |
| | | 442 | 19.3 | 20.4 | 21.2 | | | | |
| | | 445 | 18.3 | | 18.4 | | | | |
| | | 465 | 16.5 | 15.8 | 20.4 | | | | |
| | | 468 | 18.0 | 21.2 | 21.6 | | | | |
| | | 476 | 18.8 | 19.4 | 20.0 | | | | |
| | | 477 | 19.0 | 19.2 | 21.0 | | | | |
| | | 485 | 13.5 | 16.6 | 24.8 | | | | |
| | | 493 | 18.0 | 18.2 | 17.6 | | | | |
| | | 496 | 19.0 | 19.0 | 25.0 | | | | |
| | | 499 | 18.5 | 19.8 | 22.2 | | | | |
| | | 4// | 10.5 | 17.0 | 26.2 | | | | |
| | | MEAN | 17.3 | 18.3 | 21.7 | | | | |
| | | S.D. | 1 50 | 1 54 | | | | | |
| | | | 25 | 25 | 25 | | | | |
| | | | : Data U | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

Inclusive intervals b Food in on day 6

 $^{^{\}mathrm{C}}$ Retinol Palmitate given on GD9 and GD10 only

DRAFT

| | | | | | | | | |
|------------|---|--|--|---|--------|---------------------|------|--|
| | INDIVID | UAL FO | OD CO | NSUMP | TION (| Grams) ^a | | |
| STUDY: 154 | GROUP DOSE: ANIMAL # | 1-F 0 (mg | base/kg/d | day) | | FEMALE | | |
| | 346 349 352 357 367 369 381 386 388 396 412 419 421 428 437 438 451 452 456 467 471 | 68 72 81 84 70 74 88 78 85 79 85 78 81 79 81 77 95 87 | 112 105 114 122 107 115 124 110 126 112 118 105 110 119 115 107 104 123 113 135 99 | 100 102 118 122 116 120 115 113 125 126 119 114 110 89 119 113 108 129 112 115 98 | | | | |
| | 471 474 497 500 501 | 69 86 81 89 81 | 111 104 117 115 | 98 106 100 121 83 | | | | |
| | MEAN S.D. N | 81 7.0 25 : Data U | 114 8.2 25 navailab | 112 11.3 25 le | | | | |
| | | | | | | | | |

^aInclusive intervals

bFood in on day 6

| STUDY: 154 | GROUP DOSE: ANIMAL # | 2-F 3 (mg | DAY 15 109 98 100 | day) | | | | |
|------------|--|--|---|---|------|--------|------|--|
| STUDY: 154 | GROUP DOSE: ANIMAL # 350 355 358 360 | 70 74 77 | 109 98 100 | 110 105 | SEX: | FEMALE | | |
| | 355 358 360 | 74 77 | 98 100 | 105 | | | | |
| | 376 393 398 402 403 405 413 415 431 436 439 454 449 462 473 480 481 484 489 495 | 78 77 66 74 76 84 82 75 64 76 80 89 80 78 76 82 84 85 75 66 72 | 108 120 106 97 97 103 93 119 99 100 122 114 112 103 105 98 116 103 110 124 85 | 114 117 111 97 102 111 96 115 102 107 104 122 117 115 112 103 88 122 122 110 71 94 | | | | |
| | Ν . | 25 : Data U | | 25 le | | | | |

^aInclusive intervals

 $^{^{\}mathrm{b}}\mathrm{Food}$ in on day 6



| | | INDIVID | UAL FO | OD CON | SUMP | TION (| Grams) ^a |
|--------|-----|----------------------------|----------|------------|------|--------|---------------------|
| STUDY: | 154 | GROUP DOSE: ANIMAL # | 10 (mg | base/kg/ | day) | SEX: | FEMALE |
| | | | | | | | |
| | | | | | | | |
| | | 351 | 67 | 98 | 98 | | |
| | | 371 | 70 | 102 | 119 | | |
| | | 378 | 68 | 85 | 104 | | |
| | | 380 | 71 | 114 | 108 | | |
| | | 383 | 60 | 70 | 104 | | |
| | | 384 | 45 | 103 | 107 | | |
| | | 390 | 67 | 93 | 95 | | |
| | | 395 | 79 | 105 | 112 | | |
| | | 400 | 69 | 108 | 119 | | |
| | | 420 | 77 | 90 | 91 | | |
| | | 424 | 72 | 82 | 95 | | |
| | | 425 | 67 | 92 | 96 | | |
| | | 427 | 70 | 110 | 113 | | |
| | | 434 | 58 | 88 | 102 | | |
| | | 435 | 71 | 104 | 84 | | |
| | | 447 | 84 | 111 | 109 | | |
| | | 453 | 84 | 102 | 109 | | |
| | | 457 | 71 | 94 | 111 | | |
| | | 459 | 77 | 111 | 115 | | |
| | | 469 | 66 | 96 | 101 | | |
| | | 472 | 64 | 100 | 92 | | |
| | | 482 | 70 | 61 | 104 | | |
| | | 486 | 84 | 125 | 116 | | |
| | | 494 | 87 | 111 | 116 | | |
| | | 502 | 80 | 97 | 95 | | |
| | | MEAN | 71 | 98 | 105 | | |
| | | S.D. | 9.3 | 14.0 | 9.5 | | |
| | | N | 25 | 25 | 25 | | |
| | | | : Data U | navailable | 2 | | |

^aInclusive intervals

bFood in on day 6



| | INDIVII | OUAL FO | OD CO | NSUMP | TION (Grams) ^a |
|------------|---------|----------|---------------------|------------------|---------------------------|
| STUDY: 154 | GROUE | 30 (m | g base/ko DAY 15 | g/day) DAY 20 | SEX: FEMALE |
| | | | | | |
| | 354 | 67 | 79 | 84 | |
| | 356 | 54 | 68 | 95 | |
| | 370 | 68 | 70 | 92 | |
| | 374 | 51 | 48 | 93 | |
| | 379 | 47 | 50 | 72 | |
| | 382 | 72 | 121 | 95 | |
| | 385 | 38 | 42 | 88 | |
| | 392 | 55 | 67 | 106 | |
| | 399 | 67 | 80 | 101 | |
| | 404 | 70 | 78 | 92 | |
| | 410 | 50 | 86 | 110 | |
| | 417 | 61 | 59 | 88 | |
| | 440 | 58 | 48 | 78 | |
| | 441 | 37 | 65 | 104 | |
| | 444 | 55 | 52 | 78 | |
| | 448 | 59 | 47 | 65 | |
| | 450 | 62 | 40 | 68 | |
| | 455 | 72 | 79 | 100 | |
| | 460 | 53 | 48 | 80 | |
| | 475 | 35 | 68 | 86 | |
| | 483 | 55 | 79 | 103 | |
| | 490 | 59 | 60 | 75 | |
| | 491 | 62 | 66 | 74 | |
| | 492 | 54 | 40 | 79 | |
| | 503 | 57 | 50 | 79 | |
| | MEAN | 57 | 64 | 87 | |
| | S.D. | 10.2 | 18.5 | 12.5 | |
| | N | 25 | 25 | 25 | |
| | | : Data L | inava i labi | e | |
| | | | | | |

^a Inclusive intervals

^bFood in on day 6



| | | INDIVIDU | AL FO | OD COL | NSUMP | TION (| Grams) ^a | |
|--------|-----|-----------------------------|----------------|--------------------|--------|--------|---------------------|--|
| STUDY: | 154 | GROUP: DOSE: ANIMAL # | 1000 DAY 10 | (mg/kg/c DAY 15 | DAY 20 | | FEMALE | |
| | | | | | | | | |
| | | 353 | 72 | | 121 | | | |
| | | 362 | 62 | 91 | 105 | | | |
| | | 364 | 62 | 91 | 109 | | | |
| | | 366 | 74 | 88 | 111 | | | |
| | | 368 | 67 | 91 | 98 | | | |
| | | 372 | 70 | 86 | 96 | | | |
| | | 389 | 79 | 85 | 130 | | | |
| | | 391 | 72 | 93 | 115 | | | |
| | | 401 | 59 | 81 | 114 | | | |
| | | 407 | 66 | 86 | 102 | | | |
| | | 422 | 67 | 77 | 106 | | | |
| | | 423 | 71 | 94 | 114 | | | |
| | | 426 | 65 | 92 | 107 | | | |
| | | 430 | 59 | 90 | 107 | | | |
| | | 432 | 70 | 107 | 122 | | | |
| | | 442 | 77 | 102 | 106 | | | |
| | | 445 | 73 | 85 | 92 | | | |
| | | 465 | 66 | 79 | 102 | | | |
| | | 468 | 72 | 106 | 108 | | | |
| | | 476 | 75 | 97 | 100 | | | |
| | | 477 | 76 | 96 | 105 | | | |
| | | 485 | 54 | 83 | 124 | | | |
| | | 493 | 72 | 91 | 88 | | | |
| | | 496 | 76 | 95 | 125 | | | |
| | | 499 | 74 | 99 | 111 | | | |
| | | MEAN | 69 | 91 | 109 | | | |
| | | S.D. | 6.4 | 7.7 | 10.4 | | | |
| | | N | 25 | 25 | 25 | | | |
| | | | | | | | | |

--: Data Unavailable

^aInclusive intervals

bFood in on day 6

^C Retinol Palmitate given on GD9 and GD10 only

DRAFT

APPENDIX 5

Teratology Report



Pathology Associates, Inc.

Suite I 15 Worman's Mill Court Frederick, MD 21701 (301) 663-1644 (301) 663-8994 FAX

TERATOLOGY REPORT

FOR

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS

UIC/TRL STUDY NUMBER: 154

PREPARED FOR

TOXICOLOGY RESEARCH LABORATORY (TRL)
UNIVERSITY OF ILLINOIS AT CHICAGO
DEPARTMENT OF PHARMACOLOGY
1940 W. TAYLOR ST.
CHICAGO, IL 60612-7353

TABLE OF CONTENTS

| Sec | <u>Etion</u> | Page I | No. |
|------|---|--------|------------------|
| 1. | QUALITY ASSURANCE STATEMENT | | 4 |
| 11. | MATERIALS AND METHODS | | 5 |
| | A. Cesarean Section | | 5 |
| | B. Fetal Evaluation | | 6 |
| | External Examination Visceral Examination Skeletal Examination | | 6 6 6 |
| | C. Statistical Analyses | | 6 |
| III. | RESULTS | | 7 |
| | A. Survival and Pregnancy B. Maternal Gross Necropsy C. Cesarean Section Data D. Fetal Morphological Observations | | 7 8 8 9 |
| IV. | DISCUSSION AND CONCLUSIONS | | 9 |
| V | REFERENCES | | 10 |

INDEX OF TABLES AND APPENDICES

| <u>Tabl</u> | <u>le</u> | Page | No. |
|-------------|--|------|-----|
| 1. | Summary of Pregnancy Status | | 11 |
| 2. | Summary of Gross Necropsy Observations | | 12 |
| 3. | Summary of Cesarean Section Data | | 13 |
| 4. | Summary of Fetal Observations (Absolute) - Malformations | | 15 |
| 5. | Summary of Fetal Observations (Absolute) - Variations | | 17 |
| 6. | Summary of Fetal Observations (Percent) - Malformations | | 18 |
| 7. | Summary of Fetal Observations (Percent) - Variations | | 20 |
| | | | |
| App | <u>endix</u> | | |
| A. | Individual Maternal Gross Necropsy Observations | | 21 |
| B. | Individual Cesarean Section Data | | 26 |
| C. | Individual Gravid Uterus And Fetal Body Weight Data | | 31 |
| D. | Individual Fetal Morphological Observations | | 36 |



Pathology Associates, Inc.

15 Worman's Mill Court Suite I Frederick, MD 21701 (301) 663-1644 (301) 663-8994 FAX

I. QUALITY ASSURANCE STATEMENT

This teratology project has been inspected and audited by the PAI Quality Assurance Unit (QAU) as required by the Good Laboratory Practice (GLP) regulations promulgated by the U.S. Food and Drug Administration. The following table is a record of the inspections/audits performed and reported by the QAU.

| Date of Inspection | Phase Inspected | to Management/ Study Teratologist |
|-----------------------|-------------------------------------|-----------------------------------|
| 12/07/94 | Skeletal Examination | 12/07/94 |
| 12/29/94 | Wilson's Soft Tissue Examination | 12/29/94 |
| 03/25/95 | Individual Animal Data (Raw Data) | 03/28/95 |
| 03/25-28/95 | Individual Animal Data (Data Entry) | 03/28/95 |
| 03/27-28/95 | Draft Teratology Report | 03/28/95 |
| 03/29/95 | Second Draft Teratology Report | 03/29/95 |
| | | |

Patricia L. Bussard Quality Assurance Auditor

Date

March 29, 1995

TRL Study No. 154
DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS

Developmental Toxicity (Segment II) Study of WR238605 Succinate in Rats

II. MATERIALS AND METHODS

A. Cesarean Section

On gestation day 20, all rats were euthanized in a random order by carbon dioxide asphyxiation. The abdominal and thoracic cavities were opened by a ventral midline incision and the uterus and ovaries removed from the body. A gross necropsy was then performed. Abnormalities were recorded and tissue samples containing lesions were preserved in 10% neutral buffered formalin for possible histopathological examination. Following the gross necropsy examination, the carcass of each dam was discarded.

The uterus was examined and weighed. For gravid females, the number of corpora lutea on each ovary was recorded and the ovaries were discarded after evaluation. The uterus was opened and the development of the fetuses was classified using the following criteria:

Viable fetus:

a term fetus which responds to stimuli.

Nonviable fetus: a term fetus which did not respond to stimuli in utero or was not

breathing.

Early resorption: an implantation for which it was not grossly evident that organogenesis

had occurred.

Late resorption: an implantation for which it was grossly evident that organogenesis had

occurred. A fetus with autolysis was considered a late resorption.

The number and location of fetuses, early resorption(s), late resorption(s) and their uterine position were documented using the following procedure. All implantation sites were numbered in consecutive fashion per uterine horn beginning with the left distal horn and proceeding to the cervix and then similarly for the right uterine horn beginning with the distal end and proceeding to the cervix.

B. Fetal Evaluation

1. External Examination

A detailed examination of each fetus was conducted to include the eyes, palate, head shape, extremities and general body integument. The fetuses were then weighed, externally sexed, euthanized by intraperitoneal injection of a 40% sodium pentobarbital solution (approximately 0.04 ml/fetus) and tagged for unique identification.

2. Visceral Examination

Approximately one-half of the fetuses from each litter were preserved in Bouin's Fixative for subsequent visceral evaluation using the Wilson's soft tissue free hand slicing technique (Wilson, 1965.)

3. Skeletal Examination

The remaining fetuses in each litter were retained in 95% alcohol for skeletal examination. These fetuses were macerated in 1% potassium hydroxide, stained with Alizarin Red S and cleared with glycerin (Dawson, 1926). The fetuses were then examined microscopically for skeletal formation and ossification.

During processing for skeletal examination, the fetuses from a few litters in each group disarticulated. The bones from these fetuses completed the staining procedure, however, it was not possible to perform a complete skeletal examination of the fetuses. Although individual skeletal data were not collected, a general examination of the bones from each of the litters in the control and WR238605 Succinate groups treated did not reveal any gross structural abnormalities. The bones from litters in the positive control group appear to have structural defects consistent with the other intact (not disarticulated) litters from this group. This occurrence had no impact on the outcome of the study since a minimum of 20 litters was available in each group for a complete examination.

C. Statistical Analyses

The incidences or the means and standard deviations of the maternal and fetal observations were calculated. Gravid uterus weights and fetal body weights were analyzed by a one-way analysis of variance (ANOVA). If a significant F ratio was obtained (p \leq 0.05), Dunnett's test was used for pair-wise comparison of all treatment groups to the control group.

The numbers of preimplantation loss, early and late resorptions, nonviable fetuses, viable fetuses, post-implantation loss, total implantation sites and corpora lutea were compared across groups using the Kruskal-Wallis nonparametric ANOVA test. If a significant effect occurred (p \leq 0.05), the Wilcoxon (Mann-Whitney U) test was used for pair-wise comparisons of each treated group to the control group.

Calculations were as follows:

Pre-implantation loss % = #Corpora lutea - #Implants X 100 #Corpora Lutea

Post-implantation loss % = #Implants - #Viable fetuses X 100 #Implants

Total loss/litter % = #Corpora lutea - #Viable fetuses X 100 #Corpora Lutea

Male to female fetal sex ratios were compared by using the Chi-square test. The incidences of malformations and variations were compared using the Fisher's exact test with the litter as the experimental unit. The total number of litters with external, visceral and skeletal malformations as well as the total number of litters with malformations and variations were also statistically compared.

Statistical analyses of the cesarean section and fetal morphological examination data were performed using an IBM^{TM} compatible computer with SAS computer programs (SAS/STAT User's Guide, 1989).

III. RESULTS

A. Survival and Pregnancy

Table 1 (Summary Data)

All females survived to scheduled Cesarean section on gestation day 20. The pregnancy rate was 100% for each study group.

B. Maternal Gross Necropsy

Table 2 (Summary Data)
Appendix A (Individual Data)

No treatment-related findings were observed in the 3 mg base/kg/day group or the positive control group. A treatment-related increase in the incidence in the number of females with enlarged spleens was observed at the 30 mg base/kg/day level as compared to the vehicle control. The incidence in the 10 mg base/kg/day group was limited to one female and was, therefore, not considered biologically meaningful. The gross lesions retained in 10% neutral buffered formalin at necropsy included spleens from 17 females and kidneys from 2 females. The lesions were not processed or examined histopathologically.

C. Cesarean Section Data

Table 3 (Summary Data)
Appendices B and C (Individual Data)

There were no biologically meaningful differences between the vehicle control and the WR238605 Succinate treated groups in the cesarean section parameters measured, including the mean numbers of corpora lutea, implantation sites, pre-implantation loss, viable and nonviable fetuses, early and late resorptions, post-implantation loss, total loss/litter, fetal sex ratios, and gravid uterus and fetal weights. The mean number of viable fetuses in the 3 mg base/kg/day group was statistically increased. The increase was considered incidental since a similiar increase was not observed in 10 or 30 mg base/kg/day groups. Treatment-related differences noted in the positive control group included statistically significant increases in the numbers of early resorptions, and post-implantation loss, the percent total loss/litter and a corresponding decrease in the mean number of viable fetuses. In addition, the gravid uterus weight and mean fetal body weights (total litter, male and female) were significantly reduced in the positive control group.

D. Fetal Morphological Observations

Tables 4-7 (Summary Data) Appendix D (Individual Data)

No statistically significant or apparent treatment-related malformations or developmental variations were observed at the 3, 10 or 30 mg base/kg/day levels. In the positive control group, statistical increases were observed in the number of litters with external and skeletal malformations. The external malformations primarily involved structures of the head including the eyes, cranium, jaws, facial papillae and pinnae. The skeletal malformations included skull anomalies, vertebral anomalies with associated rib anomaly and fused ribs. The incidences of four developmental variations, i.e. reduced ossification/unossified skull bones, 14th rudimentary ribs, 14th full ribs and 27 presacral vertebrae, were statistically increased in the positive control group.

IV. DISCUSSION AND CONCLUSIONS

This study was conducted to evaluate the embryo/fetal toxicity and the teratogenic potential of WR238605 Succinate in rats.

All females survived to scheduled cesarean section on gestation day 20. The pregnancy rate was 100% in each study group. An increase in the incidence of enlarged spleens was observed at necropsy for females in the 30 mg base/kg/day WR238605 Succinate treated group. Only one female in the 10 mg base/kg/day group was affected. Cesarean section data were comparable between the vehicle control and the 3, 10 and 30 mg base/kg/day groups. Similiarly, no biologically meaningful differences were noted in the fetal morphological examination data from the vehicle control or WR238605 Succinate treated groups.

The use of Vitamin A (Retinol Palmitate) as a positive control agent was effective in producing a teratogenic response. A dose level of 1000 mg/kg/day, administered on gestation days 9 and 10, resulted in increased post-implantation loss and percent total loss/litter as characterized by an increase in early resorptions and a decrease in viable fetuses. In addition, gravid uterus and fetal body weights were significantly decreased while the incidences of external and skeletal malformations were significantly increased. Salient findings were primarily related to the structures of the head, vertebral column and ribs. In addition, the incidences of four developmental variations, i.e. reduced ossification/unossified skull bones, 14th rudimentary ribs, 14th full ribs and 27 presacral vertebrae, were statistically increased as compared to the vehicle control group.

In conclusion, maternal toxicity, expressed as enlarged spleens, occurred at the 10 and 30 mg base/kg/day levels. The effect was minimal in the 10 mg base/kg/day group. No evidence embryo/fetal toxicity or teratogenecity was produced at any level tested. The no-effect level for developmental toxicity of WR238605 Succinate in rats was established at 30 mg base/kg/day. Results of the positive control group demonstrated that the procedures utilized in the conduct of this study were sufficiently sensitive to identify potential developmental toxicants.

Date: March 28, 1995

Michael D. Mercieca, B.S. Teratologist

V. REFERENCES

Wilson, J.G. (1965). Methods for administering drugs and detecting malformations in experimental animals. In: Teratology Principles and Techniques (Wilson, J.G. and Warkany, J., eds.). Un. Chicago Press pp 262-277.

Dawson, AB (1926). A note on the cleared specimens with Alizarin Red S. Stain Technol. 1:123-124.

SAS Institute Inc., SAS/STAT User's Guide, Version 6, Fourth Edition, Volume 2 Cary, NC:SAS Institute Inc., 1989. 846 pp.

TABLE 1

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO. 154

SUMMARY OF PREGNANCY STATUS

| GROUP: DOSE LEVEL (MG BASE/KG/DAY): | (X): | 0 1 | | 3.5 | | 3 | | 30 | 5 1000 MG/KG/DAY* | 5 /KG/DAY* |
|--|------|-------|-----|-------|-----|-------|-----|-------|----------------------|---------------|
| | No. | * | No. | % | No. | % | No. | % | No. | |
| FEMALES ON STUDY | 25 | | 25 | | 25 | | 25 | | 25 | |
| FOUND DEAD/EUTHANIZED | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| EXAMINED AT CESAREAN SECTION | 25 | 100.0 | 25 | 100.0 | 25 | 100.0 | 25 | 100.0 | 25 | 100.0 |
| GRAVID | 25 | 100.0 | 25 | 100.0 | 25 | 100.0 | 25 | 100.0 | 25 | 100.0 |
| WITH TOTAL RESORPTIONS | 0 | 0.0 | 0 [| 0.0 | 0 [| 0.0 | 01 | 0.0 | 01 | 0.0 |
| WITH LIVE FETUSES | 25 | 100.0 | 25 | 100.0 | 25 | 100.0 | 25 | 100.0 | 25 | 100.0 |
| TOTAL GRAVID FEMALES | 25 | 100.0 | 25 | 100.0 | 25 | 100.0 | 25 | 100.0 | 25 | 100.0 |

*RETINOL PALMITATE (250,000 I.U./KG/DAY ON GESTATION DAYS 9 AND 10)

TABLE 2

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO. 154

SUMMARY OF GROSS NECROPSY OBSERVATIONS

| | 0 1 | 3 12 | 3 | | 4 5 30 1000 MG/KG/DAY® |
|---|----------|------|----------------------------|------|---------------------------|
| OF FEMALES | 25 | 25 | 25 | 25 | 25 |
| NO ABNORMALITIES DETECTED | 25 | 25 | 24 | ω | 24 |
| KIDNEY(S) - HYDRONEPHROSIS | 0 | 0 | 0 | п | п |
| LEEN NLARGED | 0 | 0 | 1 | 16 | 0 |
| *RETINOL PALMITATE (250,000 I.U./KG/DAY ON GESTATION DAYS 9 AND 10) | 9 AND 10 | (0 | 1 1 1 1 1 1 | | |

TABLE 3

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

SUMMARY OF CESAREAN SECTION DATA

| GROUP: LEVEL | | 10 | | 1 | 10 | 0 % & C | 5 1000 MG/KG/DAY® |
|---|--------------|--------|--------------------------------------|--------------------------------|-------------|---|----------------------|
| NUMBER OF GRAVID FEMALES | | 25 | 1 1 1 1 1 1 1 1 | 25 | 25 | 25 | 25 |
| NUMBER OF CORPORA LUTEA | MEAN S.D. | 13.4 | | 13.9 | 13.8 | 13.1 ^b 2.5 | 14.7 |
| NUMBER OF IMPLANTATIONS | MEAN S.D. | 12.6 | | 13.5 | 13.3 1.5 | 12.2 | 13.0 |
| PRE-IMPLANTATION LOSS° | MEAN S.D. | 0.8 | (5.5%) | 0.4 (2.7%) ^b 0.8 | 0.5 (3.0%) | 1.0 (8.6%) | 1.7 (10.7%) |
| NUMBER OF VIABLE FETUSES | MEAN S.D. | 12.1 | | 13.0* | 12.6 | 11.5 | 10.7* |
| NUMBER OF NONVIABLE FETUSES | MEAN S.D. | 0.0 | | 0.0 | 0.0 | 0.0 | 0.0 |
| NUMBER OF EARLY RESORPTIONS | MEAN S.D. | 0.8 | | 0.8 | 0.9 | 0.7 | 2.1* |
| NUMBER OF LATE RESORPTIONS | MEAN S.D. | 0.1 | | 0.0 | 00.0 | 0.0 | 00.3 |
| POST-IMPLANTATION LOSS° | MEAN S.D. | 0.0 | 0.6 (3.9%) | 0.5 (3.9%) | 0.7 (5.0%) | 0.7 (6.4%) | 2.2 (16.6%)* 2.3 |
| TOTAL LOSS/LITTER (%) | MEAN S.D. | 9.3 | | 6.2 | 8.2 | 14.5 | 25.8* |
| (01 CMs o avec Notherpas No vec/27/ tr + 000 036/ Sheatwise fourthees | / DA/ 11 1 | NO VAC | NOTTAGEDED | T CINE O DVAC | (0) | 1 | |

^{*}RETINOL PALMITATE (250,000 I.U./KG/DAY ON GESTATION DAYS 9 AND 10)

DOES NOT INCLUDE ONE FEMALE FOR WHICH CORPORA LUTEA WERE NOT RECORDED

THE MEAN PERCENTAGES OF PRE-IMPLANTATION LOSS AND POST-IMPLANTATION LOSS ARE INCLUDED NEXT TO THE

RESPECTIVE MEANS IN PARENTHESES SIGNIFICANTLY DIFFERENT FROM CONTROL: * = P<0.05

TABLE 3 (CONT.)

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

SUMMARY OF CESAREAN SECTION DATA

| GROUP: LEVEL (MG BASE/KG/DAY): 0 3 4 5 5 10 1000 MG/KG/DAY* | | 10 | 35 | 10 | 3.0 | 5 1000 MG/KG/DAY® |
|--|--------------|---------------|---------|---------|---------------------|----------------------|
| SEX: MALES / FEMALES | MEAN S.D. | 5.9 6.2 | 1.9 2.0 | 2.1 1.9 | 2.8 2.8 2.3 2.3 2.3 | 5.2 5.5 |
| FETAL WEIGHT (g) (LITTER) ^b | MEAN S.D. | 3.70 | 3.76 | 3.80 | 3.57 | 3.22* |
| (MALES) b | MEAN S.D. | 3.75 | 3.83 | 3.87 | 3.68 | 3.32* |
| (FEMALES) ^b | MEAN S.D. | 3.64 | 3.68 | 3.70 | 3.49 | 3.13* |
| GRAVID UTERUS WEIGHT (g) | MEAN S.D. | 68.66 8.11 | 74.00 | 72.61 | 63.47 | 58.46* 13.59 |

*RETINOL PALMITATE (250,000 I.U./KG/DAY ON GESTATION DAYS 9 AND 10)

DVALUES FOR EACH GROUP REPRESENTS THE MEAN OF THE TOTAL OF THE LITTER MEANS SIGNIFICANTLY DIFFERENT FROM CONTROL: * = P<0.05

TABLE 4

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 IN RATS UIC/TRL STUDY NO.: 154

SUMMARY OF FETAL OBSERVATIONS - MALFORMATIONS - ABSOLUTE -

| | FET | USES | | | | | LITTER | | | | |
|------------------------------------|-----|------|-----|-----|----------------|-----|--------|---|------|------|----------------|
| GROUP: | 1 | 7 | က | 4 | 2 | | 1 | 7 | ٣ | 4 | 2 |
| DOSE LEVEL (MG BASE/KG/DAY): | 0 | m | 10 | 30 | 1000 MG/KG/DAY | AY* | 0 | 6 | 10 | 30 1 | 1000 MG/KG/DAY |
| NUMBER EXAMINED EXTERNALLY 3 | 302 | 325 | 314 | 288 | 268 | 2 | | 5 | 25 | 25 | 25 |
| CEPHALOCELE | 0 | 0 | 0 | 0 | 4 | | 0 | 0 | 0 | 0 | 4 * |
| CLEFT PALATE | 1 | 0 | 0 | 0 | 58 | | - | 0 | 0 | 0 | 17* |
| ANAL ATRESIA | 0 | 0 | 0 | 0 | 9 | | 0 | 0 | 0 | 0 | 2* |
| ANAL OPENING SMALL IN SIZE | П | 0 | 0 | Н | 1 | | 1 | 0 | 0 | Н | П |
| MICROCEPHALY | 1 | 0 | 0 | 0 | 1 | | 1 | 0 | 0 | 0 | П |
| ENCEPHALOCELE | 0 | 0 | 0 | 0 | 21 | | 0 | 0 | 0 | 0 | 12* |
| EXENCEPHALY | 1 | 0 | 0 | 0 | 54 | | 0 | 0 | 0 | 0 | 16* |
| MACROSTOMIA | 0 | 0 | 0 | 0 | 29 | | 0 | 0 | 0 | 0 | 18* |
| MICROSTOMIA | 0 | 0 | 0 | Н | 29 | | 0 | 0 | 0 | Т | * & |
| MOUTH - FLESHY PROTUBERANCES | 0 | 0 | 0 | 0 | œ | | 0 | 0 | 0 | 0 | m |
| AGNATHIA | 0 | 0 | 0 | П | 0 | | 0 | 0 | 0 | Н | 0 |
| MANDIBLE - MICROGNATHIA | Н | 0 | 0 | 0 | 13 | | 1 | 0 | 0 | 0 | * & |
| MAXILLAE - MICROGNATHIA | 1 | 0 | 0 | 0 | 20 | | 1 | 0 | 0 | 0 | 18* |
| MANDIBLE - MALFORMED | 0 | 0 | 0 | 0 | 7 | | 0 | 0 | 0 | 0 | 1 |
| 1 | 0 | 0 | 0 | 0 | 1 | | 0 | 0 | 0 | 0 | 1 |
| FACIAL APLASIA | 1 | 0 | 0 | 0 | 0 | | 1 | 0 | 0 | 0 | 0 |
| VERTEBRAL DEFECT | 0 | 0 | 0 | 0 | 1 | | 0 | 0 | 0 | 0 | п |
| SPINA BIFIDA | 0 | 0 | 0 | 0 | 3 | | 0 | 0 | 0 | 0 | 2 |
| TONGUE - MALFORMED | 0 | 0 | 0 | 0 | 1 | | 0 | 0 | 0 | 0 | 1 |
| DOMED - HEAD | 0 | 0 | 0 | 0 | 45 | | 0 | 0 | 0 | 0 | 13* |
| MACROPHTHALMIA | 0 | 0 | 0 | 0 | 14 | | 0 | 0 | 0 | 0 | * |
| OPEN EYELID(S) | 0 | 0 | 0 | 0 | 68 | | 0 | 0 | 0 | 0 | 18* |
| MACROGLOSSIA | 0 | 0 | 0 | 0 | 61 | | 0 | 0 | 0 | 0 | 15* |
| PINNA ANOMALY | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 24* |
| FACIAL PAPILLA ANOMALY | 0 | 0 | 0 | Н | 256 | | 0 | 0 | 0 | Н | 25* |
| TAIL ANOMALY | Н | 0 | 0 | Н | 6 | | 1 | 0 | 0 | Н | 2 |
| MICROPHTHALMIA AND/OR ANOPHTHALMIA | 0 | 0 | 0 | 0 | 79 | | 7 | 0 | 0 | Н | 21* |
| | | | | | | | | | | 1 | |

*RETINOL PALMITATE (250,000 I.U./KG/DAX ON GESTATION DAYS 9 AND 10)
SIGNIFICANTLY DIFFERENT FROM CONTROL: * = P<0.05
NOTE: THE NUMBER OF FETUSES EXAMINED IN GROUP 3 DOES NOT INCLUDE ONE FETUS FOR WHICH AN EXTERNAL OBSERVATION WAS NOT RECORDED.

TABLE 4

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 IN RATS UIC/TRL STUDY NO.: 154

SUMMARY OF FETAL OBSERVATIONS - MALFORMATIONS

- ABSOLUTE -

| | FE | TUSES | | | | | LITTERS | ERS | | | |
|---|-----|-------|---|---------|-----------|---------|-----------|-----|----|----|----------------|
| GROUP: | н | 7 | e | 4 | 4 5 | | н | 7 | 3 | | 22 |
| DOSE LEVEL (MG BASE/KG/DAY): | 0 | e | 10 | 30 | 1000 MG/1 | KG/DAY* | 0 | m | 10 | 30 | 1000 MG/KG/DAY |
| NUMBER EXAMINED VISCERALLY ^b | 149 | 155 | 159 | 145 | 132 | | 25 | 24 | 25 | 25 | 25 |
| RIGHT-SIDED AORTIC ARCH | 0 | 0 | 0 | 0 | Н | | 0 | 0 | 0 | 0 | т |
| HYDROCEPHALY - INTERNAL | 0 | 0 | 0 | 0 | e | | 0 | 0 | 0 | 0 | 7 |
| BRAIN - HEMORRHAGE | ٦ | 0 | 0 | 0 | 0 | | Н | 0 | 0 | 0 | 0 |
| MENINGOCELE | 0 | 0 | 0 | 0 | 7 | | 0 | 0 | 0 | 0 | 7 |
| | | | | | | | | | | | |
| NUMBER EXAMINED SKELETALLY | 134 | 135 | 137 | 118 | 108 | , | 22 | 21 | 22 | 21 | 20 |
| VERTEBRAL ANOMALY WITH ASSOCIATED | | | | | | | | | | | |
| RIB ANOMALY | 0 | Н | 0 | 0 | 25 | | 0 | - | 0 | 0 | 14* |
| FUSED RIBS | 0 | 0 | 0 | 0 | 2 | | 0 | 0 | 0 | 0 | * 10 |
| SKULL ANOMALY | 0 | 0 | 0 | 0 | 40 | | 0 | 0 | 0 | 0 | 14* |
| TOTAL MALFORMATIONS | | | | | | | | | | | |
| NUMBER WITH EXTERNAL MALFORMATIONS | 4 | 0 | 0 | 7 | 266 | | 4 | 0 | 0 | 7 | 25* |
| NUMBER WITH VISCERAL MALFORMATIONS | ۲ | 0 | 0 | 0 | 2 | | - | 0 | 0 | 0 | ю |
| NUMBER WITH SKELETAL MALFORMATIONS | 0 | н | 0 | 0 | 26 | | 0 | 7 | 0 | 0 | 17* |
| TOTAL WITH MALFORMATIONS | 4 | н | 0 | 7 | 267 | | 4 | Н | 0 | 7 | 25* |
| | | 1 | 1 | 1 1 1 1 | | | 1 1 1 1 1 | | | 1 | |

*RETINOL PALMITATE (250,000 I.U./KG/DAY ON GESTATION DAYS 9 AND 10)

*DOES NOT INCLUDE THE FETUSES FROM DAM 405 FOR WHICH VISCERAL OBSERVATIONS WERE NOT RECORDED

*DOES NOT INCLUDE FETUSES FROM LITTERS WHICH WERE DISARTICULATED

SIGNIFICANTLY DIFFERENT FROM CONTROL: * = P<0.05

TABLE 5

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 IN RATS UIC/TRL STUDY NO.: 154

SUMMARY OF FETAL OBSERVATIONS - VARIATIONS - ABSOLUTE -

| | FR | TUSES | | | | | LITTERS | | | |
|---|-----|-------|-----|-----|----------------|----|---------|-----|----|-----------------|
| GROUP: | Н | 7 | 3 | 4 | 2 | | 1 2 | 3 | 4 | ις |
| DOSE LEVEL (MG BASE/KG/DAY): | | m | 10 | | 1000 MG/KG/DAY | | 3 | н ; | 8 | 1000 MG/KG/DAY* |
| NUMBER EXAMINED EXTERNALLY | 302 | 325 | 314 | 288 | 268 | 2 | 7 | 7 | 25 | 25 |
| HEMATOMA | 0 | 0 | 1 | 7 | 7 | | 0 | 1 | 7 | rs. |
| PALLID | 0 | 7 | 0 | 0 | 0 | | | | 0 | 0 |
| NUMBER EXAMINED VISCERALLY ^b | 149 | 155 | 159 | 145 | 132 | 2 | 7 | | 7 | 25 |
| HYDRONEPHROSIS | 4 | | | 6 | 23 | | 2 1 | 7 | 7 | 10 |
| HYDROURETER/DISTENDED URETER | П | 0 | 1 | က | 12 | | | | | 9 |
| NUMBER EXAMINED SKELETALLY° | 134 | 135 | 137 | 118 | 108 | 2. | 7 | 7 | 7 | 20 |
| HYOID UNOSSIFIED | O | സ | 7 | Н | 7 | | 6 3 | 2 | 1 | 7 |
| REDUCED OSSIFICATION/UNOSSIFIED | | | | | | | | | | |
| SKULL BONES | 11 | П | 12 | 7 | 84 | | | | | 20* |
| BENT RIBS | Ŋ | ന | 00 | 0 | Н | | | | | н |
| 7TH CERVICAL RIBS | 0 | 0 | П | 0 | 7 | | | | | 7 |
| 14TH FULL RIBS | 0 | 0 | 0 | 0 | 17 | | | | | * 0 |
| 14TH RUDIMENTARY RIBS | 0 | 7 | П | 0 | 45 | | | | | 18* |
| 13TH RUDIMENTARY RIBS | 1 | 0 | m | 4 | 0 | | | | | 0 |
| 13TH RIBS REDUCED IN OSSIFICATION | 0 | 0 | Ŋ | 0 | П | | 0 | 7 | 0 | г |
| TARSALS UNOSSIFIED | 7 | 0 | 0 | 0 | 0 | | | | | 0 |
| | Н | 0 | 0 | Н | - | | | | | 1 |
| REDUCED OSSIFICATION OF THE VERTEBRAL | 님 | | | | | | | | | |
| ARCHES | - | 0 | 0 | 1 | 7 | | | | | 7 |
| 1 | Ŋ | Т | П | 7 | 7 | | | | | 2 |
| STERNEBRA(E) #5 - #6 UNOSSIFIED | 17 | 24 | 33 | 23 | 28 | П | 1 | - | - | 12 |
| STERNEBRA(E) MALALIGNED | 39 | 41 | 42 | 53 | 09 | 19 | | | | 19 |
| 25 PRESACRAL VERTEBRAE | 0 | 0 | 4 | 0 | 0 | | | | | 0 |
| 27 PRESACRAL VERTEBRAE | 0 | 0 | 0 | 0 | 92 | | | | | 20* |
| CENTRA - BIPARTITE | 0 | 0 | 0 | 0 | П | | | | | 1 |
| TOTAL WITH VARIATIONS | 63 | 19 | 85 | 79 | 132 | 21 | 1 21 | 22 | 22 | 22 |
| | | | | | | | | | | |

*RETINOL PALMITATE (250,000 I.U./KG/DAY ON GESTATION DAYS 9 AND 10)

*DOES NOT INCLUDE THE FETUSES FROM DAM 405 FOR WHICH VISCERAL OBSERVATIONS WERE NOT RECORDED

*DOES NOT INCLUDE FETUSES FROM LITTERS WHICH WERE DISARTICULATED

SIGNIFICANTLY DIFFERENT FROM CONTROL: * = P<0.05

NOTE: THE NUMBER OF FETUSES EXAMINED IN GROUP 3 DOES NOT INCLUDE ONE FETUS FOR WHICH

AN EXTERNAL OBSERVATION WAS NOT RECORDED.

TABLE 6

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 IN RAIS UIC/TRL STUDY NO.: 154

SUMMARY OF FETAL OBSERVATIONS - MALFORMATIONS

- PERCENT -

| | 开区 | TUSES | | | | LIL | LITTERS | | | |
|------------------------------------|-----|-------|-----|-----|------|-----|---------|-----|-----|----------------|
| GROUP: | - | 7 | 3 | 4 | 2 | 7 | 7 | m | 4 | S) |
| DOSE | 0 | æ | 10 | 30 | | 0 | 6 | 10 | 30 | 1000 MG/KG/DAY |
| NUMBER EXAMINED EXTERNALLY | 302 | N | 314 | 2 | 26 | 25 | 25 | 25 | N | 25 |
| CEPHALOCELE | 0.0 | | | | | | | | | |
| CLEFT PALATE | 0.3 | 0.0 | 0.0 | 0.0 | 21.6 | 4.0 | 0.0 | 0.0 | 0.0 | 68.0 |
| ANAL ATRESIA | 0.0 | | | | | | | | | 8.0 |
| ANAL OPENING SMALL IN SIZE | 0.3 | | 0.0 | | | | | • | | |
| | 0.3 | | | | 4.0 | | | | | • |
| ENCEPHALOCELE | 0.0 | | | | 7.8 | | | | | 8 |
| EXENCEPHALY | 0.3 | | | • | | • | | | • | 4 |
| MACROSTOMIA | 0.0 | | | | | | | • | • | 72.0 |
| MICROSTOMIA | 0.0 | | | | 10.8 | | | | | 7 |
| MOUTH - FLESHY PROTUBERANCES | 0.0 | | | | | | | | | 7 |
| AGNATHIA | 0.0 | • | | • | | | | | | |
| MANDIBLE - MICROGNATHIA | 0.3 | • | | • | 4.9 | | | | • | |
| MAXILLAE - MICROGNATHIA | 0.3 | | | • | | | | | | 7 |
| MANDIBLE - MALFORMED | 0.0 | • | 0.0 | • | • | | | | • | 4.0 |
| MANDIBLE - CLEFTS | 0.0 | • | | • | 0.4 | • | | | • | • |
| FACIAL APLASIA | 0.3 | • | | • | | • | | | • | |
| VERTEBRAL DEFECT | 0.0 | | | | | | | | | • |
| SPINA BIFIDA | 0.0 | • | | • | 1.1 | | | | | |
| TONGUE - MALFORMED | 0.0 | | | | | | | | • | • |
| DOMED - HEAD | 0.0 | • | | • | | | | | • | 3 |
| MACROPHTHALMIA | 0.0 | | | | 5.2 | | | | • | 20.0 |
| OPEN EYELID(S) | 0.0 | | | | 25.4 | | | • | • | 3 |
| MACROGLOSSIA | 0.0 | | | | | | | | | 0 |
| PINNA ANOMALY | 0.0 | | | 0.0 | 73.9 | | | | | |
| FACIAL PAPILLA ANOMALY | 0.0 | • | • | | | | | | | 0 |
| TAIL ANOMALY | 0.3 | | | | 3.4 | • | | | | 8.0 |
| MICROPHTHALMIA AND/OR ANOPHTHALMIA | 0.0 | 0.0 | 0.0 | 0.0 | 29.5 | 0.0 | | | 0.0 | 48.0 |

*RETINOL PALMITATE (250,000 I.U./KG/DAY ON GESTATION DAYS 9 AND 10)
NOTE: THE NUMBER OF FETUSES EXAMINED IN GROUP 3 DOES NOT INCLUDE ONE FETUS FOR WHICH
AN EXTERNAL OBSERVATION WAS NOT RECORDED.

TABLE 6

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 IN RATS UIC/TRL STUDY NO.: 154

SUMMARY OF FETAL OBSERVATIONS - MALFORMATIONS

- PERCENT -

| | FET | FETUSES | | | | LIL | LITTERS | | | |
|--|-----|---------|--------|-------|--|------|---------|-----|-----|----------------------|
| GROUP: DOSE LEVEL (MG BASE/KG/DAY): | | 01 m | 3 | 30 | 5 1000 MG/KG/DAY* | н 0 | 0 W | 10 | 30 | 5 1000 MG/KG/DAY* |
| ATTROOP BYNTHED WITCHS WAS A CONTRACTOR | 149 | 155 | 159 | 145 | 132 | 25 | 24 | 25 | 25 | 25 |
| HORD STEAM CARTS FULL | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 |
| STORE SIDED BOATE SIGN | 0.0 | 0.0 | 0.0 | 0.0 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 |
| DDATA TEMODOURS | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| MENINGOCELE | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 | 8.0 |
| | | | | | | | | | | |
| NUMBER EXAMINED SKELETALLY | 134 | 135 | 137 | 118 | 108 | 22 | 21 | 22 | 21 | 20 |
| VERTEBRAL ANOMALY WITH ASSOCIATED PTB ANOMALY | 0.0 | 0.7 | 0.0 | 0.0 | 23.1 | 0.0 | 4.8 | 0.0 | 0.0 | 70.0 |
| ALCOMONDE OF THE PROPERTY OF T | 0.0 | 0.0 | 0.0 | 0.0 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 |
| SKULL ANOMALY | 0.0 | 0.0 | 0.0 | 0.0 | 40.7 | 0.0 | 0.0 | 0.0 | 0.0 | 70.0 |
| | | | | | | | | | | |
| TOTAL MALFORMATIONS TOTAL MALFORMATIONS | 1.3 | 0.0 | 0.0 | 0.7 | | 16.0 | 0.0 | 0.0 | | 100.0 |
| MINDER WITH VISCREAL MALFORMATIONS | 0.7 | 0.0 | 0.0 | 0.0 | | 4.0 | 0.0 | 0.0 | 0.0 | 12.0 |
| NUMBER WITH SKELETAL MALFORMATIONS | 0.0 | 0.7 | 0.0 | 0.0 | 48.3 | 0.0 | 4.8 | 0.0 | | 85.0 |
| TOTAL WITH MALFORMATIONS | 1.3 | 0.3 | 0.0 | 0.7 | 9.66 | 16.0 | 4.0 | 0.0 | 8.0 | 100.0 |
| | | | THE SE | 22.40 | STATE OF THE PROPERTY OF THE P | | | | | |

*RETINOL PALMITATE (250,000 I.U./KG/DAY ON GESTATION DAYS 9 AND 10)
*DOES NOT INCLUDE THE FETUSES FROM DAM 405 FOR WHICH VISCERAL OBSERVATIONS WERE NOT RECORDED
*DOES NOT INCLUDE FETUSES FROM LITTERS WHICH WERE DISARTICULATED

TABLE 7

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 IN RATS UIC/TRL STUDY NO.: 154

SUMMARY OF FETAL OBSERVATIONS - VARIATIONS

- PERCENT -

| | 1 E4 | TUSE | | | | | LITTE | 38 | | | |
|---|------|------|------|------|----------------------|-----|-----------|---------|------|------|------------------|
| GROUP: DOSE LEVEL (MG BASE/KG/DAY): | | M W | 10 | 30 | 5 1000 MG/KG/DAY* | | 1 2 0 | 3 5 | 3 | 30 | 5 0 MG/KG/DAY |
| NUMBER EXAMINED EXTERNALLY | 302 | IN | ; ⊢ | ' ω | 9 | | ! ! | 5 | 1 (4 | 25 | N |
| HEMATOMA | 0.0 | 0.0 | 0.3 | 0.7 | 2.6 | | 0 0 | 0. | 4.0 | 8.0 | 20.0 |
| PALLID | 0.0 | • | 0.0 | 0.0 | • | 0 | 41 | 0 | • | • | 0 |
| NUMBER EXAMINED VISCERALLY ^b | 149 | 155 | 159 | 145 | 132 | ••• | | 4. | | 25 | 25 |
| HYDRONEPHROSIS | 2.7 | 2.6 | 3.8 | 6.2 | 17.4 | 80 | 0 | ~ | 8.0 | 28.0 | 40.0 |
| HYDROURETER/DISTENDED URETER | 0.7 | 0.0 | 9.0 | 2.1 | 9.1 | | 0 | 0 | | • | 4 |
| NUMBER EXAMINED SKELETALLY | 134 | 135 | | 118 | 108 | 73 | 2 2 | 렆 | 22 | 21 | 20 |
| HYOID UNOSSIFIED | 6.7 | 2.2 | 5.1 | 0.8 | 1.9 | 27 | 3 14 | 3 2 | 2.7 | 4.8 | 10.0 |
| REDUCED OSSIFICATION/UNOSSIFIED | | | | | | | | | | | |
| SKULL BONES | 8.7 | | | • | - | 36 | 4 | 8 | • | • | • |
| BENT RIBS | 3.7 | • | | | - | 00 | 14 | 3 2 | • | • | 2 |
| 7TH CERVICAL RIBS | 0.0 | • | | • | - | 0 | 0 | 0 | • | • | 0 |
| 14TH FULL RIBS | 0.0 | | | • | | 0 | 0 | 0 | • | • | • |
| 14TH RUDIMENTARY RIBS | 0.0 | | | • | | 0 | თ | S. | • | | 0 |
| 13TH RUDIMENTARY RIBS | 0.7 | | | • | - | 4 | 0 | 0 | • | | • |
| 13TH RIBS REDUCED IN OSSIFICATION | 0.0 | 0.0 | 3.6 | 0.0 | 6.0 | 0 | 0 | 0. | 9.1 | 0.0 | 5.0 |
| TARSALS UNOSSIFIED | 1.5 | • | | • | | 4 | 0 | 0 | • | • | • |
| PUBIS UNOSSIFIED | 0.7 | | | • | - | 4 | 0 | 0 | • | • | |
| REDUCED OSSIFICATION OF THE VERTEBRAL | CAL | | | | | | | | | | |
| ARCHES | 0.7 | • | | • | | 4 | 0 | 0 | • | • | 0 |
| STERNEBRA(E) #1 - #4 UNOSSIFIED | 3.7 | 0.7 | 0.7 | 1.7 | 1.9 | 13 | 6 4 | 8. | 4.5 | 9.5 | 10.0 |
| STERNEBRA(E) #5 - #6 UNOSSIFIED | 12.7 | 7 | 4 | 6 | 5 | 45 | 52 | 7 | .7 | | 0 |
| STERNEBRA(E) MALALIGNED | 29.1 | • | | | | | O | 7 | .3 | 0 | 5 |
| 25 PRESACRAL VERTEBRAE | 0.0 | • | | | • | 0 | | Н | | • | • |
| 27 PRESACRAL VERTEBRAE | 0.0 | | | • | | 0 | | | | 0. | • |
| CENTRA - BIPARTITE | 0.0 | • | | | • | 0 | | | • | | • |
| TOTAL WITH VARIATIONS | 20.9 | 18.8 | 27.0 | 27.4 | 49.3 | 84 | 0 84 | .0 88 | 8.0 | 88.0 | 88.0 |
| | | | | | | | 1 1 1 1 1 | 1 1 1 1 | | | |

*RETINOL PALMITATE (250,000 I.U./KG/DAY ON GESTATION DAYS 9 AND 10)
*DOES NOT INCLUDE THE FETUSES FROM DAM 405 FOR WHICH VISCERAL OBSERVATIONS WERE NOT RECORDED
*DOES NOT INCLUDE FETUSES FROM LITTERS WHICH WERE DISARTICULATED
NOTE: THE NUMBER OF FETUSES EXAMINED IN GROUP 3 DOES NOT INCLUDE ONE FETUS
FOR WHICH AN EXTERNAL OBSERVATION WAS NOT RECORDED.

APPENDIX A

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL MATERNAL GROSS NECROPSY OBSERVATIONS

GROUP 1: 0 MG/KG/DAY

| OBSERVATION | LITIES DET | ABNORMALITIES DETECTED |
|------------------|------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| ORGAN OBSERVATIO | NO | NO AB | | | NO AB |
| DAM# OR | 346 | 349 | 352 | 357 | 367 | 369 | 381 | 386 | 388 | 396 | 412 | 419 | 421 | 428 | 437 | 438 | 451 | 452 | 456 | 467 | 471 | 474 | 497 | 500 | 501 |

APPENDIX A

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL MATERNAL GROSS NECROPSY OBSERVATIONS

GROUP 2: 3 MG BASE/KG/DAY

| | NO ABNORMALITIES DETECTED |
|-------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| ORGAN | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 350 | 355 | 358 | 360 | 361 | 376 | 393 | 398 | 402 | 403 | 405 | 413 | 415 | 431 | 436 | 439 | 449 | 454 | 462 | 473 | 480 | 481 | 484 | 489 | 495 |

APPENDIX A

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL MATERNAL GROSS NECROPSY OBSERVATIONS

GROUP 3: 10 MG BASE/KG/DAY

| OBSERVATION | NO ABNORMALITIES DETECTED |
|-------------|---|
| ORGAN | SPLEEN |
| DAM# | |

APPENDIX A

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL MATERNAL GROSS NECROPSY OBSERVATIONS

GROUP 4: 30 MG BASE/KG/DAY

| DAM# | DAM# ORGAN OBS | OBSERVATION |
|------|----------------|----------------------------|
| 354 | SPLEEN | LARGED |
| 356 | SPLEEN | ENLARGED |
| 370 | | ENLARGED |
| 374 | | NO ABNORMALITIES DETECTED |
| 379 | | NO ABNORMALITIES DETECTED |
| 382 | | NO ABNORMALITIES DETECTED |
| 385 | ຜ | HYDRONEPHROSIS (BILATERAL) |
| 392 | | ENLARGED |
| 399 | | ENLARGED |
| 404 | | NO ABNORMALITIES DETECTED |
| 410 | SPLEEN | ENLARGED |
| 417 | | NO ABNORMALITIES DETECTED |
| 440 | | NO ABNORMALITIES DETECTED |
| 441 | SPLEEN | ENLARGED |
| 444 | SPLEEN | ENLARGED |
| 448 | | ENLARGED |
| 450 | SPLEEN | ENLARGED |
| 455 | SPLEEN | BNLARGED |
| 460 | | ENLARGED |
| 475 | | ENLARGED |
| 483 | SPLEEN | ENLARGED |
| 490 | | NO ABNORMALITIES DETECTED |
| 491 | SPLEEN | ENLARGED |
| 492 | SPLEEN | ENLARGED |
| 503 | | NO ABNORMALITIES DETECTED |

APPENDIX A

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL MATERNAL GROSS NECROPSY OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

| | NO ABNORMALITIES DETECTED | HYDRONEPHROSIS (RIGHT) | NO ABNORMALITIES DETECTED |
|-------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| ORGAN | | | | | | | | | | | | KIDNEY | | | | | | | | | | | | | |
| DA | 353 | 362 | 364 | 366 | 368 | 372 | 389 | 391 | 401 | 407 | 422 | 423 | 426 | 430 | 432 | 4 | 445 | 465 | 468 | 476 | 477 | 485 | 493 | 496 | 499 |

APPENDIX B

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RAIS

INDIVIDUAL CESAREAN SECTION DATA

GROUP 1: 0 MG/KG/DAY

UIC/TRL STUDY NO.: 154

| AM | COF | CORPORA I LEFT RIGHT | UTEA | IMP | TOTAL IMPLANTATIONS FT RIGHT TOTA | TOTAL LANTATIONS RIGHT TOTAL | SEX | F. | VIABLE LEFT RIG | FET | н | NONVIABLE LEFT RIGHT | | FETUSES TOTAL | EARLY | 0 0 | TOTAL | HE | 田田 | TIONS |
|-------|-----|-------------------------|------|------|---|------------------------------------|-------|------------|--------------------|-----|----|-------------------------|------|------------------|----------|---------|-----------|----|-------------|---------|
| 346 | 9 | 7 | 13 | 9 | 7 | 13 | 7 | 5 | 5 | 7 1 | 2 | 0 | 0 | 0 | 7 | 0 | - | 0 | 0 | |
| | 00 | 80 | 16 | m | 7 | 10 | 4 | 9 | e | 7 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 352 | 7 | ω | 15 | 9 | 7 | 13 | 8 | 2 | 9 | 7 1 | ۳. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 357 | 9 | 9 | 15 | 9 | თ | 15 | 9 | 8 | 9 | 8 1 | 4 | 0 | 0 | 0 | 0 | Н | Н | 0 | 0 | 0 |
| 367 | 9 | 2 | 11 | 9 | Н | 7 | 9 | _ | 9 | 1 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 369 | 2 | 7 | 12 | 2 | 7 | 12 | | 6 | 4 | 7 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | Н | 0 | Н |
| 381 | 2 | 00 | 13 | 2 | 80 | 13 | 3 1 | 10 | 2 | 8 1 | .3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 386 | 9 | 7 | 13 | 4 | 7 | 11 | 7 | 4 | 4 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 388 | 00 | 7 | 15 | ω | 9 | 14 | 4 | 0 | 7 | 6 1 | | 0 | 0 | 0 | H | 0 | Н | 0 | 0 | 0 |
| 396 | 2 | œ | 13 | 2 | 00 | 13 | 80 | 2 | Ŋ | 8 1 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 412 | 9 | 7 | 13 | 9 | 9 | 12 | т | 0 | 9 | 6 1 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 419 | 00 | 00 | 16 | 7 | 7 | 14 | 4 | 7 | 9 | 5 1 | | 0 | 0 | 0 | Н | 7 | က | 0 | 0 | 0 |
| 421 | 9 | 7 | | 9 | 7 | 13 | 2 | 80 | 9 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 428 | 7 | 2 | | 7 | S | 12 | 2 | 7 | 7 | 5 1 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 437 | 9 | 7 | 13 | 9 | 7 | 13 | 4 | 6 | 9 | 7 1 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 438 | 2 | 7 | | 2 | 7 | 12 | 7 | 2 | 2 | 7 1 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 451 | 41 | თ | 13 | 4 | S | 13 | 2 | 80 | 4 | 9 1 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 452 | 80 | 7 | 15 | 80 | 7 | 15 | 12 | m | 00 | | .5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 456 | 4 | თ | 13 | 4 | 6 | 13 | 9 | 9 | 3 | 9 1 | 7 | 0 | 0 | 0 | Н | 0 | H | 0 | 0 | 0 |
| 467 | 7 | თ | 16 | 7 | O | 16 | 9 | 4 | 9 | 7 1 | | 0 | 0 | 0 | Н | - | 7 | 0 | Н | Н |
| 471 | 4 | 7 | 11 | 4 | 7 | 11 | 9 | 2 | 4 | 7 1 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 474 | 7 | 00 | 15 | 7 | 00 | 15 | 2 | 0 0 | 9 | 7 1 | .3 | 0 | 0 | 0 | Н | Н | 7 | 0 | 0 | 0 |
| 497 | 9 | 9 | 12 | 9 | 2 | 11 | 9 | 2 | 9 | 5 1 | 1. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 200 | 7 | 7 | 14 | 7 | 7 | 14 | 11 | 7 | 7 | 6 1 | 33 | 0 | 0 | 0 | 0 | Н | Н | 0 | 0 | 0 |
| 501 | 4 | 7 | 11 | 4 | 7 | 11 | വ | 9 | 4 | 7 1 | ਜ਼ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | | | 335 | | | 316 1 | 48 15 | 4 | | 30 | 2 | | | 0 | 1 | | 12 | | 1 1 1 | 2 |
| MEAN | | | 13.4 | | . • | | .9 6. | 7 | | 12. | 1 | | | 0.0 | | | 0.5 | | | 0.1 |
| S.D. | | | | | | σ. | .4 2 | 4 | | 1. | 9. | | | 0.0 | | | 0.8 | | | |
| Z | | | 25 | | | 25 | 2 | 5 | | 7 | 2 | | | 25 | | | 25 | | | 25 |
| 1 | | | | | | | - | - | | | | 11111 | 1 | | | 1 1 1 1 | 1 1 1 1 1 | | | 1 1 1 1 |

APPENDIX B

INDIVIDUAL CESAREAN SECTION DATA

GROUP 3: 10 MG BASE/KG/DAY

UIC/TRL STUDY NO.: 154

| TIONS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 25 | |
|-----------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|------|------|----|---------|
| RESORPTIONS RIGHT TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | | | | 1 1 1 1 |
| LATE R LEFT R | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| TIONS | 0 | 0 | 0 | Н | Н | 0 | 0 | Н | 0 | 0 | 0 | Н | Н | Н | m | 0 | 7 | Н | Н | 0 | 0 | 0 | സ | 0 | Н | 17 | 0.7 | 6.0 | 25 | |
| RESORPTIONS RIGHT TOTAL | 0 | 0 | 0 | Н | П | 0 | 0 | Н | 0 | 0 | 0 | 1 | 0 | Н | Н | 0 | 0 | П | 0 | 0 | 0 | 0 | 7 | 0 | 0 | | | | 1 | |
| EARLY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Н | 0 | 7 | 0 | 7 | 0 | Н | 0 | 0 | 0 | Н | 0 | н | | | | | |
| FETUSES TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 25 | |
| H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ! | | | | |
| н | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| NONV | | | | | | | | | | | - T | | | _ | | | | | | | | | | | | 1 | | | | 1 |
| TOTAL | 11 | 14 | 13 | 13 | 10 | 14 | 13 | 12 | 13 | 15 | 14 | 12 | 13 | 14 | 10 | 13 | 14 | 12 | 15 | 11 | 14 | 12 | 12 | 11 | 10 | 315 | 12.6 | 1.5 | 25 | 11111 |
| LE FE' | 7 | 0 | Ŋ | 9 | 4 | œ | 2 | 0 | ო | ω | 2 | 10 | ω | ω | 2 | 7 | œ | ω | 11 | 7 | Ŋ | 4 | 4 | 4 | œ | | | | | 1 1 1 |
| VIABLE FETUSES LEFT RIGHT TOTA | 0 | Ŋ | 00 | 7 | ø | 9 | ω | ٣ | 10 | 7 | σ | 7 | Ŋ | 9 | Ŋ | ø | 9 | 4 | 4 | 4 | თ | ∞ | 00 | 7 | 7 | | | | | |
| X | 9 | 7 | 9 | 5 | O | 4 | 9 | 4 | 10 | 7 | 10 | 9 | 9 | O | ٣ | 9 | 7 | 4 | 7 | 2 | m | 9 | Ŋ | 9 | Ŋ | 152 | 6.1 | 1.9 | 25 | 1 1 1 1 |
| SEX | | 7 | 7 | 00 | Н | 10 | 7 | œ | m | 00 | 4 | 9 | 7 | 2 | ø | 7 | 7 | œ | 00 | 9 | 11 | 9 | 7 | Ŋ | Ŋ | 162 | 6.5 | 2.1 | 25 | 1 |
| 95 | 11 | 14 | 13 | 14 | 11 | | | 13 | | 15 | 14 | 13 | 14 | 15 | 13 | 13 | 16 | 13 | 16 | 11 | 14 | 12 | 15 | 11 | 11 | 332 | 13.3 | 1.5 | 25 | |
| TOTAL LANTAT RIGHT | 7 | 0 | Ŋ | 7 | 2 | 00 | 2 | 10 | ന | œ | 2 | 11 | œ | O | 9 | 7 | œ | O | 11 | 7 | Ŋ | 4 | 9 | 4 | œ | | | | | |
| IMPL LEFT R | 6 | Ŋ | 00 | 7 | 9 | 9 | 00 | က | 10 | 7 | σ | 7 | 9 | 9 | 7 | ø | 00 | 4 | Ŋ | 4 | 0 | œ | 0 | 7 | м | | | | | 11111 |
| CORPORA LUTEA FT RIGHT TOTAL | 11 | 15 | 16 | 14 | 12 | 15 | 13 | 13 | 18 | 15 | 14 | 14 | 14 | 15 | 13 | 13 | 16 | 13 | 16 | 11 | 14 | 12 | 15 | 11 | 11 | 344 | 13.8 | 1.8 | 25 | |
| ORA I | 7 | 00 | 9 | 7 | Ŋ | 0 | Ŋ | 10 | 00 | œ | 2 | 11 | œ | O | 9 | 7 | 00 | O | 11 | 7 | 2 | 4 | 9 | 4 | ω | | | | | 1 1 1 1 |
| CORPORA LUTEA LEFT RIGHT TOTAL | 6 | 7 | 10 | 7 | 7 | 9 | 80 | 9 | 10 | 7 | თ | 9 | v | ø | 7 | v | 00 | 4 | 2 | 4 | თ | ω | თ | 7 | m | | | | | |
| DAM# | 351 | 371 | 378 | 380 | 383 | 384 | 390 | 395 | 400 | 420 | 424 | 425 | 427 | 434 | 435 | 447 | 453 | 457 | 459 | 469 | 472 | 482 | 486 | 494 | 502 | TOTAL | MEAN | S.D. | z | 11111 |

NOTE: THE SEX OF FETUS 7 FROM DAM 435 WAS NOT RECORDED. THE TOTAL NUMBER OF VIABLE FETUSES INCLUDES THIS FETUS.

APPENDIX B

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS

INDIVIDUAL CESAREAN SECTION DATA

GROUP 4: 30 MG BASE/KG/DAY

UIC/TRL STUDY NO.: 154

| RESORPTIONS RIGHT TOTAL | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | н | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | П | 0.0 | 0.2 | 25 |
|------------------------------------|---|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|-----|-------------|------|-------|----|
| RESORE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Н | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| LATE R LEFT R | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| RESORPTIONS RIGHT TOTAL | | 0 | 0 | 0 | 7 | 0 | 0 | 0 | н | 0 | Н | 0 | Н | 7 | 0 | n | 0 | 0 | Н | Н | 0 | 0 | 7 | 0 | e | 0 | 17 | 0.7 | | 25 |
| RESOR! RIGHT | | 0 | 0 | 0 | Н | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Н | Н | 0 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | n | 0 | | | | |
| EARLY | | 0 | 0 | 0 | Н | 0 | 0 | 0 | Н | 0 | Н | 0 | 0 | Н | 0 | 0 | 0 | 0 | 0 | Н | 0 | 0 | Н | 0 | 0 | 0 | | | | |
| FETUSES TOTAL | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 25 |
| ABLE FI | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| NONVIABLE LEFT RIGHT | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| FETUSES HT TOTAL | | 14 | 11 | 12 | 12 | 7 | 12 | 11 | 12 | 13 | 11 | | 10 | 11 | 14 | თ | 14 | 15 | n | 11 | 15 | 15 | | 12 | 10 | 12 | 288 | 11.5 | | 25 |
| (3) | - | ю | 4 | 7 | 9 | 7 | Ŋ | 9 | O | 10 | ထ | 10 | 7 | 8 | 7 | Ŋ | 4 | 9 | 7 | 7 | 10 | 7 | ហ | 9 | 7 | 9 | | | | |
| VIABLE LEFT RI | | 11 | 7 | 2 | 9 | 0 | 7 | 2 | 3 | 8 | 3 | 7 | Φ | ٣ | 7 | 4 | 10 | თ | Н | 4 | 10 | ω | Ŋ | 9 | œ | თ | ! ! ! | | | |
| (bu | | Ŋ | 2 | œ | 9 | 7 | œ | 7 | 7 | 3 | 7 | 6 | 2 | Ŋ | 7 | 7 | œ | O | Н | 4 | 9 | 7 | ო | æ | 4 | | 44 | 8. | | 25 |
| SEX | | 0 | 9 | 4 | 9 | 0 | 4 | 4 | 2 | 10 | 4 | æ | 2 | 9 | 7 | 7 | 9 | 9 | 7 | 7 | 0 | æ | 7 | 4 | 9 | 4 | 144 1 | 8 | 2.3 2 | 25 |
| TOTAL IMPLANTATIONS FT RIGHT TOTAL | | 14 | 11 | 12 | 14 | 7 | 12 | 11 | 13 | 13 | 12 | 17 | 12 | 13 | 14 | 12 | 14 | 15 | 4 | 12 | 15 | 15 | 12 | 12 | 13 | 12 | 306 | ~ | ۲. | 25 |
| TOTAL LANTAT RIGHT | | | 4 | 7 | 7 | 7 | 2 | 9 | 0 | 10 | 8 | 10 | 4 | 0 | 7 | 00 | 4 | 9 | 3 | 7 | 10 | 7 | 9 | 9 | S | m | | | | |
| IMPI LEFT | | H | 7 | 2 | 7 | 0 | 7 | Ŋ | 4 | 3 | 4 | 7 | œ | 4 | 7 | 4 | 10 | O | Н | Ŋ | Ŋ | œ | 9 | 9 | œ | 0 | 1 | | | |
| CUTEA | | 18 | 13 | 12 | 14 | 9 | 12 | 11 | 14 | 13 | 13 | 17 | 13 | 13 | 14 | 12 | ಹ | 18 | 11 | 12 | 15 | 15 | 12 | 12 | 13 | 12 | 315 | 13.1 | N | N |
| CORPORA LUTEA FT RIGHT TOTA | | 9 | 4 | 7 | 7 | 4 | 2 | 9 | 6 | 10 | œ | 10 | 10 | 0 | 7 | 8 | ø | 0 | 0 | 7 | 10 | 7 | 9 | 9 | Ŋ | e | | | | |
| CORF | | 12 | 0 | 2 | 7 | 7 | 7 | Ŋ | 2 | 8 | Ŋ | 7 | 00 | 4 | 7 | 4 | æ | 6 | 7 | Ŋ | Ŋ | œ | 9 | 9 | œ | 6 | | | | |
| DAM# | | L | 356 | 370 | 374 | 379 | 382 | 385 | 392 | 399 | 404 | 410 | 417 | 440 | 441 | 444 | 448 | 450 | 455 | 9 | 475 | 483 | 490 | 491 | 492 | 503 | TOTAL | MEAN | SD | Z |

a=CORPORA LUTEA NOT RECORDED, NOT INCLUDED IN CALCULATIONS

APPENDIX B

INDIVIDUAL CESAREAN SECTION DATA

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

UIC/TRL STUDY NO.: 154

| TIONS | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Н | 0 | 0 | 0 | 0 | 0 | 0 | 0 | П | 8 | 0.1 | | 25 | |
|---|-----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------------------|-------|------|----|---------------|
| RESORPTIONS RIGHT TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | н | 1 | | | | |
| LATE R | Н | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Н | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ! ! ! | | | | 1 1 1 1 1 1 1 |
| TIONS | н | 4 | 4 | 41 | 0 | Н | 0 | 0 | 4 | 7 | 7 | Н | Н | Н | 0 | 7 | Н | 7 | m | Н | 7 | | 11 | 0 | 41 | 53 | 2.1 | | 25 | |
| RESORPTIONS RIGHT TOTAL | Н | Н | m | П | 0 | 1 | 0 | 0 | П | 7 | 0 | 0 | Н | П | 0 | Н | 0 | 1 | 7 | Н | Н | Н | œ | 0 | 7 | | | | | 1 1 1 1 1 1 |
| EARLY | 0 | m | 1 | ٣ | 0 | 0 | 0 | 0 | ٣ | 0 | 7 | П | 0 | 0 | 0 | Н | П | 1 | П | 0 | Н | П | ന | 0 | 7 | | | | | |
| FETUSES TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | | 25 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | • | | |
| NONVIABLE LEFT RIGH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 1 1 1 | | | | 1 |
| н | 11 | 11 | 0 | 10 | 14 | 12 | 9 | 13 | 00 | 11 | 12 | 11 | 12 | 12 | 13 | 13 | 13 | O | o, | | 13 | 11 | 4 | 13 | œ | 268 | 0.7 | 2.4 | 25 | |
| BLE FETU RIGHT I | 4 | Ŋ | Ŋ | н | 9 | œ | 4 | 10 | S | 9 | 4 | Ŋ | œ | ເດ | 7 | 7 | 10 | S | 7 | 9 | 9 | 9 | 7 | 4 | 4 | | Ä | • | | |
| VIABLE FETUSES LEFT RIGHT TOTA | 7 | 9 | 4 | 0 | œ | 4 | 7 | ٣ | ٣ | 2 | œ | 9 | 4 | 7 | 9 | 9 | m | 4 | 7 | 4 | 7 | 2 | 7 | 6 | 4 | | | | | 1 |
| Bz. | 3 | Ŋ | 2 | 2 | 10 | 9 | 7 | 10 | D. | 9 | 4 | 9 | Ŋ | 7 | 7 | 10 | 7 | 3 | 7 | D. | Ŋ | 7 | 0 | 80 | 9 | 139 | 5.5 | 5.5 | 25 | 1 1 1 |
| SEX | ω | 9 | 4 | 2 | 4 | 9 | 4 | ო | m | Ŋ | ω | Ŋ | 7 | Ŋ | 9 | m | 9 | 9 | 7 | Ŋ | ∞ | σ | 4 | Ŋ | 7 | 1 | 5.2 5 | | 25 | |
| r rons rotal | 13 | 15 | 13 | 14 | 14 | 13 | 9 | 13 | 12 | 13 | 14 | 12 | 13 | 13 | 13 | 15 | 15 | 11 | 12 | 11 | 15 | 13 | 15 | 13 | 13 | 4. | 13.0 | 0 | 25 | 1 1 1 |
| TOTAL IMPLANTATIONS FT RIGHT TOTA | 5 | 9 | œ | 7 | 9 | Q | 4 | 10 | 9 | œ | 4 | Ŋ | Q | 9 | 7 | œ | 10 | 9 | Q | 7 | 7 | 7 | 10 | 4 | 7 | ! ! ! | | | | |
| IMP] | | O | S | 12 | 00 | 4 | 7 | 3 | 9 | 2 | 10 | 7 | 4 | 7 | 9 | 7 | 2 | Ŋ | က | 4 | ∞ | 9 | S | 9 | 9 | 1 1 1 1 | | | | 1 1 1 1 1 |
| UTEA | 13 | 19 | 14 | 17 | 14 | | 13 | | 12 | | | | | 13 | | | 15 | 12 | 12 | 12 | 16 | 16 | 16 | 16 | 17 | 367 | 4.7 | 2.3 | 25 | |
| CORPORA LUTEA FT RIGHT TOTA | 5 | 7 | 80 | 2 | 9 | 12 | 9 | 10 | 9 | œ | 4 | 2 | 6 | 9 | σ | œ | 10 | 7 | თ | 7 | œ | თ | 10 | 2 | 10 | | 1 | | | |
| CORPORA LUTEA LEFT RIGHT TOTAL | ω | 12 | 9 | 12 | œ | 7 | 7 | 3 | 9 | 2 | 11 | 80 | ক | 7 | 10 | 7 | 2 | 2 | 3 | 2 | œ | 7 | 9 | 11 | 7 | | | | | |
| AM# | 353 | 9 | 9 | 366 | 368 | 372 | 389 | 391 | 401 | 407 | 422 | 423 | 426 | 430 | 432 | 442 | 445 | 465 | 468 | 476 | 477 | 485 | 493 | 496 | 499 | TOTAL | MEAN | S.D. | Z | |

APPENDIX C

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL GRAVID UTERUS AND FETAL BODY WEIGHT DATA (GRAMS)

GROUP 1: 0 MG/KG/DAY

E= EARLY RESORPTION L= LATE RESORPTION M=MALE F=FEMALE

APPENDIX C

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

3 MG BASE/KG/DAY GROUP 2:

| 17 | | | | | | | | | | | | | | | • | | | | | | | | | | | | | |
|----------------------------|-------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|----|
| 16 | | | | | | | | • | | | | • | | | | | | | | | | | | | • | | | |
| 15 | | | | | | | | | 3.21F | | | | | | | 4.16F | | | 3.65M | | 3.77F | 3.42F | | | • | | | |
| 14 | ٠ | 4.37M | 3.71F | | 3.23F | | 3.61F | | 3.41F | | 3.74F | 4.01M | | 3.88M | | 4.27M | 4.08M | 3.96F | 3.39F | 3.81M | 4.33M | 3.57F | | | | | | |
| 13 | | 4.53M | 3.82F | | 3.41M | | 3.68F | | 3.59M | 3.97M | 3.82M | 3.75F | 3.92F | 3.36F | | 4.26M | 4.28M | 3.80F | 3.50F | 3.52F | 3.87F | 3.49M | | 3.37F | 3.73M | | | |
| 12 | | 4.83M | 3.72F | 4.19M | 3.14F | 4.17F | 3.87M | 3.72M | 3.60M | 3.89M | 3.62F | 3.78F | 3.60M | 3.50F | 3.44F | 3.87F | 4.07M | 4.08F | 3.39F | 3.77M | 3.97F | 3.64M | M | 4.07M | 3.28F | | | |
| 11 | 4.23M | 4.51F | 3.36F | 3.80F | 3.32F | 4.02F | 3.52F | 3.59M | 3.60M | 3.71F | 3.58F | 3.72M | 3.71F | 3.40F | 3.92M | 4.29M | 4.16M | 4.00M | 3.69M | 3.77M | 3.99M | 3.31F | 3.75F | 4.09M | 3.46F | | | |
| 10 | 4.26F | 4.17M | 3.49F | 4.08F | 3.43M | 4.24M | 3.89M | 3.80F | 3.76M | 3.93M | 3.80F | 3.67F | 3.72M | 3.50F | 3.62F | 3.75F | 3.85F | 3.90M | 3.84F | 3.93M | 4.03M | 3.43F | 3.64F | 3.86F | 3.72M | | | |
| 0 | 4.03F | 4.36M | 3.80M | 4.06M | 3.31F | 3.79M | 3.73F | 3.64M | 3.81M | 3.74F | 3.55F | 3.74M | 3.92M | 3.40F | 3.46F | 3.97M | 3.81M | 3.92M | 3.74F | М | 3.89F | 3.19F | 3.65F | 3.89F | 3.33F | | | |
| . 00 | 4.21M | 4 . 40M | 3.58M | 3.70F | 3.37M | 4.31M | 3.40F | 3.76M | 3.31M | 4.05M | 3.46F | 4.01M | 3.39F | 3.36M | 3.62M | 4.16M | 3.82M | 3.62F | M | 3.54F | 3.59M | 2.68M | 3.63F | 4.12M | 3.78M | | | |
| 7 | 4.13F | M | 3.71M | 3.85M | 3.50M | 4.45M | 3.14F | 3.47F | 3.51F | 3.98M | 3.54M | 3.89M | 3.66F | 3.91M | ב | 4.00F | 3.80M | 3.71F | M | 3.87M | 3.84M | 3.52F | 4.02M | 3.67F | M | | | |
| و | 4.03F | 4.28M | 3.77F | 3.85M | 3.36M | 3.86F | 3.78M | 3.07F | 3.33M | 3.64M | 3.77M | 3.93M | 3.58F | 3.39M | 3.61F | 4.52M | 3.71F | 3.61F | 3.58F | 3.64M | 3.91M | 3.43F | M | 3.87M | 3.21F | | | |
| S | 3.79M | 4.35F | 3.57F | 3.94M | 3.45M | 3.94F | 3.48F | 3.89M | 3.63M | 4.20M | 3.95M | 3.78M | M | 3.77F | 3.74F | 4.09M | 3.93M | 3.76M | 3.85M | 3.82F | 3.64F | 3.63F | 3.92M | 4.50M | 3.75M | | | |
| GHT 4 | 4.04F | ۲. | .5 | 4.06M | 3 | ε. | 3.77F | | .5 | M | 9. | 3.41F | .7 | 3.78M | 9. | 3.98F | 4.06M | 4.02F | 3.64M | Τ. | 4.02F | 4. | .7 | 6. | M | | | |
| TAL WEI | 4 | 4.06F | 3.44F | 3.78M | 3.52M | 4.22M | 3.70M | 3.28M | 3.46F | M | 3.65F | 3.61M | 3.74M | 3.53F | 3.71F | 3.83M | 3.60F | 4.12M | 3.72F | M | 4.09M | 3.21F | 3.74M | 4.30M | 3.40F | | | |
| DUAL F | 4.15F | 4.13F | 3.42F | 3.75F | 3.28M | 4.04M | 3.59F | 4.17F | 3.85M | 4.03M | 3.39F | 3.68M | 3.63F | 3.70M | 3.32F | 3.58M | 3.64F | 3.91M | 3.72M | 3.54F | 4.04F | 3.16M | 3.45M | 3 | 3.45M | | | |
| | 4.04M | 4.34F | 3.44F | 3.67M | 3.45M | 4.20M | 3.79M | 4.01M | 3.26M | 3.82F | 3.87M | 2.91F | 3.52M | 3.50F | 3.19F | 3.92F | 3.85F | 3.57M | 3.58F | 3.66F | 3.72F | 3.19F | 3.41F | 3.94M | | | | |
| MEAN FETAL WEIGHT | 4.09 | 4.34 | 09. | | .37 | .13 | .64 | 3.68 | 3.53 | .91 | 3.67 | .71 | . 68 | .57 | .57 | .04 | 3.90 | .86 | .64 | .75 | 3.91 | 3.36 | 3.70 | 4.00 | 3.44 | 3.76 | 0.25 | 25 |
| GRAVID UTERUS WEIGHT | 66.99 | 81.10 | 73.88 | 70.01 | 75.41 | 73.58 | 76.88 | 67.20 | 77.68 | 64.56 | 80.00 | 77.34 | 67.05 | 75.77 | 69.20 | 87.37 | 83.15 | 77.83 | 70.77 | 68.40 | 88.35 | 79.85 | 58.13 | 79.97 | 59.41 | 74.00 | 7.79 | 25 |
| AM # | 350 | 355 | 358 | 360 | 361 | 376 | 393 | 398 | 402 | 403 | 405 | 413 | 415 | 431 | 436 | 439 | 449 | 454 | 462 | 473 | 480 | 481 | 484 | 489 | 495 | MEAN | S.D. | z |

E= EARLY RESORPTION L= LATE RESORPTION M=MALE F=FEMALE

APPENDIX C

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

GROUP 3: 10 MG BASE/KG/DAY

| 17 | | • | • | | | | | | | | | | | | | | | | | | | • | | • | | | | | |
|-------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---|-------|------|----|
| 16 | | | | | | | | | | • | | | | | | | 4.03M | | 3.73F | | | | | | | | | | |
| 15 | | | | | | | | | | 3.46M | | | | M | | | 3.85F | | 3.91M | | | | 4.15M | | | | | | |
| 14 | | 3.85M | | 3.85M | | 4.23M | | | | 3.43M | 3.83F | | 4.19M | 3.97F | | | 3.69F | | 3.74F | | 3.74M | | 4.04M | | | | | | |
| 13 | | 4.04F | 3.41M | 3.72F | | 4.10M | 3.81M | 4.06F | 3.85F | 3.48M | 3.57F | 3.97M | 4.31M | 3.78F | M | 4.15F | 3.91M | 4.29M | 3.75F | | 3.79M | | M | | ٠ | | | | |
| 12 | | 3.73M | 3.73F | 4.19M | | 4.24F | 3.49F | 4.45M | 3.92M | 3.48F | 3.49F | 3.56F | 4.22F | 4.05M | 3.83M | 4.35M | 3.80F | 3.95F | 3.81M | | 3.57M | 4.13M | М | • | | | | | |
| 11 | 3.66F | 3.55F | 3.94M | M | 4.01F | 4.29M | 3.55M | 4.30M | 3.61M | 3.19M | 3.80M | M | 4.14F | 3.75F | 3.78M | 4.41M | 3.93M | M | 3.60F | 3.53F | 3.71M | 3.86F | 3.14F | 4.26M | 3.83M | | | | |
| 10 | 3.72F | 3.73F | 3.60F | 4.08M | 4.12F | 4.20M | 3.43F | 4.07M | 3.88F | 3.37F | 3.44F | 3.82M | 4.17M | 3.11F | 3.77M | 4.26M | 3.81M | 4.32M | 3.67F | 3.67F | 3.56M | 4.08M | 3.64F | 3.67M | 3.65F | | | | |
| 6 | 4.14M | 3.97M | 3.25M | 3.52M | 3.88F | 4.37M | 3.45M | 4.26M | 3.46F | 3.27M | 3.55M | 3.28F | 3.81F | 3.59M | 3.60M | 4.21F | 3.70M | 3.87F | 4.09M | 3.62F | 3.86M | 3.82F | M | 3.84M | 3.87M | | | | |
| 80 | 3.86F | 3.81M | 3.64F | 3.48F | M | 3.77M | 3.36M | 3.66F | 3.70F | 3.30M | 3.55F | 3.79M | 4.28F | 3.64F | 3.52M | 4.07M | 3.15F | 3.57F | 3.75M | 3.72M | 3.79M | 3.91M | 4.13F | 3.58M | 3.83M | | | | |
| 7 | 4.10F | 4.02M | 3.27F | 4.24M | 4.03F | 4.01M | 3.70M | 凶 | 3.70F | 3.35F | 3.30F | 3.87M | 4.23M | 3.63M | 3.650 | 3.69M | 4.06M | 3.97M | 3.37M | 3.55F | 3.84F | 3.78F | 3.80M | 4.05M | 3.60M | | | | |
| vo | 4.15M | 3.72F | 3.87M | 3.95F | 4.14F | 4.29M | 3.59M | 3.72M | 3.65F | 3.51M | 3.36M | 3.75M | 4.22F | 3.97M | М | 4.33F | 3.56F | 4.24M | 3.66M | 3.42M | 3.83F | 3.59F | 3.91M | 3.75F | 3.34F | | | | |
| r. | 3.90F | 4.15M | 3.77M | 4.05M | 3.93F | 4.22F | 3.51M | 3.33M | 3.81F | 3.26F | 3.39F | 3.61F | 4.42M | 3.83F | 3.50F | 4.43M | 3.74F | 3.44F | 3.84M | 2.99F | 4.14M | 3.87M | 3.84F | 3.85F | 2.82F | | | | |
| GHT 4 | 4.43M | 3.65M | 3.58F | 4.13M | 4.20F | 4.31M | 3.44F | 3.79M | 3.75F | 3.34F | 3.45F | 3.57F | 4.24M | 4.02M | 3.80M | 4.30F | 4.00F | 4.20M | 3.73F | 3.63M | 4.02M | 3.76M | 3.69M | 3.68F | 3.29M | | | | |
| INDIVIDUAL FETAL WEIGHT | 4.36M | 3.76F | 3.69M | 3.88F | 3.73F | 4.37F | 3.72F | 4.31M | 3.89M | 3.41M | 3.44M | 2.95M | 4.16M | 3.96F | 3.41F | 4.48M | M | 4.14M | M | 3.65M | 3.52F | 3.99F | 5 | 3.75F | 6 | | | | |
| DUAL FE | 4.57M | 3.80F | 3.44F | 4.18M | 4.01M | 4.16M | 3.36F | 3.69F | 3.68F | 3.13F | | | | 3.90F | M | 4.28F | M | 4.32M | 3.77M | | | | | 3.98F | M | ı | | | |
| | 4.00F | 3.65F | 3.60M | | | | 3.25F | | | | | | | | 3.43F | 3.79F | 3.78M | 4.24M | 3.55F | .67M | | | | 3.28F | .65F | | | | |
| AL | 4.08 | . 82 | | . 92 | .01 | .16 | 3.51 | . 94 | .75 | .33 | 3.49 | 3.61 | 4.18 | .77 | .63 | .21 | .79 | .05 | 3.73 | .55 | .78 | . 85 | .80 | 3.79 | 5 | | 3.80 | 0.23 | 25 |
| GRAVID NUTERUS N | 70.18 | 80.72 | 69.58 | 76.35 | 59.71 | 86.06 | 70.94 | 70.10 | 0 | 4 | 5 | 4 | 0 | 7 | 56.63 | 9 | 79.52 | 00 | 83.81 | 4 | 7. | 7 | 6 | 67.65 | 5 | | 72.61 | 8.29 | 25 |
| DAM # | 1 | | 378 | | | | 390 | | | | | | | | 435 | | | | | 469 | | | | 494 | 2 | | MEAN | S.D. | × |

E= EARLY RESORPTION L= LATE RESORPTION M=MALE F=FEMALE U=SEX NOT RECORDED

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

| GROUP 4: 3 | 30 MG BASE/KG/DAY | SE/KG/D | AX | | | | | | | | | | | | | | | | |
|------------------------|-------------------|---------|-------|-------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GR. UT. DAM # WE | DWH | . H | 1 | DUAL | ETAL WE | | 1 | 1 | 1 | 60 | 6 | 10 | 1 | 12 | 13 | 14 | 15 | 16 | 17 |
| | | | 3.458 | 3.22M | | 2.89M | 3.598 | 2.95M | 3.60M | 3.64M | 3.68M | 3.74F | 3.62F | 3.25F | 3.50M | 3.69M | | | |
| | 66.77 | | 3.83F | 3.71M | 3.85F | 4.10M | 4.21M | 4.03M | 3.86F | 3.67F | 4.07M | 4.21M | 3.76F | | | | | • | |
| | | | 3.61M | 3.41F | 4.16M | 3.90F | 3.53M | 3.62F | 3.92F | 3.70F | 3.72F | 2.31F | 3.898 | 4.01M | | | | | |
| 374 | 65.75 | 3.58 | 3.53M | 3.74M | 3.50M | 3.46F | 24 | 3.62F | 3.71F | 3.64F | 3.69F | 3.76F | M | 3.61M | 3.44M | 3.29M | | | |
| | | | 3.31F | 2.68F | | | | | | | | | | | | | | | |
| | 70.92 | | 3.82F | 3.93F | 4.16M | 3.28F | 3.98F | 3.80M | 3.82F | 4.19F | 4.06M | 4.18F | 3.58F | 3.89M | | | | | |
| | | | 3.54M | 3.37F | 3.28F | 3.62F | 3.63M | 3.13F | 3.56M | 3.20F | 3.39F | 3.59M | 3.35F | | | ٠ | | | |
| | | | 3.50F | 3.78F | ы | 3.96M | 3.69M | 3.68F | 3.37F | 3.92M | 3.83M | 3.84M | 3.83F | 3.25F | 2.96F | | | | |
| | | | 3.79F | 3.81F | 3.77M | 3.88M | 3.91M | 3.57F | 3.95M | 4.06M | 4.03M | 4.07M | 3.89M | 3.91M | 3.84M | ٠ | | | |
| | 62.01 | | 3.61F | 3.99F | M | 3.66F | 3.76M | 3.90M | 4.09F | 3.42M | 4.26F | 3.78F | 3.82F | 3.52M | | | | | |
| | | | 3.79M | 3.61F | 3.42M | .71 | 3.58M | 3.41M | 3.87M | 3.52M | 3.74F | 3.46F | 3.49F | 3.80F | 3.67F | 3.82F | 3.00F | 3.57M | 3.37F |
| | 55.17 | | 3.42F | 3.37F | 3.48F | 3.36M | 3.67M | 3.42F | 3.42M | 3.61M | 3.63M | 3.57F | M | H | | | | | |
| | | | 3.41F | 3.66M | 3.47F | M | 3.31M | 3.66M | M | 3.60M | 3.32F | 3.59F | 3.35F | 3.58M | 3.86M | | | | |
| - | 5.13 | | 3.87M | 3.27F | 3.34M | 3.68F | 3.78F | 3.25F | 3.67F | 3.17F | 3.67M | 3.81M | 3.80M | 3.60M | 3.50M | 3.36F | | | |
| u) | 1.77 | | 3.30M | 3.87M | 3.58M | 3.91M | 3.73M | M | 4.09M | 3.57F | 3.72M | 3.61F | M | M | | | | | |
| - | 0.94 | | 3.50M | 3.69M | 3.58F | 3.60F | 2.06F | 3.16F | 3.55M | 3.32M | 3.25M | 3.16F | 2.81F | 3.38M | 3.50F | 3.32F | | | |
| 450 6 | 6.55 | | 2.47M | 2.87M | 2.66F | 2.66F | 2.52F | 2.49F | 2.98M | 3.07F | 2.81F | 3.06M | 3.09M | 3.09F | 2.90F | 3.22M | 3.01F | | |
| N | 0.75 | | 3.81F | 4.09M | M | 4.10M | | | | | | | | | | | | | |
| | | | 3.43F | 3.55M | M | 3.62F | 3.78M | 3.40M | 3.71M | 3.90M | 3.68F | 3.59M | 3.92M | 3.65F | | | | | |
| | | | 3.55M | 3.26M | 3.51M | 3.50F | 3.43M | 3.09F | 3.23M | 3.19M | 3.25F | 3.20F | 3.48M | 3.04F | 3.05M | 3.45M | 3.35F | | |
| 483 8 | 83.13 | | 3.67M | 3.44F | 3.73F | 3.90M | 3.95M | 3.51M | 3.63M | 3.38F | 3.43F | 3.76F | 3.85M | 3.84M | 3.78F | 3.45M | 2.74F | | |
| | | | 3.30F | M | 3.70M | 3.42M | 3.42M | 3.34F | 3.27F | 3.58M | 3.65M | 3.57M | M | MM | • | | • | ٠ | |
| | | | 3.57F | 4.24M | 4.29F | 4.51M | 4.03M | 4.32F | 3.75F | 3.84F | 3.95F | 4.24F | 4.28M | 4.28F | | | | | • |
| 2 | 0.71 | .18 | 3.10F | 3.39M | 3.14M | 3.31M | 3.25M | 3.13F | 3.17M | 3.06F | M | | 3.44M | M | ធ | | | | |
| 03 6 | .01 | .71 | 3.36F | 3.75M | 3.44F | 3.43F | 3.74M | 3.89F | 3.83F | 4.12M | 3.67F | | 3.35F | 4.25M | | | | | |
| MEAN 6 | | 3.57 | | | | | | | | | | | | | | | | | |
| S.D. 1 | 17.48 | 0.30 | | | | | | | | | | | | | | | | | |
| | 25 | 25 | | | | | | | | | | | | | | | | | |

E= EARLY RESORPTION L= LATE RESORPTION M=MALE F=FEMALE W=FETAL WEIGHT NOT RECORDED

APPENDIX C

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

| 17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|
| 16 | | | • | | | | | | | | | | | | | | • | | | | | • | | | | | | |
| 15 | | 1.94M | | | | | | | | | | | | | | 3.26F | 3.73M | | | | M | | M | | | | | |
| 14 | ٠ | 2.22F | | 3.04F | 3.66F | | | | | | 3.56F | | | | | 3.73M | 3.78F | | | | 3.53F | | M | | • | | | |
| 13 | 3.55M | | | M | 3.70M | 2.42F | | 3.84F | | 3.31F | 3.17F | | 3.98F | 3.53F | 3.81F | 3.30F | 3.91M | | | | 3.41M | 2.90M | M | 3.43F | 2.72F | | | |
| 12 | 3.55M | M | M | 3.59M | 3.34F | 2.93M | | 3.62F | 2.97M | 3.08F | 3.65M | 3.97M | 4.06F | M | 4.02F | 岡 | 3.76F | | M | | 3.41M | 2.98M | M | 2.84F | 2.85M | | | |
| 11 | 3.25F | 2.39F | 3.22M | M | 3.45M | 2.93M | | 3.99M | 3.51F | 3.13F | 3.58M | 3.87F | 4.17M | 3.53F | 3.15F | 3.35F | 3.97M | M | 2.49F | 3.35F | 2.72F | 3.46F | 3.40M | 3.52M | 2.83F | | | |
| 10 | 3.64M | 3.48F | 2.73F | 図 | 3.28F | 2.52M | | 3.70F | 3.51F | 3.38F | 3.32M | 4.27M | 3.82M | 3.54M | 3.41F | 3.15F | 3.68F | 2.63F | 2.50F | 3.14F | 3.48M | 2.85M | M | 2.52M | M | | | |
| 6 | | M | M | M | 3.04F | 2.78F | | 3.92M | 3.07F | M | 2.58F | 4.05F | 3.82M | 3.46F | 3.75M | 3.13F | 3.95M | 2.77M | 2.88F | 3.24F | 3.03M | 2.53M | 2.43M | 3.02F | 2.83F | | | |
| 60 | 3.77M | 2.73F | 2.85F | 2.92F | 3.14F | 2.66F | | 3.41F | M | 3.20F | M | 3.76F | 3.75M | 3.31M | 3.45F | 3.05F | 3.26F | 3.22M | M | 3.79M | 3.13F | M | M | 3.80M | ŭ | | | |
| 7 | 3.29F | 3.05M | 3.25M | 2.35F | 3.71M | ы | | 3.78F | 2.87F | 2.97M | 3.30M | 4.11F | 3.69F | 3.46M | 3.51M | 3.60F | 3.51F | 2.99M | 2.91F | 四 | 3.60M | 3.48M | ш | 3.36F | M | | | |
| 9 | 3.49M | 2.59M | M | 3.22M | 3.09M | 2.84M | 2.79F | 3.66M | M | М | 3.44M | 3.88F | M | 3.69M | 3.58F | 3.08F | 3.22F | 2.59F | 3.22F | 2.96M | 3.17M | 3.28M | M | 3.47F | 2.89F | | | |
| 1 1 1 | 3.42M | 3.23M | 2.99F | 2.94F | 3.39F | 2.94F | 2.66M | 3.53F | 3.96M | 3.60M | M | 4.01M | 3.52M | 3.36F | 3.52F | 3.88M | ŭ | 3.55M | 1.79F | 2.90F | 3.35F | 3.39M | 3.12M | 3.75F | M | | | |
| GHT | 3.66M | 2.84F | 2.97M | 3.50M | 3.76F | 3.00M | 2.21F | 3.66F | M | 3.03F | 3.22M | 4.09M | 4.15F | 3.54F | 2.99M | 2.97F | 3.38F | M | LO. | LO. | 2.70F | ~ | M | 3.75M | 4. | | | |
| TAL | 3.52F | 3.29M | M | 3.77M | 3.02F | 2.61F | 3.06M | 3.96F | 3.05M | 3.58M | 2.99M | 3.32F | 4.10M | 3.51F | 3.39M | М | M | 2.82F | 3.06 | 3.27M | 3.30M | 3.12M | 3.30M | 3.51M | 2.93F | | | |
| DUAL FE | 3.26M | M | 3.34F | 2.89F | 2.37F | 1.88F | 2.56M | 3.84F | 3.24F | 3.75M | 3.20M | 3.94M | 2.95M | 3.93M | 2.90M | 3.50M | 3.81M | 3.28M | M | 3.39M | 3.35M | M | M | 3.32F | 2.48M | | | |
| | 1 | M | 3.13M | 2.63M | 3.10F | 2.34M | 2.80M | | | | 2.81F | | | | | | 3.77M | | 2.58F | 3.67M | M | 2.58M | M | 2.58F | M | | | |
| MEAN FETAL WEIGHT | 3.49 | . 80 | . 02 | 60. | .29 | .65 | .68 | .75 | .27 | .27 | .24 | . 93 | .79 | .48 | .44 | . 29 | .67 | 96. | 99. | .32 | . 24 | .01 | 3.06 | 3.30 | 2.75 | 3.22 | 0.36 | 25 |
| GRAVID UTERUS WEIGHT | 65.52 | 26.96 | 55.63 | 51.85 | 75.48 | 54.84 | 30.04 | 72.98 | 46.87 | 57.87 | 62.05 | 64.69 | 69.79 | 67.30 | 74.11 | 67.02 | 77.55 | 48.17 | 41.27 | 61.30 | 66.33 | 54.63 | 24.94 | 69.81 | 44.45 | 58.46 | 13.59 | 25 |
| DAM # | 353 | 362 | 364 | 366 | 368 | 372 | 389 | 391 | 401 | 407 | 422 | 423 | 426 | 430 | 432 | 442 | 445 | 465 | 468 | 476 | 477 | 485 | 493 | 496 | 499 | MEAN | S.D. | N |

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 1: 0 MG/KG/DAY

Animal: 346

Unique Fetal Id.: 3

Left 03 Fetal Position: RIBS

(Skeletal)

SLIGHT RIB(S), BENT, SLIGHT TO MODERATE - VARIATION; RIGHT 12,

Unique Fetal Id.:

Right 01 Fetal Position

(Skeletal) STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Right 03

Unique Fetal Id.: 9

Fetal Position: STERNUM

(Skeletal)

Right 07 Fetal Position:

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4 AND 5, SLIGHT

Unique Fetal Id.: 13

(Skeletal) STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT

Animal: 349

Left 01 Fetal Position: STERNUM

Unique Fetal Id.: 1

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Fetal Position: STERNUM

Right 02

Unique Fetal Id.:

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2-5, SLIGHT (Skeletal)

352 Animal:

Left 02 Fetal Position: STERNUM

Unique Fetal Id.: 2

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2-5, SLIGHT (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 1: 0 MG/KG/DAY

(CONT.) 352 Animal:

Left 04 Fetal Position:

STERNUM

Unique Fetal Id.: 4

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, SLIGHT

Unique Fetal Id.: 6

Fetal Position: STERNUM

(Skeletal)

Left 06

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, SLIGHT

(Skeletal) Fetal Position: STERNUM

Right 06

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2 AND 3, SLIGHT

Unique Fetal Id.: 12

Animal: 357

Left 03 Fetal Position: SKULL

Unique Fetal Id.:

m

HYOID, UNOSSIFIED - VARIATION (Skeletal)

Unique Fetal Id.: 7

Fetal Position: STERNUM

Right 01

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT (Skeletal)

Unique Fetal Id.: 12 Right 06

Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT (Skeletal)

Fetal Position: STERNUM

Right 08

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal)

Unique Fetal Id.: 14

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 1: 0 MG/KG/DAY

Animal: 367

Fetal Position: Left 03

Unique Fetal Id.: 3

STERNUM (Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, 4 AND 5, SLIGHT

Animal: 369

tion: Right 01

Unique Fetal Id.: 6

Fetal Position: R STERNUM (Skeletal)

SLIGHT 4 3 AND VARIATION; STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Fetal Position: Right 03 STERNUM

Unique Fetal Id.: 8

3 AND 4, SLIGHT

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2,

Fetal Position: Right 07

(Skeletal)

STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Unique Fetal Id.: 12

Animal: 381

Fetal Position: Left 01

Unique Fetal Id.: 1

PELVIS (Skeletal)

) PUBIS, UNOSSIFIED - VARIATION; BILATERAL

STERNUM (Skeletal)

STERNEBRA(E), 1-4, UNOSSIFIED - VARIATION STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION

VERTEBRAL COLUMN (Skeletal)

CERVICAL ARCHES, REDUCED OSSIFICATION - VARIATION; RIGHT 4-7

- VARIATION; SLIGHT HYOID, UNOSSIFIED SUPRACCCIPITAL, REDUCED OSSIFICATION VARIATION SKULL (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

0 MG/KG/DAY 1: GROUP

(CONT.)

381

Animal:

Left 03 Fetal Position: STERNUM

(Skeletal)

Unique Fetal Id.: 3

5-6,

ONLY STERNEBRA(E),

3

AND

~

- VARIATION;

STERNEBRA(E), 1-4, UNOSSIFIED UNOSSIFIED - VARIATION

(Skeletal)

HINDLIMBS

Unique Fetal Id.: 05 Left Fetal Position: STERNUM

TARSALS, UNOSSIFIED - VARIATION; BILATERAL, ONLY 3 OSSIFIED

STERNEBRA(E), 1-4, UNOSSIFIED - VARIATION; 4 ONLY STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION (Skeletal)

TARSALS, UNOSSIFIED - VARIATION; BILATERAL, ONLY 3 OSSIFIED (Skeletal) HINDLIMBS

388 Animal: 8 Unique Fetal Id.: Left 08 Fetal Position: MICROCEPHALY - MALFORMATION (External) (Visceral)

CONFIRMATION OF EXTERNAL FINDINGS - CONFIRMATION; FACIAL APLASIA AND SMALL AGLOSSIA, HEAD UNDERDEVELOPED, NO NASAL TURBINATES, ANOPHTHALMIA HEAD, HEAD; FACE,

FACIAL APLASIA - MALFORMATION (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

0 MG/KG/DAY GROUP 1:

Animal: 396

Left 01 Fetal Position:

Unique Fetal Id.: 1 ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, MODERATE (Visceral)

Left 02 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal)

Unique Fetal Id.:

04 Left Fetal Position:

Unique Fetal Id.:

SKULL

HYOID, UNOSSIFIED - VARIATION (Skeletal)

Right 01 Fetal Position:

Unique Fetal Id.:

SKULL

HYOID, UNOSSIFIED - VARIATION (Skeletal)

Fetal Position ABDOMEN

(Visceral)

Right 06

SLIGHT KIDNEY(S), HYDRONEPHROSIS - VARIATION; RIGHT,

Unique Fetal Id.: 11

Right 07 Fetal Position:

(External)

ANUS

ANAL OPENING, SMALL IN SIZE - MALFORMATION

Unique Fetal Id.: 12

TAIL

TAIL, SHAPE, SMALL FLESHY TAB - MALFORMATION (External)

VERTEBRA 2, MALFORMED; SACRAL CONFIRMATION OF TAIL ANOMALY - CONFIRMATION; SACRA SACRAL VERTEBRAE 3-4 AND ALL CAUDAL VERTEBRAE ABSENT Skeletal)

Right 08 Fetal Position:

(Visceral)

ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, MODERATE

Unique Fetal Id.: 13

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

0 MG/KG/DAY GROUP 1:

412 Animal:

Left 01 Fetal Position:

(External)

BRAIN, EXENCEPHALY - MALFORMATION BRAIN, HEMORRHAGE - MALFORMATION; MODERATE

Unique Fetal Id.: 1

(Visceral)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2 AND 3, SLIGHT Unique Fetal Id.: Right 02 Fetal Position: STERNUM

428 Animal:

(Skeletal)

Unique Fetal Id.: 02 Left

Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

Left 04 Fetal Position:

STERNUM

ONLY 2 STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; (Skeletal)

Unique Fetal Id.: 4

Unique Fetal Id.: Left 06 Fetal Position: STERNUM

SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, (Skeletal)

Unique Fetal Id.: Right 01 Fetal Position: STERNUM

- VARIATION; 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal)

Unique Fetal Id.:

Right 05

Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 1: 0 MG/KG/DAY

Animal: 437

Unique Fetal Id.: 1 Left 01 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2 AND 3, SLIGHT

Unique Fetal Id.:

(Skeletal)

Right 01

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal) Fetal Position: STERNUM

Unique Fetal Id.: Right 07 Fetal Position: SKULL

HYOID, UNOSSIFIED - VARIATION

438 Animal:

(Skeletal)

Unique Fetal Id.: 2 Left 02 Fetal Position:

SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4 AND 5, (Skeletal) STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2-5, SLIGHT Unique Fetal Id.: 4 Left 04 Fetal Position: STERNUM (Skeletal) Unique Fetal Id.: 8 Right 03 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT (Skeletal)

Unique Fetal Id.: 10

Right 05

RIB(S), BENT, SLIGHT TO MODERATE - VARIATION; RIGHT 4 AND 11, SLIGHT (Skeletal) Fetal Position: RIBS

Unique Fetal Id.: 12 Right 07 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT

(Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 1: 0 MG/KG/DAY

451 Animal: Right 09 Fetal Position

STERNUM

Unique Fetal Id.: 13

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4 AND 5, SLIGHT

452 Animal: 04 Left Fetal Position:

Unique Fetal Id.:

AND MANDIBULAR): MANDIBLE BILATERAL--FUSED AND SMALL IN SIZE, PREMAXILLAE BILATERAL--SMALL IN SIZE, NASAL BONES--FUSED AND SMALL IN SIZE; CLEFT PALATE SKULL, CONFIRMATION OF EXTERNAL FINDINGS - CONFIRMATION; MICROGNATHIA (MAXIALLAE

(Skeletal)

SKULL

MOUTH, PALATE, CLEFT PALATE - MALFORMATION JAW, MAXILLAE, MALFORMATION JAW, MANDIBLE, MICROGNATHIA - MALFORMATION

MICROGNATHIA

(External)

HEAD

Unique Fetal Id.:

Left Fetal Position:

(Skeletal)

08

SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; RIGHT, SLIGHT

Fetal Position:

Unique Fetal Id.: Right 01

ABDOMEN

(Visceral)

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT URETER(S), HYDROURETER - VARIATION; BILATERAL, SLIGHT

> 456 Animal:

Right 03 Fetal Position:

Unique Fetal Id.:

(Skeletal) STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

0 MG/KG/DAY GROUP 1:

467

Animal:

Left 06

Unique Fetal Id.: 6

(Skeletal) Fetal Position: RIBS

RIB(S), BENT, SLIGHT TO MODERATE - VARIATION; RIGHT 5 AND

11

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2 AND 3, SLIGHT

(Skeletal) STERNUM

Unique Fetal Id.: 8 Right 01

Fetal Position: STERNUM

UNOSSIFIED - VARIATION STERNEBRA(E), 5-6,

Fetal Position: RIBS

(Skeletal)

Right 03

Unique Fetal Id.: 10

(Skeletal)

RIB 13, RUDIMENTARY - VARIATION; LEFT

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION (Skeletal)

STERNUM

RIB(S), BENT, SLIGHT TO MODERATE - VARIATION; LEFT 6-11; RIGHT 3-12 (Skeletal)

Unique Fetal Id.: 16

Right 09

Fetal Position:

471 Animal: Unique Fetal Id.: 3 Left 03 Fetal Position: STERNUM

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Unique Fetal Id.: 5

Right 01 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 AND (Skeletal)

9

SLIGHT

4

AND

3

- VARIATION;

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 1: 0 MG/KG/DAY

Animal: 474

Unique Fetal Id.: 3 Left 03 Fetal Position:

STERNUM (Skeletal)

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

1 Position: Left

07

Unique Fetal Id.: 7

Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT (Skeletal)

Animal: 497

Fetal Position: Left 01 SKULL

Unique Fetal Id.: 1

SUPRACCCIPITAL, REDUCED OSSIFICATION - VARIATION; SLIGHT INTERPARIETAL, REDUCED OSSIFICATION - VARIATION; SLIGHT HYOID, UNOSSIFIED - VARIATION

Fetal Position: Left 03

Unique Fetal Id.: 3

RIBS

(Skeletal)

RIB(S), BENT, SLIGHT TO MODERATE - VARIATION; LEFT 5-9 AND 11; RIGHT 5-11

STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT (Skeletal)

SKIII.I.

HYOID, UNOSSIFIED - VARIATION PARIETAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL, SLIGHT SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; RIGHT, SLIGHT (Skeletal)

(Skeletal)

Fetal Position:

STERNUM

Left 05 Unique Fetal Id.: 5

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, 4 AND

S

45

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 1: 0 MG/KG/DAY

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, 4 AND 5, SLIGHT STERNEBRA(E), 1-4, UNOSSIFIED - VARIATION; 2 ONLY Unique Fetal Id.: 7 Right 01 (Skeletal) Fetal Position: Animal: 497 (CONT.) STERNUM

INTERPARIETAL, REDUCED OSSIFICATION - VARIATION; SLIGHT HYOID, UNOSSIFIED - VARIATION PARIETAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL, SLIGHT SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL, SLIGHT (Skeletal) SKULL

Animal: 500

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, 4 AND 5, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2-5, SLIGHT PARIETAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL, SLIGHT Unique Fetal Id.: 6 Unique Fetal Id.: Right 01 Left 06 (Skeletal) (Skeletal) (Skeletal) Fetal Position: Fetal Position: STERNUM STERNUM SKULL

Unique Fetal Id.: 4

Left 04

Fetal Position:

Animal: 501

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT (Skeletal) STERNUM

Unique Fetal Id.: 1

Left 01

Fetal Position

SKULL (Skeletal) HYOID, UNOSSIFIED - VARIATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 1: 0 MG/KG/DAY

Animal: 501 (CONT.) Fetal Position:

Right 01

Unique Fetal Id.: 5

(Skeletal) STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Fetal Position: STERNUM

Right 07

Unique Fetal Id.: 11

(Skeletal)

STERNEBRA(E), 1-4, UNOSSIFIED - VARIATION; 2,3, AND 4 ONLY STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 AND 6

NOTE: THE FETUSES FROM LITTERS 388, 419, AND 421 SCHEDULED FOR SKELETAL EXAMINATION DISARTICULATED DURING PROCESSING. INDIVIDUAL FETAL SKELETAL EXAMINATIONS WERE NOT POSSIBLE.

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 2: 3 MG BASE/KG/DAY

Animal: 350

Fetal Position: Left 04

STERNUM

Unique Fetal Id.: 4

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, 3 AND 4, SLIGHT

Unique Fetal Id.: 10

Fetal Position: RIBS

(Skeletal)

Right 06

RIB 14, RUDIMENTARY - VARIATION; BILATERAL

STERNUM (Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2 AND 3, SLIGHT

Animal: 355

Fetal Position: Right 02

Unique Fetal Id.: 10

STERNUM

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4 AND 5, SLIGHT

Animal: 358

Fetal Position: Left 02

Unique Fetal Id.: 2

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Fetal Position: Left 04

(Skeletal)

STERNUM

Unique Fetal Id.: 4

STERNUM (Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4 AND 5, SLIGHT

osition: Left 06

Unique Fetal Id.: 6

Fetal Position: STERNUM (Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINAIR IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

3 MG BASE/KG/DAY GROUP 2:

(CONT.)

358

Animal:

Left 08 Fetal Position:

STERNUM

3 AND 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2,

Unique Fetal Id.: 8

(Skeletal)

Left 10

Fetal Position:

STERNUM

3 AND 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Unique Fetal Id.: 10

(Skeletal)

Unique Fetal Id.: 12 Right 02 Fetal Position:

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal) STERNUM

Unique Fetal Id.: 14 Right 04 Fetal Position

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, 3 AND 4, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal) STERNUM

360 Animal: Unique Fetal Id.: 6 Right 01 Fetal Position

(Skeletal) STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT

Unique Fetal Id.: 10

STERNUM

Right 05

Fetal Position:

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 2: 3 MG BASE/KG/DAY

Animal: 361

Left 03 Fetal Position:

STERNUM

(Skeletal)

Unique Fetal Id.: 3

Fetal Position:

ONLY STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 6

STERNUM

Left 05

Unique Fetal Id.: 5

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, 3 AND 4, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

(Skeletal)

Unique Fetal Id.: 7

Left 07 Fetal Position: COMMENTS: FETUSES 7 AND 13 WERE INADVERTENTLY SEPARATED FROM THEIR TAGS FOLLOWING THE EXTERNAL EXAMS BUT PRECEDING THE SKELETAL EXAMS; THEREFORE, SKELETAL FINDINGS FOR THESE TWO FETUSES MAY BE ASSIGNED INCORRECTLY.

Right 06 Fetal Position:

Unique Fetal Id.: 13

7 Comments: SEE COMMENT ON FETUS

STERNUM

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2 AND 3, SLIGHT

Animal: 376

Unique Fetal Id.: 8 Right 01

Fetal Position: STERNUM

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3,4 AND 5, SLIGHT

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 2: 3 MG BASE/KG/DAY

(CONT.) Animal: 376 Right 02 Fetal Position: Comments: PALE SKIN COLORATION NOT EVIDENT AT BOUINS (Visceral) EXAM

9

Unique Fetal Id.:

(External) WHOLE BODY

WHOLE BODY, PALLID FETUS - VARIATION

Right 05 Fetal Position:

STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT Unique Fetal Id.: 12 (Skeletal)

Animal: 398

Unique Fetal Id.: 1 Left 01 Fetal Position: ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; RIGHT, MODERATE

(Visceral)

Unique Fetal Id.: Left 05 Fetal Position: ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; LEFT, MODERATE (Visceral)

RIBS

Left 06

Fetal Position:

RIB(S), BENT, SLIGHT TO MODERATE - VARIATION; LEFT 11, RIGHT 6, 7 AND 11, SLIGHT (Skeletal)

Unique Fetal Id.: 6

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal) STERNUM

KIDNEY(S), HYDRONEPHROSIS - VARIATION; RIGHT, MODERATE ABDOMEN

Right 01

Fetal Position:

Unique Fetal Id.:

(Visceral)

Unique Fetal Id.: Right 02 Fetal Position: SKULL

SUPRAOCCIPITAL, REDUCED OSSIFICATION - VARIATION; SLIGHT (Skeletal)

APPENDIX

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

3 MG BASE/KG/DAY 5 GROUP

Animal: 398 (CONT.)

Unique Fetal Id.: 10 Right 04 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT (Skeletal)

Unique Fetal Id.: 11 Right 05 Fetal Position: ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SEVERE (Visceral)

Unique Fetal Id.: 12

Right 06

Fetal Position:

SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, (Skeletal) STERNUM

SKULL

HYOID, UNOSSIFIED - VARIATION

Animal: 403

(Skeletal)

Unique Fetal Id.: 1 Left 01

Fetal Position: STERNUM

4 AND 5, SLIGHT - VARIATION; 3, STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal)

Unique Fetal Id.: 5 Left 05 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal)

Unique Fetal Id.:

Fetal Position: STERNUM

Right 02

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal)

Animal: 413

Unique Fetal Id.: 1 Left 01 Fetal Position: WHOLE BODY

WHOLE BODY, PALLID FETUS - VARIATION (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

3 MG BASE/KG/DAY 7 GROUP

415 Animal: Right 01

Unique Fetal Id.: 8

Fetal Position: STERNUM

(Skeletal)

- VARIATION; 3 AND 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE

Right 03 Fetal Position:

Unique Fetal Id.: 10

(Skeletal) SKULL

HYOID, UNOSSIFIED - VARIATION

431 Animal: Unique Fetal Id.: 1 Left 01

Fetal Position: STERNUM

- VARIATION; 3 AND 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal)

Unique Fetal Id .: Right 02 Fetal Position: STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

Right 06 Fetal Position: STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

Unique Fetal Id.:

VERTEBRAL COLUMN

(Skeletal)

VERTEBRAE/RIBS, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; THORACIC ARCH 12, LEFT--SMALL; THORACIC ARCHES 11 AND 13, LEFT--LARGE; THORACIC CENTRUM

LEFT--SMALL; THORACIC ARCHES 11 AND 13, LEFT--LARGE; THORACIC CENTRUM 11--MALALIGNED; THORACIC CENTRUM 12--FORMED ON RIGHT SIDE ONLY; THORACIC CENTRUM 13 -- BIPARTITE AND MALALIGNED; RIB 12, LEFT, ARTICULATING HEAD -- SMALL

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 2: 3 MG BASE/KG/DAY

Animal: 436

Unique Fetal Id.: 6 Left 06 Fetal Position:

STERNUM

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT

Fetal Position:

Unique Fetal Id.: Right 02

STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

(Skeletal)

Fetal Position: STERNUM

Right 04

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal)

Unique Fetal Id .:

439 Animal: Unique Fetal Id.: 11 Right 03 Fetal Position

STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT (Skeletal)

Right 07 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT (Skeletal)

Unique Fetal Id.:

Animal: 449

Unique Fetal Id.: 5 Left 05 Fetal Position:

(Skeletal) STERNUM

ONLY Ŋ STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION;

Unique Fetal Id.: 7

07 Left Fetal Position: STERNUM

(Skeletal)

UNOSSIFIED - VARIATION; 5 ONLY STERNEBRA(E), 5-6,

HYOID, UNOSSIFIED - VARIATION (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 2: 3 MG BASE/KG/DAY

(CONT.) 449 Animal:

Left 09

Unique Fetal Id.: 9

(Skeletal) Fetal Position: RIBS

7, SLIGHT 6 AND RIB(S), BENT, SLIGHT TO MODERATE - VARIATION; RIGHT 5,

STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, 3 AND 4, SLIGHT

(Skeletal)

Unique Fetal Id.: 13 Right 04

Fetal Position: RIBS

RIB 14, RUDIMENTARY - VARIATION; BILATERAL (Skeletal)

STERNUM (Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4 AND 5, SLIGHT

Animal: 454

Left 04 Fetal Position:

Unique Fetal Id.:

(Skeletal) STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT

Right 04 Fetal Position: STERNUM

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT

Unique Fetal Id.:

Animal: 462

Right 02 Fetal Position: STERNUM

Unique Fetal Id.:

(Skeletal)

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Right 10 Fetal Position:

Unique Fetal Id.: 14

STERNUM (Skeletal)

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 2: 3 MG BASE/KG/DAY

480

Animal:

Left 04 Fetal Position:

(Skeletal) STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3,4 AND 5, SLIGHT

Unique Fetal Id.:

Fetal Position: STERNUM

Right 02

Unique Fetal Id.:

ONLY

(Skeletal)

Unique Fetal Id.: 12

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5

Fetal Position: STERNUM

(Skeletal)

Right 06

UNOSSIFIED - VARIATION; 5 ONLY STERNEBRA(E), 5-6,

Animal: 481

Left 03 Fetal Position:

Unique Fetal Id.: 3

(Skeletal) STERNUM

ONLY Ŋ STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION;

05 Left Fetal Position:

(Skeletal)

STERNUM

Unique Fetal Id.: 5

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

SLIGHT

4

3 AND

VARIATION;

03 Right Fetal Position: STERNUM

(Skeletal)

Unique Fetal Id.: 11

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 6 ONLY

05 Right Fetal Position: STERNUM

Unique Fetal Id.: 13

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4 STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 2: 3 MG BASE/KG/DAY

Animal: 481

Right 07 Fetal Position

STERNUM

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT Unique Fetal Id.: 15

Animal: 484

Left 04 Fetal Position:

STERNUM

(Skeletal)

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Unique Fetal Id.: 4

Right 02 Fetal Position:

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3,4 AND 5, SLIGHT (Skeletal) STERNUM

Unique Fetal Id.: 9

Right 04 Fetal Position: STERNUM

(Skeletal)

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Unique Fetal Id.: 11

Animal: 489

Unique Fetal Id.: 1 Left 01 Fetal Position

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4 AND 5, SLIGHT (Skeletal) STERNUM

Unique Fetal Id.: 13 Right 08 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2 AND 3, SLIGHT STERNEBRA(E), 1-4, UNOSSIFIED - VARIATION; 4 ONLY STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

3 MG BASE/KG/DAY 2 GROUP

495 Animal:

Left 01 Fetal Position:

STERNUM

Unique Fetal Id.: 1

(Skeletal)

5 ONLY STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION;

Unique Fetal Id.:

Fetal Position: STERNUM

(Skeletal)

90

Left

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Left 09 Fetal Position: STERNUM

Unique Fetal Id.: 9

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, (Skeletal)

SLIGHT

Unique Fetal Id.: 13

Fetal Position: RIBS

(Skeletal)

Right 04

RIB(S), BENT, SLIGHT TO MODERATE - VARIATION; LEFT 10, 11 AND 12; RIGHT 9-12; SLIGHT

NOTE: THE FETUSES FROM LITTERS 393, 402, 405 AND 413 SCHEDULED FOR SKELETAL EXAMINATION DISARTICULATED DURING PROCESSING. INDIVIDUAL FETAL SKELETAL EXAMINATIONS WERE NOT POSSIBLE.

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 3: 10 MG BASE/KG/DAY

Animal: 351

Unique Fetal Id.: 3 Left 03 Fetal Position: STERNUM

5, SLIGHT - VARIATION; STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal)

Unique Fetal Id.: 5 Left 05 Fetal Position: STERNUM

- VARIATION; 2 AND 3, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal)

Unique Fetal Id.: 11 Right 02 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, 3 AND 4, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

Animal: 371

Unique Fetal Id.: 1 Left 01 Fetal Position: STERNUM

ONLY STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 6 (Skeletal)

Unique Fetal Id.: 02 Right Fetal Position: STERNUM

- VARIATION; 3,4 AND 5, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal)

Unique Fetal Id.: 13 Right 08 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal)

Animal: 378

Unique Fetal Id.: 2 Left 02 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, SLIGHT (Skeletal)

Unique Fetal Id.: 90 Left Fetal Position: STERNUM

5 ONLY STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 3: 10 MG BASE/KG/DAY

378 (CONT.) Animal:

Left 08 Fetal Position:

œ Unique Fetal Id.: STERNUM

- VARIATION; 3 AND 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal)

Animal: 380

Unique Fetal Id.: 2 02 Left Fetal Position:

AND 7 VARIATION; (Skeletal) STERNUM

SLIGHT

3, STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Unique Fetal Id.: 4

04

Left

- VARIATION; 3 AND 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal) Fetal Position: STERNUM

Fetal Position:

Right 01

Unique Fetal Id.:

- VARIATION; 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal) STERNUM

Unique Fetal Id.: 13 Right 06 Fetal Position: STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

383 Animal:

(Skeletal)

Unique Fetal Id.: 1 Left 01 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal)

Unique Fetal Id.: 03 Left Fetal Position: STERNUM

ONLY S STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; (Skeletal)

3 AND 4, SLIGHT Fetal Position: Left 05 STERNUM (Skeletal) STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2,

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 3: 10 MG BASE/KG/DAY

Animal: 383 (CONT.)

Right 01 Fetal Position: STERNUM

(Skeletal)

Unique Fetal Id.: 7

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT

Animal: 384

Left 02 Fetal Position: SKULL

Unique Fetal Id .:

HYOID, UNOSSIFIED - VARIATION (Skeletal)

Unique Fetal Id.: 4

Left 04 Fetal Position: RIBS

(Skeletal)

RIB 13, REDUCED OSSIFICATION - VARIATION; LEFT

STERNUM (Skeletal)

Unique Fetal Id.:

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2 AND 3, SLIGHT

Right 02 Fetal Position: RIBS

(Skeletal)

RIB 13, REDUCED OSSIFICATION - VARIATION; RIGHT

STERNUM (Skeletal)

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

HYOID, UNOSSIFIED - VARIATION (Skeletal)

SKULL

Right 04

Fetal Position:

Unique Fetal Id.: 10

(Skeletal)

RIB 13, REDUCED OSSIFICATION - VARIATION; BILATERAL

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 25 PRESACRAL VERTEBRAE - VARIATION

(Skeletal) SKULL

HYOID, UNOSSIFIED - VARIATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 3: 10 MG BASE/KG/DAY

Animal: 384 (CONT.)

Unique Fetal Id.: 12 Right 06 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4 AND 5, SLIGHT (Skeletal)

Unique Fetal Id.: 14 Right 08 Fetal Position: RIBS

RIB 13, REDUCED OSSIFICATION - VARIATION; BILATERAL (Skeletal)

VERTEBRAE, 25 PRESACRAL VERTEBRAE - VARIATION VERTEBRAL COLUMN (Skeletal)

Animal: 390

Unique Fetal Id.: 4 Left 04 Fetal Position

5 ONLY STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; (Skeletal) STERNUM

Unique Fetal Id.: 8 Left 08 Fetal Position: STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal) Unique Fetal Id.: 10 Right 02 Fetal Position: STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

SKULL (Skeletal) HYOID, UNOSSIFIED - VARIATION

Animal: 395

Unique Fetal Id.: 1 Left 01 Fetal Position: STERNUM

5 ONLY STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 3: 10 MG BASE/KG/DAY

Animal: 395 (CONT.)

Right 02 Fetal Position: SKULL

Ŋ

Unique Fetal Id.:

HYOID, UNOSSIFIED - VARIATION (Skeletal)

Unique Fetal Id.: 12 Right 09 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2 AND 3, SLIGHT (Skeletal)

Animal: 420

Unique Fetal Id.: 2 Left 02 Fetal Position

- VARIATION; 3 AND 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal) STERNUM

Unique Fetal Id.: Left 04 Fetal Position: STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

Unique Fetal Id.: 01 Right Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

HYOID, UNOSSIFIED - VARIATION (Skeletal) SKULL

Unique Fetal Id.: 14 Right 07

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY Fetal Position: STERNUM (Skeletal)

Animal: 427

Unique Fetal Id.: Left 04 Fetal Position:

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3,4 AND 5, SLIGHT (Skeletal) STERNUM

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 3: 10 MG BASE/KG/DAY

Animal: 427 (CONT.)

Q Unique Fetal Id.: Left 06 Fetal Position: STERNUM

5, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; (Skeletal)

Unique Fetal Id.: 12 Right 06 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT (Skeletal)

Animal: 434

Unique Fetal Id.: 8 Right 02 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2,3 AND 4, SLIGHT (Skeletal)

Unique Fetal Id.: 10 Right 04 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2,3 AND 4, SLIGHT (Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT Unique Fetal Id.: 12 Right 06 (Skeletal) Fetal Position: STERNUM

Animal: 435

Unique Fetal Id.: 4 Left 04 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3,4 AND 5, SLIGHT (Skeletal)

Unique Fetal Id.: 7 Left 07 Fetal Position: RIBS

RIB(S), BENT, SLIGHT TO MODERATE - VARIATION; BILATERAL 11 AND 12 (Skeletal)

SUPRAOCCIPITAL, REDUCED OSSIFICATION - VARIATION (Skeletal)

SKULL

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 3: 10 MG BASE/KG/DAY

447 Animal: Unique Fetal Id.: 3 Left 03 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal)

- VARIATION; 3,4 AND

5, SLIGHT

Unique Fetal Id.: Left 05 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2-5, SLIGHT (Skeletal)

Unique Fetal Id.: Right 01 Fetal Position: RIBS

RIB 13, RUDIMENTARY

(Skeletal)

VERTEBRAL COLUMN (Skeletal)

- VARIATION; LEFT

VERTEBRAE, 25 PRESACRAL VERTEBRAE - VARIATION

Animal:

Unique Fetal Id.: 1 Left 01 Fetal Position: STERNUM

RIB 13, REDUCED OSSIFICATION - VARIATION;

(Skeletal)

LEFT

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

Unique Fetal Id.: 5 05 Left Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

RIBS

Left 07

Fetal Position:

RIB(S), BENT, SLIGHT TO MODERATE - VARIATION; RIGHT 6-9, SLIGHT (Skeletal)

Unique Fetal Id.: 7

3 AND 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, (Skeletal) STERNOM

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINAIR IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 3: 10 MG BASE/KG/DAY

Animal: 453 (CONT.)

œ Unique Fetal Id.: Left 08 Fetal Position: ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; RIGHT, SLIGHT (Visceral)

Unique Fetal Id.: 9 Right 01 Fetal Position: STERNUM

- VARIATION; 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal)

Unique Fetal Id.: 11 Right 03 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT (Skeletal)

Unique Fetal Id.: 12 Right 04 Fetal Position: ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; RIGHT, SLIGHT Right 05 (Visceral)

RIB(S), BENT, SLIGHT TO MODERATE - VARIATION; LEFT 5, 6 AND 7, 10-13; RIGHT, 4-13 Unique Fetal Id.: 13 (Skeletal) Fetal Position: RIBS

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal) STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal) Fetal Position: STERNUM

Unique Fetal Id.: 15

Right 07

Animal: 457

Unique Fetal Id.: Left 02 Fetal Position: ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; LEFT, SLIGHT (Visceral)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 3: 10 MG BASE/KG/DAY

Animal: 457 (CONT.)

Left 04 Fetal Position:

ABDOMEN

(Visceral)

Unique Fetal Id.: 4

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, MODERATE URETER(S), HYDROURETER - VARIATION; LEFT, MODERATE

Unique Fetal Id.: Right 02 Fetal Position: ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; RIGHT, SLIGHT (Visceral)

Unique Fetal Id.: Right 05 Fetal Position: RIBS

RIB 13, RUDIMENTARY - VARIATION; RIGHT

(Skeletal)

VERTEBRAE, 25 PRESACRAL VERTEBRAE - VARIATION VERTEBRAL COLUMN (Skeletal) Unique Fetal Id.: 12 Right 08 Fetal Position: RIBS

RIB 13, RUDIMENTARY - VARIATION; BILATERAL (Skeletal) Unique Fetal Id.: 13 Right 09 Fetal Position: ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT

Animal: 459

(Visceral)

Unique Fetal Id.: 1 Left 01 Fetal Position STERNUM

വ STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; (Skeletal)

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY Unique Fetal Id.: Left 04 (Skeletal) Fetal Position: STERNUM

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/IRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

10 MG BASE/KG/DAY 3 GROUP

Animal: 459 (CONT.)

4, 3 AND SLIGHT VARIATION; STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY Unique Fetal Id.: 10 9 Unique Fetal Id.: Right 05 Right 01 (Skeletal) (Skeletal) Fetal Position: STERNUM Fetal Position: STERNUM

SLIGHT

Unique Fetal Id.: 12 07 Right Fetal Position:

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal) STERNUM

- VARIATION; 3 AND 4, STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE Unique Fetal Id.: 14 Right 09 (Skeletal) Fetal Position: STERNUM

SLIGHT

RIB(S), BENT, SLIGHT TO MODERATE - VARIATION; LEFT 3-6,11 AND 12; RIGHT 6-12 Unique Fetal Id.: 15 Right 10 Fetal Position: RIBS (Skeletal)

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal) STERNUM

469 Animal:

- VARIATION; 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE Unique Fetal Id.: 1 Left 01 (Skeletal) Fetal Position STERNUM

Unique Fetal Id.: 3 03 Left Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, 3 AND 4, SLIGHT (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 3: 10 MG BASE/KG/DAY

Animal: 469 (CONT.)

Right 01 Fetal Position:

Unique Fetal Id.: 5

STERNUM

(Skeletal)

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

HEAD

TOP, CENTER, HEMATOMA - VARIATION (External)

472 Animal: Unique Fetal Id.: 6

Fetal Position: STERNUM

(Skeletal)

Left 06

4, STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

SLIGHT

Right 03 Fetal Position:

Unique Fetal Id.: 12

STERNUM

(Skeletal)

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 AND

9

Fetal Position: STERNUM

Right 05

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal)

Unique Fetal Id.: 14

Animal: 482

Unique Fetal Id.: Left 08 Fetal Position:

STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, 4 AND 5, SLIGHT (Skeletal)

D APPENDIX

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

10 MG BASE/KG/DAY GROUP 3:

Animal: 486

Unique Fetal Id.: 2 Left 02 Fetal Position: STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION (Skeletal)

Left 04

Fetal Position: RIBS

Unique Fetal Id.: 4

RIB(S), BENT, SLIGHT TO MODERATE - VARIATION; LEFT 11; RIGHT 9,10 AND 11; SLIGHT (Skeletal)

STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

(Skeletal)

Id.: 11 Unique Fetal 02 Right Fetal Position:

TO MODERATE - VARIATION; RIGHT 10 AND 11, SLIGHT 7TH - VARIATION; LEFT SLIGHT PRESENT RIB(S), BENT, CERVICAL RIB, (Skeletal) RIBS

5-6, UNOSSIFIED - VARIATION STERNEBRA(E), (Skeletal) STERNUM

TO MODERATE - VARIATION; RIGHT 9, SLIGHT Fetal Position: RIBS

Id.: 15

Unique Fetal

90

Right

SLIGHT RIB(S), BENT, (Skeletal)

Animal: 494

Unique Fetal Id.: 4 Left 04 Fetal Position: SKULL

PARIETAL(S), REDUCED OSSIFICATION - VARIATION; LEFT, SLIGHT (Skeletal)

Unique Fetal Id.: Right 01 Fetal Position: SKULL

SUPRAOCCIPITAL, REDUCED OSSIFICATION - VARIATION; SLIGHT SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; LEFT, SLIGHT (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 3: 10 MG BASE/KG/DAY

Animal: 494 (CONT.)

Unique Fetal Id.: 10 Right 03 Fetal Position: STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

SKULL (Skeletal)

PARIETAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL, SLIGHT

Animal: 502

Unique Fetal Id.: 3 Left 03 Fetal Position: STERNUM

(Skeletal) STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION

Unique Fetal Id.: 02 Right Fetal Position: STERNUM

5 ONLY STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; (Skeletal)

Unique Fetal Id.: 7 Right 04 Fetal Position: STERNUM

STERNEBRA(E), 1-4, UNOSSIFIED - VARIATION; 4 ONLY STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

Unique Fetal Id.: Right 06 Fetal Position: RIBS

RIB(S), BENT, SLIGHT TO MODERATE - VARIATION; RIGHT 12, SLIGHT (Skeletal)

SKULL (Skeletal) HYOID, UNOSSIFIED - VARIATION

Unique Fetal Id.: 11 Right 08 Fetal Position: RIBS

RIB 14, RUDIMENTARY - VARIATION; BILATERAL (Skeletal)

STERNUM (Skeletal) STERNEBRA(E),

tal) STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 6 ONLY

SUPRAOCCIPITAL, REDUCED OSSIFICATION - VARIATION; SLIGHT (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 4: 30 MG BASE/KG/DAY

NOTE: THE FETUSES FROM LITTERS 400, 424, AND 425 SCHEDULED FOR SKELETAL EXAMINATION DISARTICULATED DURING PROCESSING. INDIVIDUAL FETAL SKELETAL EXAMINATIONS WERE NOT POSSIBLE.

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 4: 30 MG BASE/KG/DAY

Animal: 354

Unique Fetal Id.: 4 Left 04 (Skeletal) Fetal Position: STERNUM

SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3,

Unique Fetal Id.: 6 Left 06 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, 3 AND 4, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 6 ONLY (Skeletal)

Unique Fetal Id.: 8 Left 08 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4 AND (Skeletal)

Unique Fetal Id.: 12 Right 01 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, Unique Fetal Id.: 14 Right 03 (Skeletal) Fetal Position: STERNUM

SLIGHT

Ŋ

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT (Skeletal)

Animal: 356

Unique Fetal Id.: 2 Left 02 Fetal Position STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal)

Unique Fetal Id.: 6 Left 06 Fetal Position: STERNUM

3 AND 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 4: 30 MG BASE/KG/DAY

Animal: 370

Left 02 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT

Unique Fetal Id.: 2

(Skeletal)

STERNUM

Unique Fetal Id.: 8 Right 03 Fetal Position:

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, SLIGHT (Skeletal)

Unique Fetal Id.: 10 Right 05 Fetal Position: STERNUM

3 7 VARIATION; ı STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION (Skeletal)

AND

CERVICAL ARCHES, REDUCED OSSIFICATION - VARIATION; RIGHT 3-6 VERTEBRAL COLUMN (Skeletal)

Animal: 374

Unique Fetal Id.: 2 Left 02 Fetal Position: STERNUM

3 AND 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, (Skeletal)

Unique Fetal Id.: Left 04 Fetal Position: STERNUM

3 AND 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, (Skeletal)

Unique Fetal Id.: Left 07 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 4: 30 MG BASE/KG/DAY

Animal: 374 (CONT.)

Unique Fetal Id.: 8 Right 01 Fetal Position:

Comments: UMBILICAL HERNIA NOT EVIDENT INTERNALLY

(External) TORSO

UMBILICUS, UMBILICAL HERNIA - NOT TABULATED SINCE IT WAS NOT CONFIRMED INTERNALLY

ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; LEFT, SLIGHT (Visceral)

Unique Fetal Id.:

Right 07 Fetal Position: BACK

POSTERIOR, LEFT, HEMATOMA - VARIATION (External)

Animal: 379

Unique Fetal Id.: 2 Right 02 Fetal Position: ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT (Visceral)

Animal: 382

Unique Fetal Id.: 4 Left 04

Fetal Position: STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 6 ONLY (Skeletal)

Unique Fetal Id.: Left 06 Fetal Position: SKULL

HYOID, UNOSSIFIED - VARIATION (Skeletal)

Unique Fetal Id.: 10 Right 03 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2,3 AND (Skeletal

Unique Fetal Id.: 12 Right 05 Fetal Position: STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 4: 30 MG BASE/KG/DAY

Animal: 385

Fetal Position: ABDOMEN

Unique Fetal Id.: 6 Right 01 KIDNEY(S), HYDRONEPHROSIS - VARIATION; RIGHT, SLIGHT (Visceral)

Animal: 399

Left 01 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT

Unique Fetal Id.: 1

(Skeletal)

Unique Fetal Id.: 3 Left 03 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal)

Unique Fetal Id.: 5 Right 02 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, 4 AND 5, SLIGHT

Animal: 404

(Skeletal)

Unique Fetal Id.: 2 Left 02 Fetal Position: RIBS

- VARIATION; LEFT RIB 13, RUDIMENTARY (Skeletal)

Unique Fetal Id.: 7 Right 03 Fetal Position: RIBS

RIB 13, RUDIMENTARY - VARIATION, LEFT (Skeletal) STERNUM (Skeletal)

SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2,

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT Right 05 Fetal Position: STERNUM (Skeletal)

Unique Fetal Id.:

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 4: 30 MG BASE/KG/DAY

Animal: 410

Left 05 Fetal Position:

Unique Fetal Id.: 5

ABDOMEN

(Visceral)

URETER(S), HYDROURETER - VARIATION; BILATERAL, SLIGHT

Left 07 Fetal Position:

Unique Fetal Id.: 7

(Visceral) ABDOMEN

KIDNEY(S), HYDRONBPHROSIS - VARIATION; BILATERAL, SLIGHT URETER(S), HYDROURETER - VARIATION; BILATERAL, SLIGHT

Right 04 Fetal Position:

Unique Fetal Id.: 11

(Visceral)

ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL

Fetal Position: ABDOMEN

(Visceral)

Right 10

KIDNEY(S), HYDRONEPHROSIS - VARIATION; RIGHT, SLIGHT

Unique Fetal Id.: 17

Animal: 440

Left 02 Fetal Position:

Unique Fetal Id.: 2

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2-5, SLIGHT (Skeletal) STERNUM

Right 01 Fetal Position: STERNUM

ONLY Ŋ STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; (Skeletal)

Unique Fetal Id.:

Unique Fetal Id.: 04 Right Fetal Position:

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2 AND 3, SLIGHT (Skeletal)

STERNUM

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 4: 30 MG BASE/KG/DAY

Animal: 441

Unique Fetal Id.: 1 Left 01 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; (Skeletal)

2-5

03

Left

Fetal Position: STERNUM (Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, 3 AND 4, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Unique Fetal Id.: 3

Unique Fetal Id.: 7 Left 07 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT (Skeletal)

Unique Fetal Id.: Right 02 Fetal Position: STERNUM

ONLY STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 (Skeletal)

Unique Fetal Id.: 11 Right 04 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, 4 AND 5, Unique Fetal Id.: 13 Right 06 (Skeletal) Fetal Position: STERNUM

(Skeletal)

SLIGHT 4, 3 AND VARIATION; STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 4: 30 MG BASE/KG/DAY

Animal: 444

Left 02 Fetal Position:

STERNUM

Unique Fetal Id.: 2

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2-5, SLIGHT

Right 01 Fetal Position: ABDOMEN

Unique Fetal Id.: 5

KIDNEY(S), HYDRONEPHROSIS - VARIATION; LEFT, SLIGHT

(Visceral)

Unique Fetal Id.: 7

Right 03 Fetal Position:

(Skeletal)

SUPRAOCCIPITAL, REDUCED OSSIFICATION - VARIATION; SLIGHT

Fetal Position: STERNUM

Right 05

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, SLIGHT (Skeletal)

Unique Fetal Id.:

Animal: 448

Unique Fetal Id.: 2 Left 02 Fetal Position:

STERNUM

(Skeletal)

VARIATION; 4, MALALIGNED STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

Left 04 Fetal Position:

(Skeletal)

RIB 13, RUDIMENTARY - VARIATION; BILATERAL

Unique Fetal Id.:

STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

MG BASE/KG/DAY 30 GROUP 4:

448 (CONT.) Animal: Unique Fetal Id.: 05 Left Fetal Position:

Ŋ

WHOLE BODY

GENERAL OBSERVATION WHOLE BODY, SMALL IN SIZE - NOT TABULATED, Unique Fetal Id.: Left 06 (External) Fetal Position:

ONLY S UNOSSIFIED - VARIATION; STERNEBRA(E), 5-6, (Skeletal) STERNUM

Unique Fetal Id.: 08 Left Fetal Position: STERNUM

- VARIATION; 3 AND 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal)

Unique Fetal Id.: 12 Right 02 Fetal Position:

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal) STERNUM

450 Animal: Unique Fetal Id.: 4 Left 04 Fetal Position:

SLIGHT 3 AND 4, STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal) STERNUM

Unique Fetal Id.: Left 05 Fetal Position:

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT MICROSTOMIA

(External) HEAD

Y - MALFORMATION; ABSENT MOUTH, - MALFORMATION, TONGUE ABSENT, FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY MICROSTOMIA - MALFORMATION JAW, AGNATHIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 4: 30 MG BASE/KG/DAY

Animal: 450 (CONT.)

Left 07 Fetal Position: ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; RIGHT, SLIGHT URETER(S), HYDROURETER VARIATION; RIGHT, SLIGHT

1

Unique Fetal Id.:

(Visceral)

Unique Fetal Id.: 8 08 Left Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, 3 AND 4, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

Unique Fetal Id.: 10 01 Right Fetal Position: STERNUM

4, SLIGHT 3 AND STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

Unique Fetal Id.: 12 03 Right Fetal Position: STERNUM

SLIGHT - VARIATION; 3, STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal)

Unique Fetal Id.: 14 05 Right Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, SLIGHT (Skeletal)

Animal: 460

Unique Fetal Id.: 2 Left 02 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT (Skeletal)

Unique Fetal Id.: Right 04 Fetal Position: RIBS

RIB 13, RUDIMENTARY - VARIATION; RIGHT (Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2 AND 3, (Skeletal) STERNUM

SLIGHT

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 4: 30 MG BASE/KG/DAY

Animal: 475

Unique Fetal Id.: 3 Left 03 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal)

Unique Fetal Id.: 5 Left 05 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, MALALIGNED STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

Unique Fetal Id.: 12 07 Right Fetal Position:

ANAL OPENING, SMALL IN SIZE - MALFORMATION (External) ANUS

TAIL, THREAD-LIKE - MALFORMATION (External)

TAIL

Right 10

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal) Fetal Position: STERNUM

Unique Fetal Id.: 15

Animal: 483

Unique Fetal Id.: 1 Left 01 Fetal Position: STERNUM

SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, (Skeletal)

Unique Fetal Id.: 03 Left Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 4: 30 MG BASE/KG/DAY

483 (CONT.) Animal:

Unique Fetal Id.: Left 07 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT (Skeletal)

Unique Fetal Id.: 9 Right 01 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT

(Skeletal)

Right 03

STERNEBRA(E), 1-4, UNOSSIFIED - VARIATION; 4 ONLY STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 AND 6

Unique Fetal Id.: 11

Fetal Position: STERNUM (Skeletal)

Unique Fetal Id.: 13 Right 05

Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal)

490 Animal:

Unique Fetal Id.: 1 Left 01 Fetal Position:

Comments: HEMATOWA RT. PINNA NOT EVIDENT AT BOUINS (Visceral) EXAM

(External) HEAD

PINNA(E), RIGHT, HEMATOMA - VARIATION

Unique Fetal Id.: Right 01 Fetal Position: PELVIS

PUBIS, UNOSSIFIED - VARIATION; BILATERAL (Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY STERNUM (Skeletal)

SLIGHT

4

AND

m

Unique Fetal Id.: Right 03 Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT (Skeletal)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 4: 30 MG BASE/KG/DAY

Animal: 491

Unique Fetal Id.: 1 Left 01 Fetal Position STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3,4 AND 5, SLIGHT (Skeletal)

Unique Fetal Id.: 3 Left 03 Fetal Position:

STERNUM

SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2-5, (Skeletal)

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT

Unique Fetal Id.: 6 Left 06 Fetal Position: ABDOMEN

492 Animal:

(Visceral)

Unique Fetal Id.: 2 Left 02 Fetal Position

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal) STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3,4 AND 5, SLIGHT Fetal Position: STERNUM (Skeletal)

Unique Fetal Id.: 4

04

Left

Unique Fetal Id.: 6 Left 06 Fetal Position: STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

Right 03

SLIGHT 4, 3 AND VARIATION; STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY Fetal Position: STERNUM (Skeletal)

Unique Fetal Id.: 11

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 4: 30 MG BASE/KG/DAY

503 Anima1:

Left 07 Fetal Position: STERNUM

Unique Fetal Id.: 7

(Skeletal)

STERNEBRA(E), 1-4, UNOSSIFIED - VARIATION; 4 ONLY STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 AND 6

Right 02 Fetal Position: STERNUM

Unique Fetal Id.: 11

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal)

NOTE: THE FETUSES FROM LITTERS 385, 392, 410, AND 417 SCHEDULED FOR SKELETAL EXAMINATION DISARTICULATED DURING PROCESSING. INDIVIDUAL FETAL SKELETAL EXAMINATIONS WERE NOT POSSIBLE.

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 353

Fetal Position: Left 02 RIBS

Unique Fetal Id.: 2

(Skeletal) RIB 14, RUDIMENTARY - VARIATION; RIGHT

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 6 ONLY (Skeletal) STERNUM

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAL COLUMN (Skeletal)

SKULL

SQUAMOSAL(S), UNOSSIFIED - VARIATION; BILATERAL (Skeletal)

HEAD

MALPOSITIONED SUPERNUMERARY BILATERAL, ANOMALY - MALFORMATION; MALFORMATION; PINNA(E), PINNA(E) ANOMALY -PAPILLA(E), FACIAL PAPILLA(E) MACROSTOMIA - MALFORMATION (External)

FACIAL MOUTH,

> Unique Fetal Id.: 03 Left Fetal Position:

m

Comments: EXTERNALS NOT CONFIRMED VISCERALLY

HEAD

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY PRESENT (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

5: 1000 MG/KG/DAY (RETINOL PALMITATE) GROUP

353 (CONT.) Animal:

Unique Fetal Id.: 4 Left 04 Fetal Position: RIBS

(Skeletal)

RIB 14, FULL - VARIATION; LEFT FULL, RIGHT RUDIMENTARY

STERNUM

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT

VERTEBRAL COLUMN

(Skeletal)

PRESACRAL VERTEBRAE - VARIATION 27 VERTEBRAE,

SKULL

SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL (Skeletal)

HEAD

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MACROSTOMIA - MALFORMATION (External)

Unique Fetal Id.:

Left 05

Fetal Position:

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; RIGHT MICROPHTHALMIA (External)

HEAD

(External)

FACIAL MOUTH, MALPOSITIONED SUPERNUMERARY MALFORMATION; BILATERAL, ANOMALY - MALFORMATION; PINNA(E), PINNA(E) ANOMALY -PAPILLA(E), FACIAL PAPILLA(E) MACROSTOMIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

5: 1000 MG/KG/DAY (RETINOL PALMITATE) GROUP

353 (CONT.) Animal: Left 06 Fetal Position: RIBS

Unique Fetal Id.:

RIB 14, RUDIMENTARY - VARIATION; BILATERAL (Skeletal)

STERNUM

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL

(Skeletal)

SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL

HEAD

MALFORMATION; BILATERAL, MALPOSITIONED MOUTH, PINNA(E), PINNA(E) ANOMALY MACROSTOMIA - MALFORMATION (External)

Left 07 Fetal Position:

Unique Fetal Id.:

Comments: EXTERNALS CONFIRMED VISCERALLY

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, MALPOSITIONED MOUTH, MACROSTOMIA - MALFORMATION (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINAIR IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 353 (CONT.)

Fetal Position: Left 08

Unique Fetal Id.: 8

IBS (Skeletal)

RIB 14, RUDIMENTARY - VARIATION; BILATERAL

STERNUM

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2,3 AND 4, STERNEBRA(E), 1-4, UNOSSIFIED - VARIATION; 2 ONLY

SLIGHT

VERTEBRAL COLUMN

(Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL

(Skeletal)

SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL

- MALFORMATION; ABSENT, FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY (External)

ONLY

HEAD

PRESENT MOUTH, MACROSTOMIA - MALFORMATION

Fetal Position: Right 02 *

Unique Fetal Id.: 10

HEAD

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, PRESENT MOUTH, MACROSTOMIA - MALFORMATION (External)

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

ONLY

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 353 (CONT.)

Right 03 Fetal Position:

Unique Fetal Id.: 11

(Skeletal)

RIB 14, FULL - VARIATION; LEFT RUDIMENTARY, RIGHT FULL

(Skeletal) STERNUM

5-6, UNOSSIFIED - VARIATION; 6 ONLY STERNEBRA(E),

> VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

(Skeletal) SKULL

SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL

HEAD

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MACROSTOMIA - MALFORMATION (External)

Right 04

Fetal Position:

Unique Fetal Id.: 12

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- SUPERNUMERARY

HEAD

(External)

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MACROSTOMIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 353 (CONT.)

Unique Fetal Id.: 13 Right 05 Fetal Position:

RIBS

(Skeletal)

STERNUM

- VARIATION; BILATERAL

RIB 14, RUDIMENTARY

(Skeletal)

SLIGHT TO MODERATE - VARIATION; 2 AND 3, SLIGHT STERNEBRA(E), MALALIGNED,

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL

SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL (Skeletal)

HEAD

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MACROSTOMIA - MALFORMATION (External)

Animal: 362

Fetal Position: Left 03 * Unique Fetal Id.: 3

Comments: EXTERNALS CONFIRMED EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

EYES

(External) EYELID(S), OPEN EYELID(S) - MALFORMATION; LEFT

ABDOMEN

(Visceral)

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT URETER(S), HYDROURETER - VARIATION; BILATERAL, SLIGHT

HEAD (External) PINNA(E

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, PALATE, CLEFT PALATE - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 362 (CONT.)

Fetal Position: Left 04 Unique Fetal Id.: RIBS

(Skeletal) RIB 14, RU

RIB 14, RUDIMENTARY - VARIATION; BILATERAL

4

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL (Skeletal)

: PORTION OF MAXILLAE AND CONFIRMATION; EXENCEPHALY: MAXILLAE MICROGNATHIA: MA SKULL, CONFIRMATION OF EXTERNAL FINDI -FRONTALS, PARIETALS BILATERAL--ABSENT; PREMAXILLAE BILATERAL--SMALL IN SIZE

EYES (External) EYELI

EYELID(S), OPEN EYELID(S) - MALFORMATION; RIGHT

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION

Id.:

Unique Fetal

Fetal Position: Left 05 *

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

EYES

- MALFORMATION; RIGHT EYELID(S), OPEN EYELID(S) (External)

ABDOMEN

SLIGHT URETER(S), HYDROURETER - VARIATION; BILATERAL, KIDNEY(S), HYDRONEPHROSIS - VAI - VARIATION; BILATERAL, SLIGHT (Visceral)

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, ABSENT; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, ENCEPHALOCELE - MALFORMATION MOUTH, PALATE, CLEFT PALATE -MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION (External)

APPENDIX

RAIS DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

362 (CONT.) Animal:

Unique Fetal Id.: 90 Left Fetal Position: RIBS

9

- VARIATION; RIB 14, RUDIMENTARY (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAL COLUMN (Skeletal - CONFIRMATION; EXENCEPHALY: PORTION OF BILATERAL--ABSENT; CLEFT PALATE SMALL IN INTERPARIETAL, FRONTALS, PARIETALS BILATERAL--ABSENT; SUPRAOCCIPITAL, REDUCED OSSIFICATION - VARIATION MAXILLA(E), MALFORMATION PREMAXILLA(E), SMALL IN SIZE - CONFIRMATION PARIETALS CONFIRMATION OF EXTERNAL FINDI (Skeletal)

EYELID(S), OPEN EYELID(S) - MALFORMATION; BILATERAL (External) EYES

(External) HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION

Unique Fetal Id.: 7 Left 07 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

ABDOMEN

HEAD

SLIGHT URETER(S), HYDROURETER KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, - VARIATION; BILATERAL, SLIGHT (Visceral)

(External)

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, ABSENT; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, HYDROCEPHALY - MALFORMATION; BILATERAL, SEVERE MACROSTOMIA - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION (Visceral) (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 362 (CONT.)

Fetal Position: Left 08 RIBS

(Skeletal) RIB 14, RUDIMENTARY - VARIATION;

STERNUM (Skeletal)

- VARIATION; 3 AND 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE

ω

Unique Fetal Id.:

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; RIGHT THORACIC ARCHES 13 AND 14--FUSED; THORACIC CENTRUM 12--BIPARTITE AND ENLARGED ON RIGHT SIDE; THORACIC CENTRUM 13--FORMED ON LEFT SIDE ONLY; THORACIC CENTRUM 14 ENLARGED ON RIGHT SIDE

SKULL

(Skeletal)

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: PORTION OF FRONTALS, PARIETALS BILATERAL, INTERPARIETAL--ABSENT; MAXILLAE MICROGNATHIA: MAXILLAE, PREMAXILLAE BILATERAL--SMALL IN SIZE; CLEFT PALATE SUPRACCIPITAL, REDUCED OSSIFICATION - VARIATION

EYES

External)

EYELID(S), OPEN EYELID(S) - MALFORMATION; BILATERAL

HEAD

Z SMALL BILATERAL, MALFORMATION; ANOMALY PINNA (E) PINNA(E), PIN MALPOSITIONED (External)

AND

SIZE

COMMENTS: FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 362 (CONT.)

Fetal Position: Right 01 *

Unique Fetal Id.: 10

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- SUPERNUMERARY

EYES

(External)

EYELID(S), OPEN EYELID(S) - MALFORMATION; RIGHT

ABDOMEN

(Visceral)

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT URETER(S), HYDROURETER - VARIATION; BILATERAL, SLIGHT

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, ABSENT FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, ENCEPHALOCELE MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, PALATE, CLEFT PALATE

MALFORM

(Visceral)

MALFORMATION PALATE, CLEFT PALATE - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 362 (CONT.)

Fetal Position: Right 02 STERNUM

SLIGHT - VARIATION; 2 AND 3, STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE

Unique Fetal Id.: 11

VERTEBRAL COLUMN (Skeletal)

(Skeletal)

MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; RIGHT THORACIC ARCHES 12-17--FUSED; RIGHT RIB 13--ABSENT; THORACIC CENTRA 10-14 AND LUMBAR CENTRA 1-3--MALFORMED VERTEBRAE/RIBS, VARIATION (FUSED, BIPARTITE, MALALIGNED AND/OR HEMICENTRA) VERTEBRAE PRESACRAL 27 VERTEBRAE,

LL (Skeletal)

BONES FORMING EYE SOCKETS MALFORMED SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EX: PORTION OF FRONTALS, MAXILLAE MICROGNATHIA: PARIETALS BILATERAL--SMALL IN SIZE; MAXILLAE MICROGNATHIA PREMAXILLAE BILATERAL--SMALL IN SIZE; BILATERAL MICROPHTHALMIA:

EYES

(External)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA EYELID(S), OPEN EYELID(S) - MALFORMATION; LEFT

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED (External)

Comments: FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY MALFORMATION JAW, - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA MAXILLAE, MICROGNATHIA - MALFORMATION - MALFORMATION MOUTH, MACROSTOMIA

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 362 (CONT.)

Fetal Position: Right 04 *

Unique Fetal Id.: 13

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY (External)

MALFORMATION; SUPERNUMERARY MOUTH, MACROSTOMIA - MALFORMATION

Fetal Position: Right 05

Unique Fetal Id.: 14

(Skeletal)

STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: (Skeletal)

PORTIONS OF MAXILLAE MICROGNATHIA: M CLEFT PALATE SUPRAOCCIPITAL, FRONTALS, PARIETALS BILATERAL -- ABSENT; PREMAXILLAE BILATERAL -- SMALL IN SIZE;

OSSIFICATION - VARIATION INTERPARIETAL, UNOSSIFIED - VARIATION

EYES

(External)

EXE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA

HEAD (External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

1000 MG/KG/DAY (RETINOL PALMITATE) 2 GROUP

362 (CONT.) Animal:

Unique Fetal Id.: 15 Right 06 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY

EYES

(External)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL (External)

IN SIZE AND MALPOSITIONED BRAIN, EXENCEPHALY - MALFORMATION BRAIN, HYDROCEPHALY - MALFORMATION; BILATERAL, MODERATE (Visceral)

364 Animal: Unique Fetal Id.: 1 Left 01 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- MALPOSITIONED

EYES

- MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S) (External)

ABDOMEN

SLIGHT URETER(S), HYDROURETER KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, - VARIATION; BILATERAL, SLIGHT (Visceral)

(External)

HEAD

MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION SMALL IN SIZE AND TONGUE, MACROGLOSSIA BILATERAL, MOUTH, PALATE, CLEFT PALATE - MALFORMATION MOUTH, T MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION MALFORMATION; PINNA (E) ANOMALY PINNA (E),

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

5: 1000 MG/KG/DAY (RETINOL PALMITATE) GROUP

364 (CONT.)

Animal:

02 Left VERTEBRAL COLUMN (Skeletal) Fetal Position:

FUSED - MALFORMATION; LEFT LUMBAR ARCH 3--SMALL, MALFORMED AND FUSED TO LEFT LUMBAR ARCH 4; LUMBAR CENTRUM 3 FORMED ON RIGHT SIDE ONLY; LUMBAR CENTRUM 2 VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, MALFORMED, ABSENT, AND/OR ENLARGED ON LEFT SIDE; LUMBAR CENTRUM 4 MALALIGNED

2

Unique Fetal Id.:

BILATERAL--MALFORMED MAXILLA(E), MALFORMED - MALFORMATION; BILATERA PREMAXILLA(E), MALFORMED - MALFORMATION; BILATERAL SQUAMOSAL(S), UNOSSIFIED CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: (Skeletal) SKULL

PARIETALS BILATERAL

VARIATION; BILATERAL

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION External)

Unique Fetal Id.: Left 04 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY

EYES

RIGHT - MALFORMATION; LEFT ANOPHTHALMIA; ANOPHTHALMIA/MICROPHTHALMIA MICROPHTHALMIA EYE(S), External)

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, MODERATE URETER(S), HYDROURETER - VARIATION; BILATERAL, MODERATE (Visceral) ABDOMEN

MALPOSITIONED BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MAXILLAE, MICROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGRATHIA -SIZE SMALL BILATERAL, MALFORMATION; ANOMALY PINNA (E) MALFORMATION PINNA(E), (External)

HEAD

APPENDIX

WR238605 SUCCINATE IN RATS OF STUDY DEVELOPMENTAL TOXICITY STUDY NO.: 154 UIC/TRL

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

PALMITATE (RETINOL MG/KG/DAY 1000 5 GROUP

364 (CONT.) Animal: Unique Fetal Id.: 05 Left Fetal Position: STERNUM

SLIGHT - VARIATION; 2-5, TO MODERATE SLIGHT STERNEBRA(E), MALALIGNED, Skeletal

ហ

- VARIATION

27 PRESACRAL VERTEBRAE VERTEBRAE, COLUMN (Skeletal VERTEBRAL

(Skeletal)

SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: PORTIONS OF FRONTALS, PARIETALS BILATERAL--ABSENT; MAXILLAE MICROGNATHIA: MAXILLAE AND PREMAXILLAE BILATERAL--SMALL AND MALFORMED SUPRAOCCIPITAL, REDUCED OSSIFICATION - VARIATION; BILATERAL

- MALFORMATION; BILATERAL

EYELID(S), OPEN EYELID(S) (External) EYES

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA -MOUTH, TONGU (External)

Unique Fetal Id.: 02 Right Fetal Position:

ABSENT OR PAPILLAE -- MALPOSITIONED EXCEPT FACIAL CONFIRMED VISCERALLY Comments: EXTERNALS

-

EYES

- MALFORMATION; BILATERAL OPEN EYELID(S) EYELID (S), (External)

ABDOMEN

SLIGHT - VARIATION; RIGHT, KIDNEY (S), HYDRONEPHROSIS

(External)

MALFORMATION; PALATE, CLEFT PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALPOSITIONED OR ABSENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, PALATE - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 364 (CONT.)

Fetal Position: Right 03

Unique Fetal Id.:

rai robictoni: Atgire vi BS

(Skeletal)

RIB 14, RUDIMENTARY - VARIATION; BILATERAL

VERTEBRAL COLUMN (Skeletal)

FUSED - MALFORMATION; LEFT THORACIC ARCHES 12 AND 13--FUSED; THORACIC CENTRA 12 AND 13--BIPARTITE AND FUSED/ENLARGED ON RIGHT SIDE VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, MALFORMED, ABSENT, AND/OR

SKULL

(Skeletal)

MICROGNATHIA: PREMAXILLAE AND MAXILLAE BILATERAL -- MALFORMED AND SMALL; BILATERAL EXENCEPHALY: EYE SOCKETS -- MALFORMED, CLEFT PALATE SUPRAOCCIPITAL, REDUCED PARIETALS BILATERAL -- ABSENT; CONFIRMATION; FINDI FRONTALS, EXTERNAL PORTION OF OF OSSIFICATION - VARIATION CONFIRMATION INTERPARIETAL, ANOPHTHALMIA: SKULL,

EYES

(External)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA

HEAD

(External)

MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED BRAIN, EXENCEPHALY - MALFORMATION MOUTH, PALATE, CLEFT PALATE -MAXILLAE, SMALL IN SIZE JAW, MALFORMATION - MALFORMATION; BILATERAL, MACROGLOSSIA TONGUE, PINNA(E) ANOMALY MICROGNATHIA - MALFORMATION MOUTH, MALFORMATION PINNA(E),

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 364 (CONT.)

Fetal Position: Right 05 *

Unique Fetal Id.: 10

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED OR ABSENT

EYES

(External)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT EYELID(S), OPEN EYELID(S) - MALFORMATION; BILATERAL

MICROPHTHALMIA

ABDOMEN

(Visceral)

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT

HEAD

SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, TONGUE, SMALL MALFORMATION; BILATERAL, MALFORMATION MOUTH, PALATE, MACROGLOSSIA - MALFORMATION PINNA (E) ANOMALY PINNA(E),

102

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

364 (CONT.) Animal:

Right 06 Fetal Position:

(Skeletal)

Unique Fetal Id.: 11

- VARIATION; BILATERAL RIB 14, RUDIMENTARY

STERNUM

(Skeletal)

TO MODERATE - VARIATION; 3, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT

> VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL

(Skeletal)

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: INTERPARIETAL, PORTION OF FRONTALS, PARIETALS BILATERAL--ABSENT; MAXILLAE MICROGNATHIA: MAXILLAE AND PREMAXILLAE BILATERAL--MALFORMED AND SMALL; CLEFT

PALATE SQUAMOSAL(S), UNOSSIFIED - VARIATION; BILATERAL

EYES

(External)

EYELID(S), OPEN EYELID(S) - MALFORMATION; BILATERAL

HEAD

(External)

SMALL IN SIZE AND - MALFORMATION; MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY MALPOSITIONED OR ABSENT BRAIN, EXENCEPHALY - MALFORMATION - MALFORMATION; BILATERAL, ANOMALY PINNA(E), PINNA(E)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

(CONT.) 364 Animal: Unique Fetal Right 08 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED OR ABSENT

13

Id.:

EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA (External)

ABDOMEN

(Visceral)

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT

HEAD

(External)

PALATE, CLEFT PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION

> 366 Animal:

Unique Fetal Id.: Left 01 Fetal Position: Comments: EXTERNALS CONFIRMED AT VISCERAL EXAM EXCEPT FACIAL PAPILLAE ABSENT

EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT MICROPHTHALMIA (External)

ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT URETER(S), HYDROURETER - VARIATION; BILATERAL, SLIGHT (Visceral)

HEAD

- MALFORMATION; ABSENT, ANOMALY FACIAL PAPILLA(E), FACIAL PAPILLA(E) PRESENT (External)

SLIGHT

3

! MALFORMATION; BILATERAL,- MALFORMATION BRAIN, HYDROCEPHALY MOUTH, MACROSTOMIA -(Visceral)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

5: 1000 MG/KG/DAY (RETINOL PALMITATE)

GROUP

366 (CONT.) Animal:

02 Left Fetal Position: RIBS

Unique Fetal Id.:

- VARIATION; BILATERAL RIB 14, RUDIMENTARY (Skeletal)

SLIGHT 4 STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2,3 AND STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

STERNUM (Skeletal)

(Skeletal) SKULL

SKULL, CONFIRMATION OF EXTERNAL FIND! - CONFIRMATION, LEFT MICROPHTHALMIA: LEFT EYE SOCKET--SMALL SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL

(External) EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT MICROPHTHALMIA

HEAD

FFACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT (External)

Unique Fetal Id.:

03 Left Fetal Position: Comments: EXTERNALS NOT CONFIRMED VISCERALLY

HEAD

- MALFORMATION; ABSENT, FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY PRESENT (External)

ONLY

04 Left Position:

Unique Fetal Id.:

Fetal RIBS

- VARIATION; BILATERAL RIB 14, RUDIMENTARY (Skeletal)

STERNUM (Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2,3 AND 4, STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

SLIGHT

(Skeletal) SKULL

TYMPANIC RING(S), ABSENT - MALFORMATION; LEFT

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 366 (CONT.)

Unique Fetal Id.: Left 05 Fetal Position: COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- MALPOSITIONED AND ABSENT

Ŋ

EYES

HEAD

EXE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT MICROPHTHALMIA (External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; RIGHT, MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT OR MALPOSITIONED, ONLY 4 PRESENT (External)

Unique Fetal Id.: 6 90 Left Fetal Position:

RIB 14, RUDIMENTARY - VARIATION; BILATERAL (Skeletal) RIBS

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAL COLUMN (Skeletal)

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; LEFT MICROPHTHALMIA: EXE SOCKET -- SMALL TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL (Skeletal) SKULL

LEFT

EXE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT MICROPHTHALMIA (External) EYES

MOUTH, MICROSTOMIA - MALFORMATION (External)

HEAD

RATS OF WR238605 SUCCINATE IN STUDY DEVELOPMENTAL TOXICITY UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

(CONT.) 366 Animal: Unique Fetal 07 Left Fetal Position:

7

Id.:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

(External)

- MALFORMATION; LEFT MICROPHTHALMIA EYE (S), ANOPHTHALMIA/MICROPHTHALMIA

> (External) HEAD

ABSENT, MALFORMATION; . PAPILLA(E) ANOMALY - MALFORMATION FACIAL PAPILLA(E), FACIAL PRESENT MOUTH, MACROSTOMIA

3

 ∞ Unique Fetal Id.:

08 Left Position: Fetal CONFIRMED SKELETALLY B民 ANOPHTHALMIA COULD NOT Comments: LEFT

(Skeletal)

SET 15TH K (FROM BILATERAL VARIATION; ı RIB 14, RUDIMENTARY VERTEBRAE)

THORACIC

OF

(Skeletal) STERNUM

SLIGHT STERNEBRA(E), - VARIATION; 2, STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE 5-6, UNOSSIFIED - VARIATION; 5 ONLY

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE/RIBS, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; 14 THORACIC VERTEBRAE; RIGHT RIBS 7 AND 8--FUSED AT PROXIMAL END; LEFT RIBS 11 AND 12--FUSED AT PROXIMAL END AND 1/3 OF RIB LENGTH; LEFT RIB 7--ARTICULATING FROM 2 VERTEBRAE; SOME ASSOCIATED VERTEBRAE--FUSED, SMALL AND/OR MALFORMED

(Skeletal)

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: FRONTALS AND PARIETALS BILATERAL -- SMALL TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL

(External)

EXE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT ANOPHTHALMIA EYELID(S), OPEN EYELID(S) - MALFORMATION; RIGHT

(External) HEAD

FACIAL ANOMALY - MALFORMATION; BILATERAL, MALPOSITIONED PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR - MALFORMATION PINNA(E), PINNA(E) PAPILLA(E), FACIAL BRAIN, EXENCEPHALY

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

366 (CONT.) Animal: Left 12 Fetal Position:

Unique Fetal Id.: 12

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED AND ABSENT

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, SMALL IN SIZE FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT AND MALFOSITIONED

Unique Fetal Id.: 14

Right 02 Fetal Position:

Comments: LEFT MICROPHTHALMIA NOT CONFIRMED

STERNUM

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

(Skeletal) SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: FRONTALS AND PARIETALS BILATERAL--SMALL; RIGHT MICROPHTHALMIA: EYE SOCKET--SMALL TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL

(External) EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA

(External) HEAD

ONLY - MALFORMATION; ABSENT, ANOMALY FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANO PRESENT BRAIN, EXENCEPHALY - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 368

Fetal Position: Left 01 * Unique Fetal Id.:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- MALPOSITIONED

EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT MICROPHTHALMIA; RIGHT ANOPHTHALMIA (External)

HEAD (External)

MALFORMATION; MALFOSITIONED MOUTH, MACROSTOMIA - MALFORMATION MOUTH, PALATE, CLEFT PALATE SMALL PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMAI MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY MALFORMATION

Fetal Position: Left 02

Unique Fetal Id.: 2

STERNUM

SLIGHT 4 - VARIATION; 2,3 AND MALALIGNED, SLIGHT TO MODERATE 5-6, UNOSSIFIED - VARIATION STERNEBRA(E), STERNEBRA(E), Skeletal

KULL

(Skeletal)

PREMAXILLAE SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; DOMED HEAD AND EXENCEPHALY: FRONTALS AND PARIETALS BILATERAL -- SMALL IN SIZE; BILATERAL ANOPHTHALMIA: MAXILLAE AND MAXILLAE MICROGNATHIA: BILATERAL -- SMALL AND MALFORMED; CLEFT PALATE IN SIZE; SOCKETS -- SMALL

EYES

(External)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA

HEAD

(External)

BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION, MALPOSITIONED OR ABSENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION - MALFORMATION; MICROGNATHIA MAXILLAE, HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY MALFORMATION JAW, TONGUE, MACROGLOSSIA MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS No.: 154 UIC/TRL STUDY

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 368 (CONT.)

Fetal Position: Left 03 * Unique Fetal

Id.:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA (External) EYES

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED MOUTH, MACROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION (External)

Fetal Position: Left 04 Unique Fetal Id.: STERNUM

5, - VARIATION; 3,4 AND TO MODERATE STERNEBRA(E), MALALIGNED, SLIGHT Skeletal)

PRESACRAL VERTEBRAE - VARIATION 27 VERTEBRAE, VERTEBRAL COLUMN (Skeletal)

TYMPANIC RING(S), UNOSSIFIED - VARIATION; RIGHT (Skeletal)

SKULL

HEAD (External) PINNA(E), PINNA(E) ANOMALY - MALFORMATIC

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY

Id.: Unique Fetal 05 Left Position: Fetal PAPILLAE - - SUPERNUMERARY Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA -

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 5 GROUP

368 (CONT.)

Animal:

90 Left Position: Fetal

RIB 14, RUDIMENTARY - VARIATION; RIGHT

9

Unique Fetal Id.:

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4 AND 5, (Skeletal) STERNUM

SLIGHT

PRESACRAL VERTEBRAE - VARIATION 27 VERTEBRAE, VERTEBRAL COLUMN (Skeletal)

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: PORTIONS OF INTERPARIETAL, FRONTALS/PARIETALS BILATERAL--ABSENT; MAXILLAE MICROGNATHIA: MAXILLAE AND PREMAXILLAE BILATERAL--SMALL AND MALFORMED TYMPANIC RING(S), ABSENT (Skeletal) SKULL

- MALFORMATION; BILATERAL

- MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S) (External)

EYES

IN SIZE AND MALFORMATION; PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALPOSITIONED OR ABSENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION MALFORMATION; (External) HEAD

MACROSTOMIA

Unique Fetal Id.: 7 07 Left Fetal Position: ABSENT COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- MALPOSITIONED OR

IN SIZE AND MALFORMATION; PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALPOSITIONED OR ABSENT (External) HEAD

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

368 (CONT.) Animal: 08 Left Fetal Position:

00

Unique Fetal Id.:

- VARIATION; LEFT

RIB 14, RUDIMENTARY VERTEBRAL COLUMN (Skeletal) (Skeletal)

SKULL

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; LEFT MICROPHTHALMIA: LEFT EYE SOCKET--SMALL SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL TYMPANIC RING(S), ABSENT - MALFORMATION; RIGHT (Skeletal)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT MICROPHTHALMIA

(External)

EYES

HEAD

ABSENT ANOMALY - MALFORMATION; BILATERAL, MALFOSITIONED PAPILLA(E) ANOMALY - MALFORMATION; MALFOSITIONED OR PINNA(E), PINNA(E) PAPILLA(E), FACIAL (External)

Unique Fetal Id.: Right 01 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED OR ABSENT

MICROPHTHALMIA RIGHT EXE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; EYELID(S), OPEN EYELID(S) - MALFORMATION; LEFT (External) EYES

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT BRAIN, ENCEPHALOCELE - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

368 (CONT.) Animal:

Right 02 Fetal Position: RIBS

Unique Fetal Id.: 10

(Skeletal)

RIB 14, FULL - VARIATION; BILATERAL

(Skeletal) STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2,3 AND 4, SLIGHT

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL

HEAD

(Skeletal)

SKULL

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, ABSENT FACIAL PAPILLA(E), FACIAL PAPILLA(E), (External)

Right 03 Fetal Position:

PAPILLAE--MALPOSITIONED Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL

Unique Fetal Id.: 11

(External) EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT MICROPHTHALMIA

(External) HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, MALPOSITIONED PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

5: 1000 MG/KG/DAY (RETINOL PALMITATE) GROUP

368 (CONT.) Animal:

- VARIATION; 2, SLIGHT Unique Fetal Id.: 12 04 Right (Skeletal) Fetal Position: STERNUM

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE VERTEBRAL COLUMN (Skeletal)

(Skeletal) SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; LEFT MICROPHTHALMIA: SOCKET--SMALL; CLEFT PALATE SQUAMOSAL(S), REDUCED OSSIFICATION - VARIAT BILATERAL TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL

MICROPHTHALMIA LEFT MALFORMATION; EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFO EYELID(S), OPEN EYELID(S) - MALFORMATION; RIGHT (External)

EYES

HEAD

MALFORMATION; SMALL IN SIZE PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL I MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MI MALPOSITIONED OR ABSENT MOUTH, PALATE, CLEFT PALATE - MALFORMATION (External)

Unique Fetal Id.: 14 Right 06 VERTEBRAL COLUMN Fetal Position:

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

(Skeletal

HEAD

SKULL, CONFIRMATION OF EXTERNAL FIND! - CONFIRMATION; CLEFT PALATE SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL TYMPANIC RING(S), ABSENT -RING(S), REDUCED OSSIFICATION MALFORMATION; BILATERAL (Skeletal) SKULL

- MALFORMATION; SMALL IN SIZE MOUTH, PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMAI MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY SUPERNUMERARY MOUTH, PALATE, CLEFT PALATE - MALFORMATION MACROGLOSSIA - MALFORMATION (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 5: 1000 MG/KG/DAY GROUP

372 Animal: Unique Fetal Id.: Left 01 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED

EYELID(S), OPEN EYELID(S) - MALFORMATION; LEFT (External) EYES

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED MOUTH, MACROSTOMIA - MALFORMATION (External)

Unique Fetal Id.: 2 02 Left Fetal Position: RIBS

7TH CERVICAL RIB, PRESENT - VARIATION; BILATERAL (Skeletal)

STERNUM

SLIGHT 3, AND ~ VARIATION; 1 MODERATE STERNEBRA(E), MALALIGNED, SLIGHT TO MODI STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION (Skeletal)

CERVICAL ARCHES, REDUCED OSSIFICATION - VARIATION; 3-6 BILATERAL VERTEBRAL COLUMN (Skeletal)

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; DOMED HEAD; BILATERAL ANOPHTHALMIA: NO EYE SOCKETS; MAXILLAE MICROGNATHIA SQUAMOSAL(S), ABSENT - MALFORMATION; BILATERAL TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL (Skeletal) SKULL

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA (External) EYES

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALFOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALFORMATION; MALFORMATION (External)

RATS DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN UIC/IRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY GROUP

372 (CONT.) Animal: Unique Fetal Id.: Left 03 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED OR ABSENT

EXELID(S), OPEN EXELID(S) (External) EYES

(External)

HEAD

- MALFORMATION; RIGHT

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, MALPOSITIONED; LEFT, SMALL IN SIZE FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT MOUTH, PALATE, CLEFT PALATE - MALFORMATION

Unique Fetal Id.: 04 Left Position: Fetal SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; LEFT MICROPHTHALMIA: SMALL EYE SOCKET; MANDIBULAR MICROGNATHIA TYMPANIC RING(S), ABSENT - MALFORMATION (Skeletal)

LEFT ROPHTHALMIA - MALFORMATION; - MALFORMATION; RIGHT ANOPHTHALMIA/MICROPHTHALMIA EYE(S), ANOPHTHALMIA/MIC EYELID(S), OPEN EYELID(S) (External)

EYES

HEAD

MICROPHTHALMIA

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MACROSTOMIA - MALFORMATION JAW, MANDIBLE, MICROGNATHIA - MALFORMATION (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

1000 MG/KG/DAY (RETINOL PALMITATE) 5 GROUP

Animal: 372 (CONT.)

Unique Fetal Id.: Right 01 Fetal Position:

COMMENTS: EXTERNALS CONFIRMED EXCEPT FACIAL PAPILLAE--MALPOSITIONED

(External) EYES

EXE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA

ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT

(Visceral)

HEAD

IN SIZE AND MALFORMATION; PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALPOSITIONED (External)

Unique Fetal Id.: 02 Right Fetal Position: - VARIATION; 2,3 AND 4, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal)

VERTEBRAL COLUMN (Skeletal)

STERNUM

27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE,

SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; LEFT MICROPHTHALMIA: LEFT EYE SOCKET--SMALL SQUAMOSAL(S), UNOSSIFIED - VARIATION; BILATERAL TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL (Skeletal)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT MICROPHTHALMIA (External)

HEAD

EYES

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED

(External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

372 (CONT.) Animal: Unique Fetal Id.: Right 04 Fetal Position:

œ

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- MALPOSITIONED

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA (External) EYES

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED MOUTH, PALATE, CLEFT PALATE - MALFORMATION (External)

Unique Fetal Id .: 05 Right Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY Skeletal

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAL COLUMN (Skeletal) SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; DOMED HEAD; LEFT ANOPHTHALMIA: NO LEFT EYE SOCKET, RIGHT MICROPHTHALMIA: SMALL RIGHT EYE SOCKET TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL (Skeletal)

SKULL

RIGHT ANOPHTHALMIA; - MALFORMATION; LEFT EYE(S), ANOPHTHALMIA/MICROPHTHALMIA MICROPHTHALMIA (External) EYES

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY (External)

HEAD

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

5: 1000 MG/KG/DAY (RETINOL PALMITATE) GROUP

372 (CONT.) Animal:

Unique Fetal Id.: 10 90 Right Fetal Position:

OR ABSENT Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SMALL

EYES

(External)

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SMALL IN SIZE OR ABSENT PALATE, CLEFT PALATE - MALFORMATION; SLIGHT (External)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA

(Visceral)

Unique Fetal Id.: 11 07 Right Fetal Position: STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3,4 AND 5, SLIGHT VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; RIGHT LUMBAR ARCHES 2 AND 3--FUSED; RIGHT SIDES OF THORACIC CENTRUM 13 AND LUMBAR CENTRUM 1--FUSED (Skeletal)

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; LEFT MICROPHTHALMIA: EYE SOCKET--SMALL TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL (Skeletal)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT MICROPHTHALMIA (External) EYES

HEAD

HEAD, HEMATOMA - VARIATION; HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 5 GROUP

372 (CONT.) Animal: Unique Fetal Id.: 12 08 Right Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAR--MALPOSITIONED OR ABSENT

(Visceral) ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT

Position Fetal PostERNUM

60

Right

Unique Fetal Id.: 13

Skeletal

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE - VARIATION VERTEBRAE/RIBS, - MALFORMATION; RIGHT THORACIC ARCH 13--SMALL; RIB 13--SMALL AND ROUNDED; THORACIC CENTRUM VERTEBRAE, 27 PRESACRAL MALFORMED, ABSENT, AND/OR FUSED RIGHT OF ARTICULATING HEAD 12--MALALIGNED

> (Skeletal) SKULL

ABSENT TYMPANIC RING(S), - VARIATION; BILATERAL UNOSSIFIED BILATERAL SQUAMOSAL(S), MALFORMATION;

> (External) EYES

- MALFORMATION; LEFT EYELID(S), OPEN EYELID(S)

> (External) HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED MOUTH, MACROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA -MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 389

Unique Fetal Id.: 1 Left 01 Fetal Position: EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT ANOPHTHALMIA External) HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MACROSTOMIA - MALFORMATION

Unique Fetal Id.: 2 02 Left Fetal Position:

(External)

HEAD

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- SUPERNUMERARY

RIGHT MALFORMATION; EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFC EYELID(S), OPEN EYELID(S) - MALFORMATION; LEFT (External) EYES

HEAD

MICROPHTHALMIA

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT AND MACROSTOMIA MOUTH, MALFORMATION ı ENCEPHALOCELE FACIAL PAPILLA(E), FI MALPOSITIONED BRAIN, MALFORMATION (External)

Unique Fetal Id.: 3 Right 01 Position: Fetal

HEAD

EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA (External) FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION; BILATERAL JAW, MAXILLAE, MICROGNATHIA - MALFORMATION (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY .. Ω GROUP

389 (CONT.) Animal: Right 02 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED OR ABSENT

Unique Fetal Id.:

EYES

(External)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT MICROPHTHALMIA

ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT URETER(S), HYDROURETER - VARIATION; BILATERAL, SLIGHT

(Visceral)

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT AND MALPOSITIONED PALATE, CLEFT PALATE - MALFORMATION; SEVERE (External)

(Visceral)

03 Right Position: Fetal

EYELID(S), OPEN EYELID(S) - MALFORMATION; BILATERAL

Unique Fetal Id.: 5

(External) HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, NONE PRESENT BRAIN, ENCEPHALOCELE - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION JAW, MANDIBLE, MICROGNATHIA - MALFORMATION JAW, RIGHT MANDIBLE, NUMEROUS CLEFTS - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS No.: 154 STUDY UIC/TRL

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

(CONT.)

389

Animal:

Unique Fetal Id.: Right 04 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

(External) EYES

EXE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA

(Visceral) ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT URETER(S), HYDROURETER - VARIATION; BILATERAL, SLIGHT

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT MOUTH, MACROSTOMIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION PALATE, CLEFT PALATE - MALFORMATION; SLIGHT (External)

391 Animal:

(Visceral)

Unique Fetal Id.: 1 0 Left Fetal Position:

- MALFORMATION; SUPERNUMERARY FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY (External)

Unique Fetal Id.: 02 Left Position: Fetal

Comments: EXTERNALS NOT CONFIRMED VISCERALLY

HEAD

- MALFORMATION; SUPERNUMERARY FACIAL PAPILLA(E) ANOMALY FACIAL PAPILLA(E), (External)

03 Left Position: Fetal

(External)

HEAD

- MALFORMATION; SUPERNUMERARY FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY

Unique Fetal Id.:

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY υ .. GROUP

391 (CONT.) Animal: Unique Fetal Id.: Right 01 Fetal Position: Comments: EXTERNALS CONFIRMED EXCEPT FACIAL PAPILLAE--MALPOSITIONED

HEAD

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED MOUTH, MACROSTOMIA - MALFORMATION (External)

Unique Fetal Id.: 02 Right Position: Fetal HEAD

ONLY - MALFORMATION; ABSENT, ANOMALY FACIAL PAPILLA(E), FACIAL PAPILLA(E) PRESENT (External)

Unique Fetal Id.:

ന

Right 03 Fetal Position: Comments: EXTERNALS NOT CONFIRMED VISCERALLY

HEAD

ന ONLY - MALFORMATION; ABSENT, ANOMALY FACIAL PAPILLA(E), FACIAL PAPILLA(E) PRESENT (External)

Unique Fetal Id.: 7 Right 04

- MALFORMATION; SUPERNUMERARY FACIAL PAPILLA(E) ANOMALY FACIAL PAPILLA(E), (External) Fetal Position: HEAD

Unique Fetal Id.: 05 Right Fetal Position:

Comments: EXTERNALS CONFIRMED EXCEPT FACIAL PAPILLAE--ABSENT

(External) HEAD

ONLY - MALFORMATION; ABSENT, FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY PRESENT MOUTH, MACROSTOMIA - MALFORMATION

m

Unique Fetal Id.: 9 90 Right Position: Fetal

OR S - MALFORMATION; MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY ABSENT MOUTH, MACROSTOMIA - MALFORMATION (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

5: 1000 MG/KG/DAY (RETINOL PALMITATE) GROUP

Animal: 391 (CONT.)

Unique Fetal Id.: 10 Right 07 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

(External) HEAD

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY PRESENT MOUTH, MACROSTOMIA - MALFORMATION

Right 08 Fetal Position: HEAD

Unique Fetal Id.: 11

(External)

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT

Unique Fetal Id.: 12

Right 09 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED MOUTH, MACROSTOMIA - MALFORMATION (External)

Unique Fetal Id.: 13 Right 10 Fetal Position: HEAD

m FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY PRESENT (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 401

Fetal Position: Left 02 * Unique Fetal Id.:

Comments: ALL TAGS AND FETUSES PRESERVED IN ALCOHOL (2, 5, 9 AND 11) WERE INADVERTENTLY SEPARATED BEFORE THE SKELETAL EXAMS AND THEN RETAGGED BASED UPON EXTERNAL OBSERVATIONS.

N

RIBS (Skeletal)

RIB 14, RUDIMENTARY - VARIATION; BILATERAL

VERTEBRAL COLUMN (Skeletal)

VARIATION; LEFT VERTEBRAE, LUMBAR VERTEBRA 2--HAS NO LEFT VERTEBRAE -- MALFORMATION; VERTEBRAE, 27 PRESACRAL VERTEE MALFORMED, ABSENT, AND/OR FUSED - MALF ARCH, SURROUNDING LEFT ARCHES--LARGE

SKULL (Skeletal)

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: LARGE GAP BETWEEN PARIETALS, INTERPARIETAL--MALFORMED; BILATERAL MICROPHTHALMIA: EYE SOCKETS BILATERAL--SMALL TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL

EYES (External)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA

HEAD

(External)

IN SIZE AND MALFORMATION; MACROSTOMIA PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORITIONED OR ABSENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MALFORMATION

126

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 401 (CONT.)

Fetal Position: Left 03 *

Unique Fetal Id.: 3

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

EYES (External)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA EYELID(S), OPEN EYELID(S) - MALFORMATION; RIGHT

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION

Fetal Position: Left 05

Unique Fetal Id.: 5

Comments: SEE COMMENT ON FETUS 2

RIBS

RIB 14, FULL - VARIATION; BILATERAL

VERTEBRAL COLUMN

Skeletal)

(Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL

(Skeletal)

GAP BETWEEN . VARIATION; SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; ENCEPHALOCELE: (PARIETALS AND POSTERIOR OF FRONTALS TYMPANIC RING(S), UNOSSIFIED -LEFT

HEAD (External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 4 PRESENT BRAIN, ENCEPHALOCELE - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY GROUP

401 (CONT.) Animal: Unique Fetal Id.: Right 01 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

(External HEAD

SIZE AND MALFORMATION; SMALL ı PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMAI MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY SUPERNUMERARY MOUTH, MACROSTOMIA - MALFORMATION PALATE, CLEFT PALATE - MALFORMATION; MODERATE

(Visceral)

Unique Fetal Id.:

03 Right Fetal Position: RIBS

Skeletal

11 AND 12, PROXIMAL HALF RIB 14, RUDIMENTARY RIB(S), FUSED - MALFORMATION; LEFT - VARIATION; BILATERAL

VERTEBRAL COLUMN

(Skeletal)

- VARIATION VERTEBRAE, 27 PRESACRAL VERTEBRAE

> (Skeletal) SKULL

PORTIONS OF FRONTALS, PARIETALS, INTERPARIETAL AND SUPRAOCCIPITAL-ABSENT; MAXILLAE MICROGNATHIA TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL EXENCEPHALY: CONFIRMATION; OF EXTERNAL FINDI CONFIRMATION SKULL,

> (External) EYES

- MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S)

> (External) HEAD

MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION - MALFORMATION; MICROGNATHIA SMALL MAXILLAE, BILATERAL, MALFORMATION JAW, MALFORMATION; MACROGLOSSIA ANOMALY PINNA (E) MOUTH, TONGUE, MALFORMATION PINNA(E),

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

1000 MG/KG/DAY (RETINOL PALMITATE) .. GROUP

401 (CONT.) Animal: Unique Fetal Id.: 04 Right Fetal Position:

10

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

HEAD

HEAD, CEPHALOCELE - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MACROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION (External)

05 Right Position: Fetal

Unique Fetal Id.: 11

VERTEBRAL COLUMN Skeletal

- VARIATION VERTEBRAE, 27 PRESACRAL VERTEBRAE

HEAD

MALFORMATION; SIZE SMALL PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMA) MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY SUPERNUMERARY (External)

Right 06 Fetal Position:

Unique Fetal Id.: 12

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA (External)

EYES

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION, BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION, SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 407

Unique Fetal Id.: 1 01 Left Fetal Position:

(External)

MALFORMATION; SIZE MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALPOSITIONED OR ABSENT MOUTH, PALATE, CLEFT PALATE - MALFORMATION SMALL BILATERAL, MALFORMATION; ANOMALY PINNA (E) PINNA (E),

Fetal Position: Left 02 * Unique Fetal Id.: 2

Comments: EXTERNALS NOT EVIDENT VISCERALLY

- MALFORMATION; SUPERNUMERARY FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY (External) HEAD

Unique Fetal Id.: 03 Left Position: Fetal

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, MALFORMED; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT (External) HEAD

Unique Fetal Id.: 4 04 Left Fetal Position:

CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- SUPERNUMERARY Comments: EXTERNALS

EYELID(S), OPEN EYELID(S) - MALFORMATION; BILATERAL (External) EYES

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT URETER(S), HYDROURETER - VARIATION; BILATERAL, SLIGHT ABDOMEN (Visceral)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION MOUTH, (External) HEAD

TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION Unique Fetal Id.: 5 PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY Left Position: (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

407 (CONT.) Animal:

Fetal Position:

Unique Fetal Id.: 02 Right

-

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- SUPERNUMERARY

(External) HEAD

MALFORMATION; SIZE SMALL PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMAJ MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY SUPERNUMERARY DORSAL, HEMATOMA - VARIATION

03 Right Position:

Fetal

Id.: Unique Fetal

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, SMALL IN SIZE AND MALPOSITIONED; RIGHT, DETACHED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY

05 Right Fetal Position:

Unique Fetal Id.: 10

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- MALPOSITIONED

ABDOMEN

- VARIATION; BILATERAL, SLIGHT URETER(S), HYDROURETER KIDNEY(S), HYDRONEPHROSIS - VAI - VARIATION; BILATERAL, SLIGHT (Visceral)

(External) HEAD

IN SIZE AND MALFORMATION; PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALPOSITIONED OR ABSENT MOUTH, MACROSTOMIA - MALFORMATION

90 Right Position: Fetal HEAD

Unique Fetal Id.: 11

- MALFORMATION; SMALL IN SIZE FACIAL PAPILLA(E), - MALFORMATION; MALPOSITIONED OR ABSENT DORSAL, TONGUE, MACROGLOSSIA - MALFORMATION PINNA(E), PINNA(E) ANOMALY FACIAL PAPILLA(E) ANOMALY HEMATOMA - VARIATION MOUTH, (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

407 (CONT.) Animal: Unique Fetal Id.: 12 07 Right Fetal Position:

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

ABDOMEN

(Visceral)

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT

HEAD

(External)

' - MALFORMATION; MALPOSITIONED FACIAL PAPILLA(E),
- MALFORMATION; SUPERNUMERARY MOUTH, PALATE, CLEFT PINNA(E), PINNA(E) ANOMALY FACIAL PAPILLA(E) ANOMALY -PALATE - MALFORMATION

Unique Fetal Id.: 13 08 Right Fetal Position: HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY

(External)

422 Animal: Unique Fetal Id.: 1 Left 01 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED

EYES

- MALFORMATION; LEFT ANOPHTHALMIA; RIGHT ANOPHTHALMIA/MICROPHTHALMIA EYE(S), ANOPHT MICROPHTHALMIA (External)

(External)

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT MOUTH, PALATE, CLEFT PALATE - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

5: 1000 MG/KG/DAY (RETINOL PALMITATE) GROUP

(CONT.) 422

Animal:

02 Left Fetal Position:

N Unique Fetal Id.:

> (External) HEAD

HEAD, DOMED HEAD - MALFORMATION FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY MALFORMATION; ABSENT, ONLY 3 PRESENT

03 Left Fetal Position:

Unique Fetal Id.: 3

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- ABSENT

(External) EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; RIGHT ANOPHTHALMIA

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT (External)

Unique Fetal Id.:

04 Left Position: Fetal HEAD

(External)

HEAD, DOMED HEAD - MALFORMATION FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY MALFORMATION; ABSENT, ONLY 3 PRESENT

9

Unique Fetal Id.:

Comments: EXTERNALS NOT CONFIRMED VISCERALLY

90

Left

Fetal Position:

HEAD

(External)

- MALFORMATION; ABSENT, FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY PRESENT

ONLY

Unique Fetal Id.: 7 07 Left Position: Fetal

(External)

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

422 (CONT.) Animal: Unique Fetal Id.: Left 09 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

σ

(External) EYES

HEAD

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA

(External)

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY

10 Left Position: Fetal

Unique Fetal Id.: 10

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT ANOPHTHALMIA (External)

- MALFORMATION; ABSENT, ANOMALY FACIAL PAPILLA(E), FACIAL PAPILLA(E) PRESENT (External)

3

ONLY

HEAD

Unique Fetal Id.: 11 Right 01 Fetal Position:

Comments: EXTERNALS NOT CONFIRMED VISCERALLY

HEAD

- MALFORMATION; MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY (External)

12

Id.:

Unique Fetal 02 Right Position: Fetal HEAD

3 ONLY - MALFORMATION; ABSENT, ANOMALY FACIAL PAPILLA(E), FACIAL PAPILLA(E) PRESENT (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY .. N GROUP

422 (CONT.) Animal: 03 Right Fetal Position:

Unique Fetal Id.: 13

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

EYES

(External)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA

HEAD

(External)

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT MOUTH, MACROSTOMIA - MALFORMATION

Right Fetal Position:

04

Unique Fetal Id.: 14

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED (External)

423 Animal: 02 Left Position: Fetal HEAD

Unique Fetal Id.:

- MALFORMATION; ABSENT, ANOMALY FACIAL PAPILLA(E) FACIAL PAPILLA(E), PRESENT

m

(External)

03

Left

Fetal Position:

Unique Fetal Id.:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- ABSENT

(External) HEAD

HEAD, DOMED HEAD - MALFORMATION FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY MALFORMATION; ABSENT, ONLY 3 PRESENT

04 Position: Fetal

Unique Fetal Id.:

- MALFORMATION; ABSENT, FACIAL PAPILLA(E) ANOMALY FACIAL PAPILLA(E), PRESENT (External)

3

135

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

5: 1000 MG/KG/DAY (RETINOL PALMITATE) GROUP

423 (CONT.) Animal: Unique Fetal Id.: Left 05 Fetal Position:

Ŋ

Comments: EXTERNALS NOT CONFIRMED VISCERALLY

(External) HEAD

- MALFORMATION; ABSENT, FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY PRESENT

ന

ONLY

m

90 Left Position: Fetal

9

Unique Fetal Id.:

(External)

- MALFORMATION; ABSENT, ANOMALY FACIAL PAPILLA(E), FACIAL PAPILLA(E) PRESENT

Fetal Position:

Unique Fetal Id.: Left 07

Comments: EXTERNALS NOT CONFIRMED VISCERALLY

(External) HEAD

- MALFORMATION; MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY

Unique Fetal Id.: 8

01 Right Position: Fetal HEAD

- MALFORMATION; ABSENT, ANOMALY

(External)

ONLY FACIAL PAPILLA(E), FACIAL PAPILLA(E) PRESENT

Unique Fetal Id.:

m

3

ONLY

02 Right Position: Fetal

Comments: EXTERNALS NOT CONFIRMED VISCERALLY

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, PRESENT (External) HEAD

Unique Fetal Id.: 10 03 Right Position: Fetal HEAD

m ONLY ANOMALY - MALFORMATION; ABSENT, FACIAL PAPILLA(E), FACIAL PAPILLA(E) PRESENT (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 423 (CONT.)

Right 04 Fetal Position:

Unique Fetal Id.: 11

Comments: EXTERNALS NOT CONFIRMED VISCERALLY

HEAD

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY PRESENT

3

3

(External)

Unique Fetal Id.: 12 Right 05 Fetal Position: HEAD

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY PRESENT (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

426 Animal:

01 Left Fetal Position:

External)

Unique Fetal Id.:

- MALFORMATION

ANUS, ANAL ATRESIA

H

(Skeletal) STERNUM

4 AND STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3,

5

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE/RIBS, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; VERTEBRAL DEFECT: LEFT LUMBAR ARCHES 2 AND 4--FUSED, SOME SURROUNDING VERTEBRAL ARCHES--MALFORMED, 3 LEFT SACRAL ARCHES--FUSED, LOWER THORACIC AND LUMBAR CENTRA--MALALIGNED, BIPARTITE AND/OR FUSED TO EACH OTHER, RIGHT RIB 13--FLOATING (ARTICULATING HEAD SMALL AND ROUNDED AND FAR FROM VERTEBRA)

TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL (Skeletal) SKULL

- MALFORMATION; RIGHT EYELID(S), OPEN EYELID(S)

(External) EYES

- MALFORMATION

TAIL, SHORT AND CURLY

BACK

(External)

(External)

TAIL

- MALFORMATION BACK, APPARENT VERTEBRAL DEFECT

> (External) HEAD

IN SIZE AND MALFORMATION; PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - SUPERNUMERARY MOUTH, MICROSTOMIA - MALFORMATION

RATS DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 426 (CONT.)

Fetal Position: Left 02

(External) ANUS, ANAL ATRESIA - MALFORMATION

STERNUM (Skeletal) STE

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2-5, SLIGHT

3

Unique Fetal Id.:

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE/RIBS, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; SEVERAL LUMBAR AND LOWER THORACIC ARCHES--FUSED; LEFT RIBS 8 AND 9 FUSED AT POINT NEAR ARTICULATING HEADS; LEFT RIB 12 ARISES 1/5 WAY DISTALLY FROM LEFT RIB 11; LEFT RIB 13--ABSENT

(Skeletal)

SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; BILATERAL ANOPHTHALMIA: SMALL EYE SOCKETS TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL

EYES

(External)

- MALFORMATION; BILATERAL ANOPHTHALMIA EYE(S), ANOPHTHALMIA/MICROPHTHALMIA

TAIL

External)

TAIL, ABSENT - MALFORMATION

BACK

(External)

BACK, SPINA BIFIDA - MALFORMATION

HEAD (External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, ABSENT; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY DORSAL, HEMATOMA - VARIATION BRAIN, MICROCEPHALY - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

426 (CONT.)

Animal:

MALFORMATION; BILATERAL, SMALL , FACIAL PAPILLA(E) ANOMALY -- VARIATION; 2-5 Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY - MALFORMATION; LEFT SLIGHT TO MODERATE - MALFORMATION; SLIGHT Unique Fetal Id.: Unique Fetal Id.: RIB 14, RUDIMENTARY - VARIATION; LEFT PAPILLA(E), ANOMALY EYELID(S), OPEN EYELID(S) MALALIGNED, PINNA(E), PINNA(E) AN MALPOSITIONED FACIAL SUPERNUMERARY PALATE, CLEFT PALATE -STERNEBRA(E), 04 Left 03 Left (Visceral) Skeletal) (External) (External) (Skeletal) Position: Fetal Position: STERNUM Fetal EYES HEAD

IN SIZE AND MALFORMATION;

IN SIZE AND MALFORMATION; - MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S) PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALPOSITIONED OR ABSENT MOUTH, MICROSTOMIA - MALFORMATION EYE(S), MACROPHTHALMIA MALFORMATION; BILATERAL (External) (External) EYES HEAD

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; BILATERAL MACROPHTHALMIA: LARGE EYE SOCKETS TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

COLUMN

VERTEBRAL

Skeletal)

(Skeletal)

SKULL

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 5: 1000 MG/KG/DAY GROUP

426 (CONT.) Animal: Right 01 Fetal Position: COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- SUPERNUMERARY

S

Unique Fetal Id.:

ANUS

ANUS, ANAL ATRESIA - MALFORMATION (External)

(External) EYES

- MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S) EYE(S), MACROPHTHALMIA MALFORMATION; BILATERAL

(External) TAIL

TAIL, SHORT - MALFORMATION

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MICROSTOMIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION
MALFORMATION
PALATE, CLEFT PALATE - MALFORMATION; SLIGHT

(Visceral)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

5: 1000 MG/KG/DAY (RETINOL PALMITATE) GROUP

426 (CONT.) Animal:

Right 03 Fetal Position: RIBS

(Skeletal)

-Unique Fetal Id.: RIB(S), FUSED - MALFORMATION; RIGHT 11 AND 12, MIDDLE

(Skeletal) STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT

VERTEBRAL COLUMN

LUMBAR SEVERAL

(Skeletal)

VERTEBRAE, MALRORMED, ABSENT, AND/OR FUSED - MALFORMATION; ARCHES--FUSED; LUMBAR CENTRA--HEMI-, BIPARTITE AND/OR FUSED

(Skeletal) SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; LEFT MACROPHTHALMIA: LEFT BYE SOCKET--LARGE TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL

EYES

EYELID (S) OPEN LEFT EYELID(S), MALFORMATION; ı EYE(S), MACROPHTHALMIA MALFORMATION; LEFT (External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, ABSENT; RIGHT, SMALL IN SIZE AND MALPOSITIONED DORSAL, HEMATOMA - VARIATION MOUTH, MICROSTOMIA - MALFORMATION

(External)

HEAD

Unique Fetal Id.:

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

Right 04

Fetal Position:

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; MULTIPLE/SMALL IN SIZE PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY .. വ GROUP

426 (CONT.)

Animal:

Unique Fetal Id.: Right 05 Fetal Position: STERNUM

SLIGHT υ, - VARIATION; TO MODERATE STERNEBRA(E), MALALIGNED, SLIGHT (Skeletal)

თ

VERTEBRAL COLUMN Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; RIGHT LUMBAR ARCHES 3 AND 4--FUSED; LEFT SIDES OF LUMBAR CENTRA 4 AND 5--FUSED; LEFT LUMBAR ARCH 7--SMALL

TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL

(Skeletal)

SKULL

HEAD

(External)

IN SIZE AND MALFORMATION; PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - SUPERNUMERARY

Unique Fetal Id.: 10 Right 06 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

EYES

ABDOMEN

EYELID (S) OPEN EYELID(S), LEFT MALFORMATION; ī EYE(S), MACROPHTHALMIA MALFORMATION; LEFT External)

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT (Visceral) HEAD

SMALL IN SIZE AND - MALFORMATION; PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, ABSENT; RIGHT, MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY SUPERNUMERARY MOUTH, MICROSTOMIA - MALFORMATION PALATE, CLEFT PALATE - MALFORMATION; SLIGHT (External)

(Visceral)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS No.: 154 UIC/TRL STUDY

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

1000 MG/KG/DAY (RETINOL PALMITATE) GROUP 5:

426 (CONT.) Animal: Unique Fetal Id.: 11 Right 07 Fetal Position: STERNUM

- VARIATION; 2-5, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE (Skeletal)

27 PRESACRAL VERTEBRAE VERTEBRAL COLUMN (Skeletal)

- VARIATION CENTRA, BIPARTITE VERTEBRAE, LUMBAR 1-5

TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL (Skeletal) SKULL

- MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S) (External) EYES

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY; MALFORMATION OR ABSENT MOUTH, MICROSTOMIA - MALFORMATION (External)

Unique Fetal Id.: 12 Right 08 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY

EYELID (S) OPEN EYELID(S), RIGHT MALFORMATION; EYE(S), MACROPHTHALMIA MALFORMATION; BILATERAL (External) EYES

AND SIZE NH SMALL BILATERAL, PINNA(E), PINNA(E) ANOMALY - MALFORMATION; B MALPOSITIONED MOUTH, MICROSTOMIA - MALFORMATION PALATE, CLEFT PALATE - MALFORMATION; SLIGHT (External) HEAD

(Visceral)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

426 (CONT.) Animal:

60 Right Fetal Position: RIBS

Unique Fetal Id.: 13

- VARIATION; LEFT RIB 14, RUDIMENTARY (Skeletal)

STERNUM

(Skeletal)

SLIGHT 4 AND 5, STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3,

27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, VERTEBRAL COLUMN (Skeletal)

TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL (Skeletal) SKULL

- MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S) (External) EYES

HEAD

MALFORMATION; IN SIZE SMALL PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMA MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY SUPERNUMERARY MOUTH, MICROSTOMIA - MALFORMATION (External)

430 Animal: Unique Fetal Id.: Left 01 Fetal Position:

- MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S) (External)

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT (Visceral) ABDOMEN

MALPOSITIONED SUPERNUMERARY MALFORMATION; BILATERAL, MALFORMATION; -ANOMALY PINNA(E) ANOMALY - , FACIAL PAPILLA(E) PINNA(E), PINNA(E) ANOMAL: PAPILLA(E), FACIAL PAPILL: EXENCEPHALY - MALFORMATION (External) HEAD

SLIGHT MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION; JAW, MAXILLAE, MICROGNATHIA - MALFORMATION PALATE, CLEFT PALATE - MALFORMATION; SLIGHT (Visceral)
(External)
(Visceral)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 430 (CONT.)

Left 02 Fetal Position: RIBS

Unique Fetal Id.: 2

(Skeletal)

RIB 14, RUDIMENTARY - VARIATION; RIGHT

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

(Skeletal) SKULL

TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL

HEAD

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION (External)

Fetal Position:

Unique Fetal Id.: Left 03

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

HEAD

IN SIZE AND MALFORMATION; PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - SUPERNUMERARY MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION PALATE, CLEFT PALATE - MALFORMATION; SLIGHT (External)

(Visceral)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

5: 1000 MG/KG/DAY (RETINOL PALMITATE) GROUP

Animal: 430 (CONT.)

Left 04 Fetal Position:

(Skeletal)

Unique Fetal Id.:

4

RIB 14, FULL - VARIATION; BILATERAL

VERTEBRAL COLUMN

(Skeletal)

- MALFORMATION; RIGHT VERTEBRAL ARCHES 13 AND 14 -- FUSED; RIGHT RIBS 13 AND 14 -- FUSED EXCEPT AT ARTICULATING HEADS; THORACIC VERTEBRAE/RIBS, VERTEBRA 12--MALALIGNED; LUMBAR CENTRUM 1--FORMED ON LEFT SIDE ONLY VARIATION VERTEBRAE MALFORMED, ABSENT, AND/OR FUSED PRESACRAL VERTEBRAE,

SKULL

(Skeletal)

TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, (External)

TONGUE, MACROGLOSSIA - MALFORMATION

Ŋ

Unique Fetal Id.:

Left 05 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY

EYES

EXE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA External)

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; RIGHT, SMALL IN SIZE BRAIN, EXENCEPHALY - MALFORMATION JAW, MAXILLAE, MICROGNATHIA -(External)

MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 430 (CONT.)

Fetal Position: Left 06

Unique Fetal Id.: 6

[BS (Skeletal)

RIB 14, RUDIMENTARY - VARIATION; RIGHT

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL

LARGE GAP CONFIRMATION OF EXTERNAL FIND! - CONFIRMATION; ENCEPHALOCELE: SKULL, CONFIRMATIC BETWEEN PARIETALS (Skeletal)

HEAD

- MALFORMATION; ABSENT, ONLY FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY PRESENT BRAIN, ENCEPHALOCELE - MALFORMATION (External)

m

Fetal Position: Left 07

Unique Fetal Id.: 7

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- ABSENT

ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT (Visceral)

HEAD

(External)

PRESENT MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3

148

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 430 (CONT.)

Fetal Position: Right 01 STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT (Skeletal)

00

Unique Fetal Id.:

VERTEBRAL COLUMN (Skeletal) VE

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL (Skeletal)

PORTIONS OF FRONTALS, PARIETALS, INTERPARIETAL--ABSENT, SUPRAOCCIPITAL--REDUCED OSSIFICATION; MAXILLAE MICROGNATHIA TYMPANIC RING(S), ABSENT - MALFORMATION; LARGE CONFIRMATION; EXENCEPHALY: OF EXTERNAL FINDI -CONFIRMATION SKULL,

RIGHT

EYELID(S), OPEN EYELID(S) - MALFORMATION; BILATERAL (External)

HEAD

EYES

MACROGLOSSIA ABSENT, - MALFORMATION; - MALFORMATION MOUTH, TONGUE, ANOMALY FACIAL PAPILLA(E), FACIAL PAPILLA(E) BRAIN, EXENCEPHALY PRESENT (External)

MALFORMATION

Fetal Position: Right 02 * Unique Fetal Id.:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- SUPERNUMERARY

ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT (Visceral)

HEAD

FACIAL MOUTH, ANOMALY - MALFORMATION; SUPERNUMERARY SIZE ZH SMALL MALFORMATION; RIGHT, TONGUE, MACROGLOSSIA - MALFORMATION PINNA(E), PINNA(E) ANOMALY --PAPILLA(E), FACIAL PAPILLA(E) (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

430 (CONT.) Animal:

Right 03 Fetal Position:

Unique Fetal Id.: 10

(Skeletal)

STERNUM

- VARIATION; RIGHT RIB 14, RUDIMENTARY

(Skeletal)

VERTEBRAL COLUMN

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4, SLIGHT

SKULL

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

HYOID, UNOSSIFIED - VARIATION TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL (Skeletal)

HEAD

MALFORMATION; SMALL PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMA) MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY (External)

MALPOSITIONED MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION

Unique Fetal Id.: 11

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

Right 04

Fetal Position:

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT BRAIN, ENCEPHALOCELE - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA -MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 430 (CONT.)

Unique Fetal Id.: 13 Right 06 Fetal Position:

Comments: LEFT MICROPHTHALMIA NOT CONFIRMED SKELETALLY

STERNUM

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4 AND 5, SLIGHT

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; LUMBAR VERTEBRAE 4,5 AND 6--MALALIGNED

SKULL

- VARIATION; BILATERAL TYMPANIC RING(S), OSSIFICATION ABSENT - MALFORMATION; BILATERAL SQUAMOSAL(S), REDUCED

(Skeletal)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT MICROPHTHALMIA

HEAD

(External)

(External)

EYES

FACIAL MOUTH, SIZE - MALFORMATION; MALPOSITIONED SMALL IN PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, PAPILLA(E), PACIAL PAPILLA(E) ANOMALY - MALFORMATION;

TONGUE, MACROGLOSSIA - MALFORMATION

Animal: 432

Fetal Position: Left 01 * Unique Fetal Id.: 1

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

HEAD

MALFORMATION; SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - SUPERNUMERARY - MALFORMATION; BILATERAL, ANOMALY PINNA (E) PINNA (E),

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 432 (CONT.)

Fetal Position: Left 02 * Unique Fetal Id.:

2

Comments: RIGHT MICROPHTHALMIA NOT CONFIRMED SKELETALLY

RIBS

RIB 14, FULL - VARIATION; LEFT FULL, RIGHT RUDIMENTARY (Skeletal)

VERTEBRAL COLUMN (Skeletal)

RIGHT THORACIC ARCHES 12 AND 13 -- FUSED; RIGHT RIBS 12 AND 13 -- FUSED BETWEEN (BUT NOT INCLUDING) PROXIMAL ENDS VERTEBRAE/RIBS, VARIATION - MALFORMATION; VERTEBRAE MALFORMED, ABSENT, AND/OR FUSED PRESACRAL 27 VERTEBRAE, AND MIDDLE

SKULL

(Skeletal)

PORTIONS OF FRONTALS, PARIETALS, INTERPARIETAL--ABSENT; MAXILLAE MICROGNATHIA; MANDIBULAR MICROGNATHIA TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL - CONFIRMATION; EXENCEPHALY: OF EXTERNAL FINDI CONFIRMATION SKULL,

EYES

MICROPHTHALMIA RIGHT MALFORMATION; EYELID(S), OPEN EYELID(S) - MALFORMATION; LEFT ANOPHTHALMIA/MICROPHTHALMIA EYE(S), (External)

HEAD

(External)

MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMBRARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION MOUTH, CORNER, FLESHY PROTUBERANCE -MALFORMATION; RIGHT JAW, MAXILLAE, MICROGNATHIA - MALFORMATION JAW, MANDIBLE, SIZE Z SMALL MALFORMATION; BILATERAL, ANOMALY MICROGNATHIA - MALFORMATION PINNA (E) PINNA(E),

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 432 (CONT.)

Unique Fetal Id.: 3 Left 03 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- MALPOSITIONED OR ABSENT

EYES

EYELID(S), OPEN EYELID(S) - MALFORMATION; RIGHT (External)

TAIL (External) TAIL,

TAIL, SHORT AND BENT - MALFORMATION

BACK (External)

BACK, SPINA BIFIDA - MALFORMATION

HEAD (External) PINN

IN SIZE AND MALFORMATION; PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALPOSITIONED OR ABSENT

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

1000 MG/KG/DAY (RETINOL PALMITATE) .. Ω GROUP

432 (CONT.) Animal: 04 Left Fetal Position: - VARIATION; BILATERAL RIB 14, FULL (Skeletal)

(Skeletal)

STERNUM

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT

4

Unique Fetal Id.:

VERTEBRAL COLUMN (Skeletal)

27 PRESACRAL VERTEBRAE - VARIATION

VERTEBRAE,

SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: LARGE PORTIONS OF FRONTALS, PARIETALS, INTERPARIETAL--ABSENT; MANDIBULAR MICROGNATHIA; MAXILLAE MICROGNATHIA TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL

(Skeletal)

(External)

EYES

EYELID(S), OPEN EYELID(S) - MALFORMATION; BILATERAL

(External) HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION JAW, MANDIBLE, MICROGNATHIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

5: 1000 MG/KG/DAY (RETINOL PALMITATE) GROUP

Animal: 432 (CONT.)

Unique Fetal Id.: Left 05 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- SUPERNUMERARY

S

ANUS

ANUS, ANAL ATRESIA - MALFORMATION

(External)

(External) EYES

- MALFORMATION; RIGHT EYELID(S), OPEN EYELID(S)

> (External) TAIL

- MALFORMATION TAIL, SHORT

> (External) BACK

BACK, SPINA BIFIDA - MALFORMATION

(External) HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MICROSTOMIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 5: 1000 MG/KG/DAY GROUP

432 (CONT.) Animal:

Left 06 Fetal Position: ANUS

Unique Fetal Id.:

9

- MALFORMATION ANUS, ANAL ATRESIA (External)

(Skeletal) STERNUM

5, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION;

> VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; 28 PRESACRAL VERTEBRAE; BILATERAL LUMBAR ARCHES 3,4 AND 5--FUSED; CENTRA--FUSED, PARTLY ABSENT AND/OR MALFORMED; SACRAL VERTEBRAE MALFORMED VERTEBRAE, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; SHORT TAIL: NO CAUDAL VERTEBRAE

SKULL

(Skeletal)

- VARIATION; BILATERAL TYMPANIC RING(S), OSSIFICATION SQUAMOSAL(S), REDUCED OSSIFICATIC UNOSSIFIED - VARIATION; BILATERAL

TAIL, SHORT - MALFORMATION

(External) TAIL

(External)

HEAD

IN SIZE AND MALFORMATION; SIZE SMALL PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMA: MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY SUPERNUMERARY

01 Right Fetal Position:

1 Unique Fetal Id.: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- SUPERNUMERARY

HEAD

HEAD, CEPHALOCELE - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

432 (CONT.) Animal:

ω Unique Fetal Id.: Right 02 Fetal Position: VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; LEFT THORACIC ARCH 13 AND LEFT LUMBAR ARCH 1--FUSED; LEFT LUMBAR ARCHES 3 AND 4--FUSED; THORACIC CENTRUM 11 THROUGH LUMBAR CENTRUM

4 -- BIPARTITE AND/OR MALALIGNED

RING(S), - VARIATION; BILATERAL TYMPANIC SQUAMOSAL(S), REDUCED OSSIFICATION ABSENT - MALFORMATION; BILATERAL (Skeletal)

SKULL

HEAD

MALFORMATION; SMALL PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SWA MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY SUPERNUMERARY (External)

Unique Fetal Id.: 03 Right Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

ANUS, ANAL ATRESIA - MALFORMATION (External) ANUS

TAIL

TAIL, SHORT AND BENT - MALFORMATION External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, MALPOSITIONED/SMALL/SUPERNUMERARY FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MICROSTOMIA - MALFORMATION (External) HEAD

OF WR238605 SUCCINATE IN RATS DEVELOPMENTAL TOXICITY STUDY No.: 154 STUDY UIC/TRL

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 5 GROUP

432 (CONT.) Animal: 04 Right Position: Fetal

10

Unique Fetal Id.:

RUDIMENTARY (Skeletal)

- VARIATION; RIGHT RIB 14, VERTEBRAL COLUMN

VERTEBRAE,

(Skeletal)

HEAD

(Skeletal) SKULL

27 PRESACRAL VERTEBRAE - VARIATION

FRONTALS AND SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: FRONTALS ANI PARIETALS BILATERAL--SMALL TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, MALPOSITIONED/SMALL/SUPERNUMERARY FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED BRAIN, EXENCEPHALY - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION (External)

Unique Fetal Id.: 11 05 Right Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED OR ABSENT

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA External) EYES

- MALFORMATION TAIL, KINKY (External)

HEAD

TAIL

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY GROUP

432 (CONT.) Animal: Unique Fetal Id.: 12 Right 06 Fetal Position: ANUS

- MALFORMATION IN SIZE ANAL OPENING, SMALL (External)

RIB 14, RUDIMENTARY - VARIATION; LEFT (Skeletal) RIBS

VERTEBRAL COLUMN

(Skeletal)

SKULL

TAIL

VERTEBRAE, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; 28 PRESACRAL VERTEBRAE; LUMBAR VERTEBRAE--MALFORMED AND/OR FUSED VERTEBRAE, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; KINKY TAIL: CAUDAL VERTEBRAE--MALALIGNED

- VARIATION; BILATERAL TYMPANIC RING(S), UNOSSIFIED (Skeletal)

TAIL, KINKY - MALFORMATION (External)

MALFORMATION; SIZE SMALL PINNA(E), PINNA(E) ANOMALY - MALFORMATION, BILATERAL, SMA MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY SUPERNUMERARY MOUTH, MICROSTOMIA - MALFORMATION (External) HEAD

Unique Fetal Id.: 13

Right 07

Fetal Position:

HEAD

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, CORNER, FLESHY PROTUBERANCE - MALFORMATION; BILATERAL (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

5: 1000 MG/KG/DAY (RETINOL PALMITATE) GROUP

Animal: 442

Unique Fetal Id.: 1 Left 01 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED

(External) HEAD

SIZE FACIAL PAPILLA(E), PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN S FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED

02 Left Position: Fetal

(Skeletal)

Unique Fetal Id.: 2

RIB 14, RUDIMENTARY

- VARIATION; BILATERAL

STERNUM

(Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT

VERTEBRAL COLUMN

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION (Skeletal)

SKULL

RING(S), - VARIATION; BILATERAL TYMPANIC SQUAMOSAL(S), REDUCED OSSIFICATION ABSENT - MALFORMATION; RIGHT (Skeletal)

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MACROSTOMIA - MALFORMATION (External)

04 Left Fetal Position:

Unique Fetal Id.:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

HEAD

ONLY FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, PRESENT MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION (External)

ന

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/IRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

442 (CONT.) Animal:

S Unique Fetal Id.: Left 05 Fetal Position: STERNUM

SLIGHT 3 STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2 AND (Skeletal)

OSSIFICATION (Skeletal) SKULL

TYMPANIC RING(S) - VARIATION; BILATERAL SQUAMOSAL(S), REDUCED OSSIFICATION UNOSSIFIED - VARIATION; BILATERAL

ANOMALY - MALFORMATION; MULTIPLE FACIAL PAPILLA(E), FACIAL - MALFORMATION; SUPERNUMERARY PINNA(E), PINNA(E) PAPILLA(E) ANOMALY (External) HEAD

Unique Fetal Id.: Left 06 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT (External)

Unique Fetal Id.: 07 Left Position: Fetal

RIB 14, RUDIMENTARY - VARIATION; RIGHT (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; LEFT LUMBAR ARCHES 1 AND 2--FUSED VERTEBRAL COLUMN (Skeletal)

RING(S), SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL TYMPANIC REDUCED OSSIFICATION - VARIATION; BILATERAL, SEVERE (Skeletal) SKULL

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MACROSTOMIA - MALFORMATION (External)

HEAD

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

442 (CONT.) Animal:

Right 01 Fetal Position:

Unique Fetal Id.: 8

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED

(External) HEAD

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED BRAIN, ENCEPHALOCELE - MALFORMATION

Unique Fetal Id.: 9 Right 02 Fetal Position: RIB 14, RUDIMENTARY - VARIATION; BILATERAL

(Skeletal)

RIBS

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 4, SLIGHT STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY STERNUM (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAL COLUMN (Skeletal)

VARIATION; BILATERAL, SEVERE (Skeletal) SKULL

SQUAMOSAL(S), REDUCED OSSIFICATION - RING(S), ABSENT - MALFORMATION; RIGHT

TYMPANIC

(External)

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; MULTIPLE FACIAL PAPILLA(E), FACIAL PAPILLA(E), ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MACROSTOMIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

442 (CONT.) Animal: Unique Fetal Id.: 10 Right 03 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

(External) EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; RIGHT MICROPHTHALMIA

HEAD

(External)

FACIAL PINNA(E), PINNA(E) ANOMALY - MALFORMATION; MULTIPLE; RIGHT, MALPOSITIONED PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MACROSTOMIA - MALFORMATION

04 Right Fetal Position: RIBS

Unique Fetal Id.: 11

(Skeletal)

RIB 14, RUDIMENTARY - VARIATION; LEFT

VERTEBRAL COLUMN (Skeletal)

- VARIATION 27 PRESACRAL VERTEBRAE VERTEBRAE,

SKULL

VARIATION; BILATERAL i SQUAMOSAL(S), REDUCED OSSIFICATION ABSENT - MALFORMATION; BILATERAL (Skeletal)

RING(S),

TYMPANIC

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY (External)

90 Right Position: Fetal

Id.: 13 Unique Fetal Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MACROSTOMIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) GROUP 5: 1000 MG/KG/DAY

442 (CONT.) Animal: Right 07 Fetal Position: VERTEBRAL COLUMN

Unique Fetal Id.: 14

(Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

(Skeletal) SKULL

VARIATION; BILATERAL, SEVERE SQUAMOSAL(S), REDUCED OSSIFICATION - RING(S), UNOSSIFIED - VARIATION; RIGHT

HEAD

TYMPANIC

- MALFORMATION; SUPERNUMERARY FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY (External)

Right 08 Fetal Position:

Unique Fetal Id.: 15

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED OR ABSENT

HEAD

SMALL IN SIZE FACIAL ABSENT, ONLY 3 PRESENT PINNA(E), PINNA(E) ANOMALY - MALFORMATION; RIGHT, PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MOUTH, MACROSTOMIA - MALFORMATION (External)

164

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 445

Fetal Position: Left 01 Unique Fetal Id.: 1

(Skeletal) RIB 14, RUDIMENTARY - VARIATION; BILATERAL

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT STERNUM (Skeletal)

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL, SEVERE

(Skeletal)

SKULL

MALFORMATION; BILATERAL, MALPOSITIONED FACIAL ANOMALY - MALFORMATION; ABSENT, ONLY 4 PRESENT PINNA(E), PINNA(E) ANOMALY -PAPILLA(E), FACIAL PAPILLA(E) DORSAL, HEMATOMA - VARIATION (External) HEAD

Unique Fetal Id.: 2 Left 02 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- ABSENT

HEAD (External)

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY PRESENT

4

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY .. 2 GROUP

445 (CONT.) Animal:

04 Left Fetal Position: RIBS

Unique Fetal Id.:

(Skeletal)

- VARIATION; BILATERAL RIB 14, RUDIMENTARY

> (Skeletal) STERNUM

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION

VERTEBRAL COLUMN (Skeletal)

- VARIATION VERTEBRAE, 27 PRESACRAL VERTEBRAE

SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; DOMED HEAD SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL (Skeletal)

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION (External)

Right 01 Fetal Position:

Unique Fetal Id.: 6

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT ANOPHTHALMIA (External)

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

1000 MG/KG/DAY (RETINOL PALMITATE) 2 GROUP

Animal: 445 (CONT.)

Unique Fetal Id.: 02 Right Fetal Position: RIBS

- VARIATION; LEFT RUDIMENTARY, RIGHT FULL RIB 14, FULL (Skeletal)

1

STERNUM

(Skeletal)

SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2-5,

VERTEBRAL COLUMN (Skeletal)

PRESACRAL VERTEBRAE - VARIATION 27 VERTEBRAE,

SKULL

BILATERAL, VARIATION; SQUAMOSAL(S), REDUCED OSSIFICATION -RING(S), UNOSSIFIED - VARIATION; RIGHT (Skeletal)

TYMPANIC

SEVERE

(External)

HEAD

MALFORMATION; SIZE PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - SUPERNUMERARY MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION

Unique Fetal Id.: 8 03 Right Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

HEAD

(External)

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 445 (CONT.)

Unique Fetal Id.: Right 04 Fetal Position: RIBS

σ

RIB 14, RUDIMENTARY - VARIATION; BILATERAL (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAL COLUMN (Skeletal) SKULL

SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL

(Skeletal)

HEAD

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY PRESENT (External)

Right 05

Fetal Position:

Unique Fetal Id.: 10

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- SUPERNUMERARY

FACIAL PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, MALPOSITIONED PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY (External) HEAD

Unique Fetal Id.: 11 Right 06 Fetal Position: RIBS

RIB 14, RUDIMENTARY - VARIATION; LEFT STERNUM (Skeletal) (Skeletal)

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAL COLUMN (Skeletal)

SLIGHT

4 AND 5,

SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL (Skeletal) SKULL

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT (External) HEAD

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY .. ທ GROUP

445 (CONT.) Animal: Unique Fetal Id.: Right 07 Fetal Position:

12

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLLAE--MALPOSITIONED OR ABSENT

HEAD

(External)

MALPOSITIONED/SMALL/SUPERNUMERARY - MALFORMATION; MALPOSITIONED OR PINNA(E), PINNA(E) ANOMALY - MALFORMATION; PACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY ABSENT MOUTH, MICROSTOMIA - MALFORMATION

08 Right Position:

- VARIATION; BILATERAL

RIB 14, FULL

(Skeletal)

Fetal RIBS

Unique Fetal Id.: 13

STERNUM

SLIGHT TO MODERATE - VARIATION; 3, 4 AND 5, STERNEBRA(E), MALALIGNED, (Skeletal)

SLIGHT

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

(Skeletal)

SKULL

SQUAMOSAL(S), REDUCED OSSIFICATION

- VARIATION; BILATERAL

HEAD

- MALFORMATION; ABSENT, ANOMALY FACIAL PAPILLA(E), FACIAL PAPILLA(E) PRESENT (External)

3

ONLY

Unique Fetal Id.: 14 Right 09 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

HEAD

IN SIZE AND MALFORMATION; PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - ABSENT, ONLY 3 PRESENT SMALL (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 445 (CONT.)

Right 10 Fetal Position: RIBS

Unique Fetal Id.: 15

(Skeletal)

RIB 14, FULL - VARIATION; BILATERAL

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

VERTEBRAL COLUMN (Skeletal)

(Skeletal)

SKULL

(External)

HEAD

- VARIATION; BILATERAL TYMPANIC RING(S),

SQUAMOSAL(S), REDUCED OSSIFICATION UNOSSIFIED - VARIATION; RIGHT

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/IRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 465

Fetal Position: Left 01 RIBS

(Skeletal) RIB 14,

RIB 14, FULL - VARIATION; BILATERAL

Н

Unique Fetal Id.:

STERNUM (Skeletal)

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL (Skeletal)

PORTIONS OF FRONTALS, PARIETALS, INTERPARIETALS ABSENT; ANOPHTHALMIA: LEFT EYE SOCKET MALFORMED; CLEFT PALATE; MAXILLAE MICROGNATHIA; MANDIBULAR MICROGNATHIA SUPRAOCCIPITAL, REDUCED OSSIFICATION - VARIATION SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION SQUAMOSAL(S),

EYES (External)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT ANOPHTHALMIA EYELID(S), OPEN EYELID(S) - MALFORMATION; RIGHT

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION JAW, MANDIBLE, MICROGNATHIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 465 (CONT.)

Left 02 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAR--ABSENT

Unique Fetal Id.:

(External) EYES

EXELID(S), OPEN EYELID(S) - MALFORMATION; BILATERAL

HEAD

(External)

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 2 PRESENT BRAIN, ENCEPHALOCELE - MALFORMATION MOUTH, MICROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY N .. GROUP

465 (CONT.) Animal:

Left 03 Fetal Position: RIBS

3

Unique Fetal Id.:

RIB 14, FULL - VARIATION; BILATERAL

(Skeletal)

STERNUM

5-6, UNOSSIFIED - VARIATION; 5 ONLY STERNEBRA (E), (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAL COLUMN (Skeletal)

(Skeletal) SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; ENCEPHALOCELE: PARIETALS--SMALL; LEFT ANOPHTHALMIA: LEFT EYE SOCKET--SMALL AND MALFORMED; DOMED HEAD; MAXILLAE MICROGNATHIA TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT ANOPHTHALMIA EYELID(S), OPEN EYELID(S) - MALFORMATION; RIGHT (External) EYES

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT BRAIN, ENCEPHALOCELE - MALFORMATION MOUTH, MICROSTOMIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION

(External)

HEAD

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY .. 2 GROUP

465 (CONT.) Animal: Left 05 Fetal Position:

Unique Fetal Id.:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

HEAD, CEPHALOCELE - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY (External) HEAD

PALATE, CLEFT PALATE - MALFORMATION; MODERATE (Visceral)

Unique Fetal Id.: 01 Right Position: Fetal RIBS

- VARIATION; BILATERAL RIB 14, FULL (Skeletal) STERNUM

AND 2 VARIATION; 5-6, UNOSSIFIED - VARIATION; 5 ONLY TO MODERATE SLIGHT MALALIGNED, STERNEBRA(E), STERNEBRA(E), (Skeletal)

SLIGHT

3,

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAL COLUMN (Skeletal)

SKULL

BILATERAL ANOPHTHALMIA: EYE SOCKETS--SMALL AND MALFORMED; MAXILLAE MICROGNATHIA JUGAL(S), MALFORMED - MALFORMATION; BILATERAL SQUAMOSAL(S), MALFORMED - MALFORMATION; BILATERAL TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: LARGE PORTIONS OF FRONTALS AND PARIETALS, INTERPARIETAL, SUPRAOCCIPITAL--ABSENT; (Skeletal)

EXE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA (External) EYES

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION

(External)

HEAD

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 465 (CONT.)

Fetal Position: Right 02 *

Right 02 * Unique Fetal Id.: 7

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED OR ABSENT

EYES (External)

MICROPHTHALMIA LEFT MALFORMATION; RIGHT EYE(S), ANOPHTHALMIA/MICROPHTHALMIA -EYELID(S), OPEN EYELID(S) - MALFORMATION;

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT

(External)

Right 03 Unique Fetal Id.: 8

- VARIATION; RIGHT

RIB 14, RUDIMENTARY

(Skeletal)

Fetal Position: RIBS

STERNUM (Skeletal)

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

(Skeletal)

VERTEBRAL COLUMN

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL

- VARIATION; BILATERAL TYMPANIC RING(S), SQUAMOSAL(S), REDUCED OSSIFICATION UNOSSIFIED - VARIATION; BILATERAL (Skeletal)

HEAD

(External)

IN SIZE AND MALFORMATION; SMALL PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMAI MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY MALPOSITIONED OR ABSENT MOUTH, MICROSTOMIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

465 (CONT.) Animal: Right 04 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED OR ABSENT

o)

Unique Fetal Id.:

EYES

(External)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA EYELID(S), OPEN EYELID(S) - MALFORMATION; LEFT

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MICROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION JAW, MANDIBLE, MICROGNATHIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION, LEFT MICROPHTHALMIA: LEFT EYE SOCKET--SMALL, RIGHT ANOPHTHALMIA: RIGHT EYE SOCKET--VERY SMALL AND MALFORMED; DOMED HEAD SQUAMOSAL(S), MALFORMED - MALFORMATION; BILATERAL RIB(S), FUSED - MALFORMATION; 7 AND 8, AT ARTICULATING HEADS ONLY RIB 14, FULL - VARIATION; LEFT FULL, RIGHT RUDIMENTARY VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; BILATERAL CERVICAL ARCH 1 FUSED TO EXOCCIPITALS EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT MICROPHTHALMIA; RIGHT ANOPHTHALMIA HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT 5-6, UNOSSIFIED - VARIATION; 5 ONLY Unique Fetal Id.: 10 STERNEBRA(E), 02 Right VERTEBRAL COLUMN (Skeletal) (Skeletal) (External) (Skeletal) (Skeletal) (External) Fetal Position: RIBS Animal: 465 (CONT.) SKULL HEAD EYES

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 5: 1000 MG/KG/DAY GROUP

468 Animal: Unique Fetal Id.: 01 Left Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

(External) EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA

HEAD

(External)

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT BRAIN, ENCEPHALOCELE - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION

468 Animal:

Left 03 Fetal Position:

STERNUM

(Skeletal

- VARIATION; 3 AND 4, SLIGHT TO MODERATE SLIGHT STERNEBRA(E), MALALIGNED,

Unique Fetal Id.: 3

VERTEBRAL COLUMN

(Skeletal)

- VARIATION VERTEBRAE, 27 PRESACRAL VERTEBRAE

SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; ENCEPHALOCELE: GAP BETWEEN PARIETALS SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL (Skeletal)

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, SMALL IN SIZE; BILATERAL, MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, ENCEPHALOCELE - MALFORMATION

STUDY OF WR238605 SUCCINATE IN RATS DEVELOPMENTAL TOXICITY UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; DOMED HEAD; LEFT MICROPHTHALMIA: LEFT EYE SOCKET--SMALL AND MALFORMED SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT BRAIN, EXENCEPHALY - MALFORMATION HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT STERNEBRA(E), EXE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; RIGHT MICROPHTHALMIA ARCHES, LEFT CERVICAL ONLY MALFORMATION; RIGHT 4 AND VARIATION Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT m - VARIATION; - VARIATION; BILATERAL Unique Fetal Id.: 5 EYE(S), ANOPHTHALMIA/MICROPHTHALMIA -EYELID(S), OPEN EYELID(S) - MALFORMATION; 2-6 Unique Fetal Id.: VERTEBRAE BILATERAL STERNEBRA(E), 1-4, UNOSSIFIED UNOSSIFIED - VARIATION PRESACRAL VARIATION; RIB 14, RUDIMENTARY VERTEBRAE, 27 OSSIFICATION -02 01 Right Right VERTEBRAL COLUMN (External) (Skeletal) (Skeletal) (External) (External) (External) (Skeletal) (Skeletal) Position: Fetal Position: 468 (CONT.) STERNUM Fetal SKULL HEAD EYES EYES HEAD Animal:

2-6,

REDUCED

MICROPHTHALMIA

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) GROUP 5: 1000 MG/KG/DAY

468 (CONT.) Animal: Right 03 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

Unique Fetal Id.:

BACK

BACK, MENINGOCELE - MALFORMATION (External)

HEAD

IN SIZE AND MALFORMATION; PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - SUPERNUMBRARY MOUTH, MACROSTOMIA - MALFORMATION (External)

Unique Fetal Id.: 04 Right Fetal Position: RIBS

- VARIATION; BILATERAL RIB 14, RUDIMENTARY (Skeletal)

STERNUM

3 AND 2, STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY (Skeletal)

SLIGHT

4

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

(Skeletal) SKULL

(External)

HEAD

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; ENCEPHALOCELE: POSTERIOR GAP BETWEEN PARIETALS SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, ENCEPHALOCELE - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION

RATS DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

468 (CONT.)

Animal:

g Unique Fetal Id.: Right 06 Fetal Position:

EXCEPT FACIAL PAPILLAE--SUPERNUMERARY Comments: EXTERNALS CONFIRMED VISCERALLY

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, SLIGHT URETER(S), HYDROURETER (Visceral) ABDOMEN

- VARIATION; BILATERAL, SLIGHT

HEAD

MALFORMATION; MACROSTOMIA SMALL PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMAI MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY SUPERNUMERARY BRAIN, ENCEPHALOCELE - MALFORMATION MOUTH, MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION (External)

Unique Fetal Id.: 10 07 Right Fetal Position: STERNUM

SLIGHT 4 3 AND 7 MALALIGNED, SLIGHT TO MODERATE - VARIATION; 5-6, UNOSSIFIED - VARIATION; 5 ONLY STERNEBRA(E), STERNEBRA(E), (Skeletal

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, MALFORMED,ABSENT,AND/OR FUSED - MALFORMATION; THORACIC CENTRA 12 AND 13--MALALIGNED VERTEBRAL COLUMN (Skeletal

SKULL

EYES

HEAD

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; DOMED HEAD; BILATERAL MICROPHTHALMIA: EYE SOCKETS BILATERAL--SMALL SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL (Skeletal)

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA (External) (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 468 (CONT.)

Unique Fetal Id.: 11 Right 08 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

EYES (External)

EYELID(S), OPEN EYELID(S) - MALFORMATION; RIGHT

HEAD (External)

MALFORMATION; CLEFT PALATE -PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - SUPERNUMERARY MOUTH, MACROSTOMIA - MALFORMATION MOUTH, PALATE, C MALFORMATION

Animal: 476

Fetal Position: Left 01 * Unique Fetal Id.: 1

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED

EYES

- MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S) EYE(S), MACROPHTHALMIA MALFORMATION; BILATERAL (External)

BACK

(External)

BACK, MENINGOCELE - MALFORMATION

HEAD (External)

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED MOUTH, PALATE, CLEFT PALATE - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

1000 MG/KG/DAY (RETINOL PALMITATE) 2 GROUP

476 (CONT.) Animal: Unique Fetal Id.: 02 Left Fetal Position:

- VARIATION; BILATERAL RIB 14, RUDIMENTARY (Skeletal)

SLIGHT 3 AND 4, STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 2,

~

VERTEBRAL COLUMN (Skeletal)

(Skeletal)

STERNUM

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL

(Skeletal)

VARIATION; MODERATE INTERPARIETAL, REDUCED OSSIFICATION - VARIATION; SEVERE SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL TYMPANIC RING(S), ABSENT - MALFORMATION; LEFT TYMPANIC RING(S), SMALL IN SIZE - MALFORMATION; RIGHT SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: LARGE PORTIONS OF FRONTALS AND PARIETALS BILATERAL ABSENT; MAXILLAE MICROGNATHIA; LEFT MACROPHTHALMIA: LEFT EYE SOCKET--LARGE SUPRAOCCIPITAL, REDUCED OSSIFICATION -

> (External) EYES

EYELID (S) OPEN EYELID(S), LEFT MALFORMATION; EYE(S), MACROPHTHALMIA MALFORMATION; BILATERAL

> (External) HEAD

MICROGNATHIA ABSENT, - MALFORMATION; JAW, MAXILLAE, FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY PRESENT BRAIN, EXENCEPHALY - MALFORMATION MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

476 (CONT.) Animal: Left 03 Fetal Position:

Unique Fetal Id.:

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

THORACIC CAVITY (Visceral)

- MALFORMATION RIGHT SIDED AORTIC ARCH HEART,

> (External) EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA

- MALFORMATION; BILATERAL MICROPHTHALMIA

ABDOMEN

KIDNEY(S), HYDRONEPHROSIS - VARIATION; BILATERAL, MODERATE (Visceral)

HEAD

ABSENT, ONLY CLEFT PALATE - MALFORMATION; FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION PRESENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, PALATE, MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION (External)

mI

ONLY

04

Left

Unique Fetal Id.:

Skeletal

Fetal Position: VERTEBRAL COLUMN

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; ENCEPHALOCELE: GAP BETWEEN VARIATION; PARIETALS; CLEFT PALATE SQUAMOSAL(S), REDUCED OSSIFICATION - VAR. BILATERAL, MODERATE TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL (Skeletal)

EYES

(External)

- MALFORMATION; RIGHT EYELID(S), OPEN EYELID(S)

> (External) HEAD

PALATE, PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, SMALL/SUPERNUMERARY PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY ENCEPHALOCELE - MALFORMATION MOUTH, MICROSTOMIA - MALFORMATION MOUTH, CLEFT PALATE - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) MG/KG/DAY 1000 .. GROUP

476 (CONT.) Animal: Unique Fetal Id.: 01 Right Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

EYES

- MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S) (External)

HEAD

MALFORMATION; (External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - ABSENT, ONLY 3 PRESENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION

MACROSTOMIA

CLEFT PALATE - MALFORMATION; SLIGHT PALATE, (Visceral)

02 Right

9 Unique Fetal Id.:

Fetal Position: VERTEBRAL COLUMN

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, MALFORMED, ABSENT, AND/OR

(Skeletal

(Skeletal)

SKULL

FUSED - MALFORMATION; LEFT LUMBAR ARCH 1 -- LARGE; LUMBAR CENTRUM 1 -- MALALIGNED

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: LARGE PORTIONS OF FRONTALS, PARIETALS, INTERPARIETAL, SUPRAOCCIPITAL--ABSENT; BILATERAL MICROPHTHALMIA: EYE SOCKETS BILATERAL--LARGE; MAXILLAE MICROGNATHIA TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL CONFIRMATION; EXENCEPHALY:

(External) EYES

(External)

HEAD

OPEN EYELID(S) MALFORMATION; BILATERAL EYELID(S), ı EYE(S), MACROPHTHALMIA MALFORMATION; BILATERAL

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MICROSTOMIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 476 (CONT.)

Fetal Position: Right 04 *

Unique Fetal Id.:

Φ

Comments: EXTERNALS NOT CONFIRMED VISCERALLY

HEAD (External)

- MALFORMATION; SUPERNUMERARY FACIAL PAPILLA(E) ANOMALY FACIAL PAPILLA(E),

Fetal Position: Right

05

Unique Fetal

STERNUM (Skeletal)

SLIGHT 3, 2 AND VARIATION; 1 TO MODERATE SLIGHT STERNEBRA(E), MALALIGNED,

VERTEBRAL COLUMN

(Skeletal

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL

(Skeletal)

PORTIONS OF PARIETALS, FRONTALS, INTERPARIETAL, SUPRACCIPITAL-ABSENT; BILATERAL MACROPHTHALMIA: EYE SOCKETS-LARGE; MAXILLAE MICROGHTHALMIA: EYE SOCKETS-LARGE; MAXILLAE MICROGNATHIA SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL, SEVERE TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL

EYES

(External)

EYE(S), MACROPHTHALMIA - MALFORMATION; BILATERAL

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MICROSTOMIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION ANOMALY

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

476 (CONT.)

Animal:

Unique Fetal Id.: 10 Right 06 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

EYES (External)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MICROSTOMIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION

Fetal Position: Right 07

Unique Fetal Id.: 11

(Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; LEFT SIDES OF LUMBAR CENTRA 3 AND 4--FUSED

SKULL (Skeletal)

HYOID, UNOSSIFIED - VARIATION SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL, MODERATE TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL

HEAD

(External)

MALFORMATION; SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY ABSENT, ONLY 4 PRESENT MOUTH, MICROSTOMIA - MALFORMATION - MALFORMATION; BILATERAL, PINNA(E), PINNA(E) ANOMALY

OF WR238605 SUCCINATE IN RATS STUDY DEVELOPMENTAL TOXICITY UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 477

Fetal Position: Left 02

Unique Fetal Id.: 2

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE/RIBS, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; THORACIC ARCHES 12 AND 13-FUSED; RIGHT RIB 13 ABSENT; LEFT THORACIC ARCHES 11 AND 12--FUSED; FUSION, MALFORMATION OF SOME LUMBAR ARCHES AND CENTRA, INCLUDING CENTRA THAT ARE MALALIGNED, BIPARTITE AND/OR FORMED ONLY ON ONE SIDE

SKULL (Skeletal)

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; CLEFT PALATE SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL, SEVERE TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL

EYES

(External)

EYELID(S), OPEN EYELID(S) - MALFORMATION; RIGHT

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MACROSTOMIA - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION

Fetal Position: Left 03 *

Unique Fetal Id.: 3

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, ENCEPHALOCELE - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 5 GROUP

477 (CONT.) Animal: 04 Left Position: Fetal

RUDIMENTARY 14, RIB 12 VARIATION; LEFT TO MODERATE RIB(S), BENT, SLIGHT VARIATION; RIGHT

4

Id.:

Unique Fetal

(Skeletal)

- VARIATION PRESACRAL VERTEBRAE 27 VERTEBRAE, VERTEBRAL COLUMN (Skeletal)

(Skeletal) SKULL

PORTIONS OF FRONTALS, PARIETALS, INTERPARIETAL, SUPRACCIPITAL--ABSENT; MAXILLAE MICROGNATHIA; MANDIBULAR MICROGNATHIA; MANDIBULAR MICROGNATHIA; REDUCED OSSIFICATION - VARIATION; BILATERAL TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL

- MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S) (External) EYES

(External)

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, ABSENT; RIGHT, SMALL IN SIZE AND MALPOSITIONED BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION JAW, MANDIBLE, MICROGNATHIA - MALFORMATION

Unique Fetal Id.:

02

Left

Fetal Position:

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- SUPERNUMERARY

BILATERAL - MALFORMATION; EYELID(S), OPEN EYELID(S) External) EYES

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, ABSENT FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, CORNER, FLESHY PROTUBERANCE - MALFORMATION; LEFT (External)

HEAD

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

1000 MG/KG/DAY (RETINOL PALMITATE) GROUP

477 (CONT.) Animal: 90 Left Fetal Position: RIBS

9 Unique Fetal Id.: - VARIATION; BILATERAL RIB 14, RUDIMENTARY (Skeletal)

(Skeletal) STERNUM

- VARIATION; 3, TO MODERATE SLIGHT STERNEBRA (E), MALALIGNED,

VERTEBRAL COLUMN

(Skeletal)

- VARIATION VERTEBRAE, 27 PRESACRAL VERTEBRAE

SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; BILATERAL MICROPHTHALMIA: LARGE EYE SOCKETS BILATERAL; CLEFT PALATE SQUAMOSAL(S), REDUCED OSSIFICATION -VARIATION; BILATERAL TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL (Skeletal)

EYES

HEAD

MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S) 1 EYE(S), MACROPHTHALMIA MALFORMATION; BILATERAL (External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, ABSENT FACIAL PAPILLA(E), FACIAL PAPILLA(E), CLEFT PALATE - MALFORMATION; ABSENT, ONLY 3 PRESENT MOUTH, PALATE, CLEFT PALATE - MALFORMATION (External)

07 Left Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE-SUPERNUMERARY

Unique Fetal Id.:

EYES

- MALFORMATION; RIGHT EXELID(S), OPEN EYELID(S) (External)

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, ABSENT; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY MOUTH, MICROSTOMIA - MALFORMATION (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 477 (CONT.)

Fetal Position: Left 08 RIBS

12--OUTER THIRD 11 AND - MALFORMATION; LEFT RIB(S), FUSED (Skeletal)

œ

Unique Fetal Id.:

STERNUM (Skeletal)

4, AND m 2 - VARIATION; MALALIGNED, SLIGHT TO MODERATE - VI 5-6, UNOSSIFIED - VARIATION; 5 ONLY STERNEBRA(E), STERNEBRA(E),

SLIGHT

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; LEFT LUMBAR ARCHES AND LEFT SIDES OF CENTRA 1 AND 2--FUSED; RIGHT LUMBAR ARCHES 2 AND 3--FUSED; LUMBAR CENTRUM 2--MALALIGNED

SKULL

(Skeletal)

GAP UNOSSIFIED SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; ENCEPHALOCELE: BETWEEN FRONTALS, POSTERIORLY; CLEFT PALATE TYMPANIC RING(S), UN VARIATION; BILATERAL

(External)

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, ENCEPHALOCELE - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION

Fetal Position: Right 01 *

Unique Fetal Id.: 9

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

EYES

HEAD (External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, ABSENT; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA -CORNER, FLESHY MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION MOUTH, PROTUBERANCE - MALFORMATION; RIGHT

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

(CONT.) 477 Animal: 02 Right Fetal Position: VERTEBRAL COLUMN

Unique Fetal Id.: 10

27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, (Skeletal)

(Skeletal) SKULL

TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL

(External) HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, ABSENT; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY DORSAL, HEMATOMA - VARIATION MOUTH, CORNER, FLESHY PROTUBERANCE -RIGHT MALFORMATION;

Unique Fetal Id.: 11 03 Right Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE - MALPOSITIONED OR ABSENT

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION (External)

04 Right Position: Fetal RIBS

Unique Fetal Id.: 12

- VARIATION; LEFT 13, INTERRUPTED

VERTEBRAL COLUMN

(Skeletal)

RIB 13, REDUCED OSSIFICATION

(Skeletal)

- VARIATION VERTEBRAE, 27 PRESACRAL VERTEBRAE

SLIGHT BILATERAL, VARIATION; OSSIFICATION - VAR REDUCED SQUAMOSAL(S), REDUCED RING(S), UNOSSIFIED -(Skeletal)

(External) HEAD

IN SIZE AND MALFORMATION; SMALL PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMA MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY ABSENT, ONLY 3 PRESENT

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 5: 1000 MG/KG/DAY GROUP

477 (CONT.) Animal: Unique Fetal Id.: Right 05 Fetal Position:

13

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT MOUTH, PALATE, CLEFT PALATE - MALFORMATION MOUTH, CORNER, FLESHY PROTUBERANCE - MALFORMATION; RIGHT (External)

Right 06 Fetal Position: RIBS

Unique Fetal Id.: 14 RIB 14, RUDIMENTARY - VARIATION; RIGHT

(Skeletal)

STERNUM (Skeletal)

SLIGHT 4, 3 AND 7 - VARIATION; STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - V2 STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION; 5 ONLY

VERTEBRAL COLUMN (Skeletal)

- VARIATION VERTEBRAE, 27 PRESACRAL VERTEBRAE

SKULL

- VARIATION; BILATERAL TYMPANIC RING(S), SQUAMOSAL(S), REDUCED OSSIFICATION UNOSSIFIED - VARIATION; BILATERAL (Skeletal)

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, ABSENT; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

485

Animal:

Fetal Position: Left 01 RIBS

Н

Unique Fetal Id.:

(Skeletal) RIB 14, RUDIMENTARY - VARIATION; LEFT

VARIATION; ı MODERATE MALALIGNED, SLIGHT TO MODI 5-6, UNOSSIFIED - VARIATION STERNEBRA(E), STERNEBRA(E), STERNUM (Skeletal)

SLIGHT

3,

AND

~

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAE, MALFORMED, ABSENT, AND/OR FUSED - MALFORMATION; BILATERAL CERVICAL ARCH 1 FUSED TO EXOCCIPITALS AND/OR MALFORMED VERTEBRAL COLUMN (Skeletal)

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; ENCEPHALOCELE: GAP BETWEEN PARIETALS; BILATERAL ANOPHTHALMIA: NO EYE SOCKETS BILATERAL; DOMED HEAD SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL (Skeletal)

SKULL

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA External) EYES

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILLATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 1 PRESENT BRAIN, ENCEPHALOCELE - MALFORMATION MOUTH, MICROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA -MALFORMATION (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY GROUP

485 (CONT.) Animal: Unique Fetal 03 Left Fetal Position:

Id.:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA EYES

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 2 PRESENT (External)

Unique Fetal Id.: 04 Left Position: Fetal

AND 12, AT POINT 1/3 OF THE WAY FROM - VARIATION; BILATERAL RIB(S), FUSED - MALFORMATION, RIGHT 11 PROXIMAL ENDS 7TH CERVICAL RIB, PRESENT (Skeletal

STERNEBRA(E), 5-6, UNOSSIFIED - VARIATION (Skeletal) STERNUM

(Skeletal)

SKULL

MACROPHTHALMIA: EYE SOCKET RIGHT--LARGE; LEFT ANOPHTHALMIA: LEFT EYE SOCKET SEVERELY MALFORMED AND SMALL; MANDIBLE MALFORMED: MANDIBLE FORMED ON LEFT SIDE ONLY SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL, SEVERE TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL HEAD; DOMED - CONFIRMATION; FINDI OF EXTERNAL CONFIRMATION

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT ANOPHTHALMIA EYE(S), MACROPHTHALMIA - MALFORMATION; RIGHT EYELID(S), OPEN EYELID(S) - MALFORMATION; RIGHT EYES

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, NONE PRESENT MOUTH, TONGUE, FORKED/FUSED TO MANDIBLE - MALFORMATION (External)

HEAD

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINAIR IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 485 (CONT.)

Fetal Position: Left 05 * Unique Fetal Id.:

CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED OR ABSENT Comments: EXTERNALS

5

EYELID(S), RIGHT - MALFORMATION; MACROPHTHALMIA EYE(S), MACROPHTHA! MALFORMATION; RIGHT (External) EYES

HEAD

EYELID (S)

OPEN

MALFORMATION; AW, MAXILLAE, JAW, SMALL 1 MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMAI MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY MALPOSITIONED OR ABSENT MOUTH, MICROSTOMIA - MALFORMATION MICROGNATHIA - MALFORMATION (External)

φ Unique Fetal Id.: 90 Left Position: Fetal RIBS

(Skeletal) RIB 14, FULL - VARIATION; BILATERAL

PRESACRAL VERTEBRAE - VARIATION 27 VERTEBRAE, VERTEBRAL COLUMN (Skeletal)

SKULL

DOMED HEAD; BILATERAL SQUAMOSAL(S), REDUCED NOSSIFIED - VARIATION; UNOSSIFIED -- CONFIRMATION; ANOPHTHALMIA: EYE SOCKETS BILATERAL--VERY SMALL OSSIFICATION - VARIATION; BILATERAL TYMPANIC RING(S), LEFT--REDUCED OSSIFICATION, RIGHT--UNOSSIFIED OF EXTERNAL FINDI CONFIRMATION (Skeletal)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA (External) EYES

HEAD

, PINNA(E) ANOMALY - MALFORMATION; FACIAL PAPILLA(E), FACIAL PAPILLA(E) OR ABSENT MOUTH, CORNER, FLESHY HEAD, DOMED HEAD - MALFORMATION PINNA(E) BILATERAL, SMALL IN SIZE AND MALPOSITIONED ANOMALY - MALFORMATION; MALPOSITIONED PROTUBERANCE - MALFORMATION; LEFT (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY Ω ··· GROUP

485 (CONT.) Animal: Unique Fetal Id.: Right 01 Fetal Position:

7

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- ABSENT

(External) EYES

- MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S) EYE(S), MACROPHTHALMIA MALFORMATION; BILATERAL

(External) HEAD

IN SIZE AND MALFORMATION; SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY ABSENT, ONLY 3 PRESENT MOUTH, MICROSTOMIA - MALFORMATION MALFORMATION; BILATERAL, ANOMALY PINNA (E) PINNA (E)

Right 03 VERTEBRAL COLUMN Fetal Position:

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

Unique Fetal Id.: 9

SKULL

EYES

(Skeletal)

EXTERNAL FINDI - CONFIRMATION; DOMED HEAD; BILATERAL SOCKETS BILATERAL--MALFORMED SQUAMOSAL(S), REDUCED ON; BILATERAL, MODERATE TO SEVERE TYMPANIC RING(S), CONFIRMATION OF (Skeletal)

ANOPHTHALMIA: EYE SOCKETS BILATERAL--MALFO OSSIFICATION - VARIATION; BILATERAL, MODERATE UNOSSIFIED - VARIATION; BILATERAL

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA (External)

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 1 PRESENT MOUTH, MICROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION (External) HEAD

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) GROUP 5: 1000 MG/KG/DAY

485 (CONT.) Animal: Unique Fetal Id.: 10 Right 04 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--ABSENT

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA EYES

(External)

HEAD

HEAD, CEPHALOCELE - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 2 PRESENT MOUTH, MICROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION MOUTH, CORNER, FLESHY PROTUBERANCE - MALFORMATION; LEFT (External)

Fetal Position: RIBS

05

Right

- VARIATION; BILATERAL RIB 14, RUDIMENTARY

Unique Fetal Id.: 11

(Skeletal) (Skeletal) STERNUM

4, SLIGHT 3 AND 2 SLIGHT TO MODERATE - VARIATION; MALALIGNED, SLIGHT TO MODER 5-6, UNOSSIFIED - VARIATION STERNEBRA(E), STERNEBRA(E),

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION VERTEBRAL COLUMN (Skeletal)

SKULL, CONFIRMATION OF EXTERNAL FIND! - CONFIRMATION; ENCEPHALOCELE: LARGE GAP BETWEEN PARIETALS; DOMED HEAD; CLEFT PALATE SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; LEFT (Skeletal) SKULL

(External)

HEAD

MALFORMATION; MALFORMATION; CLEFT PALATE -DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - ITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - ITIONED BRAIN, ENCEPHALOCELE - MALFORMATION MOUTH, PALATE, MALPOSITIONED FACIAL PAPILLA(E), MALPOSITIONED BRAIN, ENCEPHALOCELE MALFORMATION

RAIS DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN STUDY NO.: 154 UIC/TRL

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

485 (CONT.) Animal: Unique Fetal Id.: 12 Right 06 Fetal Position:

VISCERALLY EXCEPT FACIAL PAPILLAE -- MALPOSITIONED OR ABSENT Comments: EXTERNALS CONFIRMED

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA EYES

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION (External)

Unique Fetal Id.: 13

- VARIATION; BILATERAL RIB 14, RUDIMENTARY Fetal Position: RIBS Skeletal

07

Right

STERNUM

SLIGHT - VARIATION; 3 AND 4, - VARIATION SLIGHT TO MODERATE VERTEBRAE, 27 PRESACRAL VERTEBRAE MALALIGNED, STERNEBRA(E), COLUMN (Skeletal) Skeletal VERTEBRAL

SKULL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; DOMED HEAD; BILATERAL ANOPHTHALMIA: EYE SOCKETS BILATERAL--MALFORMED SQUAMOSAL(S), UNOSSIFIED - VARIATION; BILATERAL TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL (Skeletal)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL ANOPHTHALMIA External)

EYES

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLIA(E), FACIAL PAPILLIA(E) ANOMALY - MALFORMATION; MALPOSITIONED OR ABSENT MOUTH, MICROSTOMIA - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

5: 1000 MG/KG/DAY (RETINOL PALMITATE) GROUP

493 Animal:

03 Left Fetal Position:

Unique Fetal Id.:

3

(Skeletal)

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; CLEFT PALATE JUGAL(S), UNOSSIFIED - VARIATION; BILATERAL SQUAMOSAL(S), UNOSSIFIED - VARIATION; BILATERAL

HEAD

(External)

- MALFORMATION; BILATERAL, ABSENT FACIAL PAPILLA(E), - MALFORMATION; SUPERNUMERARY MOUTH, PALATE, CLEFT PINNA(E), PINNA(E) ANOMALY FACIAL PAPILLA(E) ANOMALY PALATE - MALFORMATION

Left 05 Fetal Position:

Unique Fetal Id.:

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- SUPERNUMERARY

EYES

- MALFORMATION; LEFT EYELID(S), OPEN EYELID(S) (External)

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION; BILATERAL JAW, MAXILLAE, MICROGNATHIA - MALFORMATION JAW, MANDIBLE, MICROGNATHIA - MALFORMATION JAW, MANDIBLE,

STUDY OF WR238605 SUCCINATE IN RAIS DEVELOPMENTAL TOXICITY UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE 1000 MG/KG/DAY 2 GROUP

493 (CONT.) Animal:

- VARIATION; 2-5, TO MODERATE S Unique Fetal Id.: SLIGHT STERNEBRA(E), MALALIGNED, 04 Right (Skeletal) Fetal Position: STERNUM

SLIGHT

(Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

VERTEBRAL COLUMN

(Skeletal

SKULL

EYES

HEAD

EXENCEPHALY: LARGE MAXILLAE MICROGNATHIA SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; PORTIONS OF FRONTALS, PARIETALS, INTERPARIETAL ABSENT; 1 TYMPANIC RING(S), ABSENT - MALFORMATION; BILATERAL

IN SIZE AND MALFORMATION; PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AN MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA (External) (External

Unique Fetal Id.: 11 Right 06 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; RIGHT ANOPHTHALMIA (External) EYES

IN SIZE AND MALFORMATION; SMALL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY MALPOSITIONED OR ABSENT PALATE, CLEFT PALATE - MALFORMATION; SLIGHT BILATERAL, MALFORMATION; ANOMALY PINNA (E) PINNA (E), (External) HEAD

(Visceral)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

496 Animal: Unique Fetal Id.: Left 01 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

(External) EYES

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA

(External)

HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY

Unique Fetal Id.: 02 Left Fetal Position: VERTEBRAL COLUMN

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION (Skeletal)

SQUAMOSAL(S), UNOSSIFIED - VARIATION; BILATERAL

(Skeletal) SKULL

- MALFORMATION; MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY

ന

Left 03 Fetal Position:

(External)

HEAD

Unique Fetal Id.:

Comments: EXTERNALS NOT CONFIRMED VISCERALLY

(External) HEAD

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

1000 MG/KG/DAY (RETINOL PALMITATE) .. 2 GROUP

496 (CONT.) Animal: Unique Fetal Id.: Left 04 Fetal Position:

Comments: RIGHT MICROPHTHALMIA NOT CONFIRMED SKELETALLY

(Skeletal) STERNUM

SLIGHT 4 AND 5, STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3,

VERTEBRAL COLUMN (Skeletal)

PRESACRAL VERTEBRAE - VARIATION 27 VERTEBRAE,

SKULL

- VARIATION; BILATERAL, SLIGHT SQUAMOSAL(S), REDUCED OSSIFICATION (Skeletal)

EYES

EXE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; RIGHT MICROPHTHALMIA (External)

HEAD

ı ANOMALY PAPILLA (E) FACIAL FACIAL PAPILLA(E), FA SUPERNUMERARY/MALPOSITIONED (External)

MALFORMATION;

ហ Id.: Unique Fetal

Left 05 Fetal Position: Comments: EXTERNALS NOT CONFIRMED VISCERALLY

HEAD

(External)

- MALFORMATION; SUPERNUMERARY FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY

Id.:

Unique Fetal

Left Fetal Position: VERTEBRAL COLUMN (Skeletal)

90

- VARIATION 27 PRESACRAL VERTEBRAE VERTEBRAE,

SKULL

SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; RIGHT, SLIGHT TYMPANIC RING(S), UNOSSIFIED - VARIATION; RIGHT (Skeletal)

HEAD

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; MALPOSITIONED (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

1000 MG/KG/DAY (RETINOL PALMITATE) 5: GROUP

496 (CONT.) Animal: Left 07 Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

7

Unique Fetal Id.:

(External) HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; LEFT, SMALL IN SIZE FACIAL PAPILLA(E), FACIAL PAPILLA(E)

Left

08

Unique Fetal Id.: 8

Fetal Position: VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL

SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL, RING(S), ABSENT - MALFORMATION; BILATERAL (Skeletal)

TYMPANIC

SLIGHT

(External) HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT

Fetal Position:

Left 09

Unique Fetal Id.: 9

COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- ABSENT

(External) HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; RIGHT, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 4 PRESENT JAW, MAXILLAE, MICROGNATHIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 496 (CONT.)

Unique Fetal Id.: 10

*

01

Right

Fetal Position:

Comments: RIGHT

RIBS

(Skeletal) RIB 14,

RIB 14, RUDIMENTARY - VARIATION; LEFT

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL (Skeletal)

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMALION; BARNOLE, MAXILLAE PORTIONS OF FRONTALS, PARIETALS, INTERPARIETAL, SUPRAOCCIPITAL--ABSENT; MAXILLAE MICROGNATHIA; BILATERAL MICROPHTHALMIA: EYE SOCKETS BILATERAL--SMALL AND/OR MALFORMED SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL TYMPANIC RING(S), UNOSSIFIED - VARIATION

EYES

(External)

- MALFORMATION; BILATERAL MICROPHTHALMIA EYE(S), ANOPHTHALMIA/MICROPHTHALMIA

HEAD (External)

FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT BRAIN, EXENCEPHALY - MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION

Fetal Position: Right 02 *

Unique Fetal Id.: 11

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--MALPOSITIONED

EYES

- MALFORMATION; RIGHT ANOPHTHALMIA EYE(S), ANOPHTHALMIA/MICROPHTHALMIA (External

HEAD (External)

- MALFORMATION; MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 5 GROUP

496 (CONT.) Animal:

Id.: Unique Fetal 03 Right Fetal Position STERNUM

SLIGHT - VARIATION; 2-5, STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE Skeletal

12

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; DOMED HEAD; EXENCEPHALY: FRONTALS AND PARIETALS BILATERAL-SMALL; MAXILLAE MICROGNATHIA; BILATERAL MICROPHTHALMIA: EYE SOCKETS BILATERAL-SMALL SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL, MODERATE TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL (Skeletal)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; BILATERAL MICROPHTHALMIA (External) EYES

(External) HEAD

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; RIGHT, MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, 3 OR 4 PRESENT BRAIN, EXENCEPHALY - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION

Unique Fetal Id.: 13 Right 04 Fetal Position: COMMENTS: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE -- MALPOSITIONED

- MALFORMATION; RIGHT MICROPHTHALMIA EYE(S), ANOPHTHALMIA/MICROPHTHALMIA (External) EYES

- MALFORMATION; MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY (External) HEAD

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

Animal: 499

Unique Fetal Id.: Left 02 Fetal Position: RIBS

(Skeletal)

- VARIATION; BILATERAL RIB 14, FULL

2

(Skeletal) STERNUM

AND 3 7 VARIATION; ī MODERATE 5-6, UNOSSIFIED - VARIATION P O SLIGHT MALALIGNED, STERNEBRA(E), STERNEBRA(E),

> VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL

(Skeletal)

PORTIONS OF FRONTALS, PARIETALS, INTERPARIETAL, SUPRAOCCIPITAL--ABSENT; LEFT ANOPHTHALMIA: LEFT EYE SOCKET--MALFORMED; MAXILLAE MICROGNATHIA; MANDIBULAR MICROGNATHIA; CLEFT PALATE TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL LARGE EXENCEPHALY: CONFIRMATION; EXTERNAL FINDI OF CONFIRMATION

EYES

(External)

EYE(S), ANOPHTHALMIA/MICROPHTHALMIA - MALFORMATION; LEFT ANOPHTHALMIA EYELID(S), OPEN EYELID(S) - MALFORMATION; RIGHT

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION JAW, MANDIBLE, MICROGNATHIA - MALFORMATION JAW, MANDIBLE,

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

499 (CONT.) Animal: Unique Fetal Id.: Left 03 Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

(External EYES

- MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S)

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, PALATE, CLEFT PALATE - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION JAW,

04 Left Fetal Position:

Unique Fetal Id.: 4

- VARIATION; BILATERAL RIB 14, RUDIMENTARY (Skeletal

STERNUM

TO MODERATE - VARIATION; 2 AND 3, SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT (Skeletal)

VERTEBRAL COLUMN (Skeletal)

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION

SKULL

HEAD

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; CLEFT PALATE SQUAMOSAL(S), REDUCED OSSIFICATION - VARIATION; BILATERAL, SEVERE TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL (Skeletal)

- MALFORMATION; SMALL IN SIZE MOUTH, PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMAL MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY SUPERNUMERARY MOUTH, PALATE, CLEFT PALATE - MALFORMATION SUPERNUMERARY MOUTH, PALAT MACROGLOSSIA - MALFORMATION (External)

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RAIS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

Animal: 499 (CONT.)

Fetal Position: Left 06 *

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

9

Unique Fetal Id.:

EYES

(External)

EYELID(S), OPEN EYELID(S) - MALFORMATION; BILATERAL

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAE, MICROGNATHIA - MALFORMATION JAW, MANDIBLE, MICROGNATHIA - MALFORMATION

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

1000 MG/KG/DAY (RETINOL PALMITATE) رى .. GROUP

499 (CONT.) Animal:

Unique Fetal Id.: 03 Right Fetal Position: PELVIS

g

PUBIS, UNOSSIFIED - VARIATION; LEFT (Skeletal)

RIB 14, RUDIMENTARY - VARIATION; LEFT (Skeletal)

STERNUM

RIBS

STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3, SLIGHT STERNEBRA(E), (Skeletal)

5-6, UNOSSIFIED - VARIATION

VERTEBRAE, 27 PRESACRAL VERTEBRAE - VARIATION COLUMN (Skeletal) VERTEBRAL

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; BILATERAL MACROPHTHALMIA: (Skeletal)

EYE SÖCKETS BILATERAL--LARGE; DOMED HEAD; CLEFT PALATE SQUAMOSAL(S), UNOSSIFIED - VARIATION; BILATERAL TYMPANIC RING(S), UNOSSIFIED - VARIATION; BILATERAL

MALFORMATION; BILATERAL EYELID(S), OPEN EYELID(S) ı EYE(S), MACROPHTHALMIA MALFORMATION; BILATERAL (External)

HEAD

EYES

HEAD, DOMED HEAD - MALFORMATION PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; ABSENT, ONLY 3 PRESENT MOUTH, PALATE, CLEFT PALATE -MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION (External)

Unique Fetal Id.: 11 05 Right Fetal Position:

Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

HEAD

(External)

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, ENCEPHALOCELE - MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION

APPENDIX

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/IRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

(RETINOL PALMITATE) 1000 MG/KG/DAY 2 GROUP

499 (CONT.)

Animal:

Unique Fetal Id.: 12 90 Right Fetal Position:

- VARIATION; LEFT FULL, RIGHT RUDIMENTARY RIB 14, FULL (Skeletal)

Skeletal) STERNUM

SLIGHT STERNEBRA(E), MALALIGNED, SLIGHT TO MODERATE - VARIATION; 3 AND 4,

VERTEBRAL COLUMN (Skeletal)

- VARIATION 27 PRESACRAL VERTEBRAE VERTEBRAE,

SKULL

(Skeletal)

SKULL, CONFIRMATION OF EXTERNAL FINDI - CONFIRMATION; EXENCEPHALY: LARGE PORTIONS OF FRONTALS, PARIETALS, INTERPARIETAL, SUPRAOCCIPITAL--ABSENT; MAXILLAE MICROGNATHIA TYMPANIC RING(S), UNOSSIFIED - VARIATION; LEFT

(External) EYES

EYELID(S), OPEN EYELID(S) - MALFORMATION; LEFT

(External) HEAD

PINNA(E), PINNA(E) ANOMALY - MALFORMATION; SMALL IN SIZE AND MALPOSITIONED FACIAL BRAIN, - MALFORMATION JAW, SUPERNUMERARY MALFORMATION; , MACROGLOSSIA PAPILLA(E), FACIAL PAPILLA(E) ANOMALY - M EXENCEPHALY - MALFORMATION MOUTH, TONGUE, MAXILLAE, MICROGNATHIA - MALFORMATION

Unique Fetal Id.: 13 07 Right Fetal Position: Comments: EXTERNALS CONFIRMED VISCERALLY EXCEPT FACIAL PAPILLAE--SUPERNUMERARY

EYES

- MALFORMATION; BILATERAL EXELID(S), OPEN EYELID(S) External)

HEAD

(External)

JAW, MAXILLAE, PINNA(E), PINNA(E) ANOMALY - MALFORMATION; BILATERAL, ABSENT FACIAL PAPILLA(E) FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY FACIAL PAPILLA(E) ANOMALY - MALFORMATION; SUPERNUMERARY BRAIN, EXENCEPHALY MALFORMATION MOUTH, MACROSTOMIA - MALFORMATION MOUTH, PALATE PALATE MALFORMATION MOUTH, TONGUE, MACROGLOSSIA - MALFORMATION JAW, MAXILLAB MICROGNATHIA - MALFORMATION JAW, MANDIBLE, MICROGNATHIA - MALFORMATION

APPENDIX D

DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS UIC/TRL STUDY NO.: 154

INDIVIDUAL FETAL MORPHOLOGICAL OBSERVATIONS

GROUP 5: 1000 MG/KG/DAY (RETINOL PALMITATE)

NOTE: THE FETUSES FROM LITTERS 385, 392, 410, AND 417 SCHEDULED FOR SKELETAL EXAMINATION DISARTICULATED DURING PROCESSING. INDIVIDUAL FETAL SKELETAL EXAMINATIONS WERE NOT POSSIBLE.

APPENDIX 6

Protocol and Amendments

Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B

Study No.: 154

DEVELOPMENTAL TOXICITY (SEGMENT II) STUDY OF WR238605 SUCCINATE IN RATS

1.0 PURPOSE OF THE STUDY:

The purpose of this study is to evaluate the embryo/fetal toxicity and the teratogenic potential of WR238605 Succinate in rats. The protocol conforms to the standards of the U.S. Food and Drug Administration (1966): Guidelines for Reproduction Studies for Safety Evaluation of Drugs for Human Use. The protocol for this study was approved by the UIC Animal Care Committee (Appendix 1).

2.0 SPONSOR:

2.1 Name:

U.S. Army Medical Materiel

Development Activity

2.2 Address:

Fort Detrick

Frederick, MD 21702-5009

2.3 Representative:

George J. Schieferstein, Ph.D.

3.0 TESTING FACILITY:

3.1 <u>Name:</u>

Toxicology Research Laboratory (TRL)

3.2 Address:

University of Illinois at Chicago (UIC)

Department of Pharmacology

1940 W. Taylor St.

Chicago, Illinois 60612-7353

3.3 Study Director:

Barry S. Levine, D.Sc., D.A.B.T.

4.0 DATES:

4.1 Proposed Initiation of In-Life Phase:

10/12/94

4.2 Proposed Completion of In-Life Phase:

11/04/94

4.3 Proposed Study Completion Date

02/04/95

(Draft Final Report):

REVISED PAGE
STUDY NO: 154 INITIAL: B12
DATE: 1(1)2/94

Task Order No.: UIC-10B Study No.: 154

5.0 TEST ARTICLE

5.1 Name or Code No: WR238605 Succinate (base mole fraction = 0.8)

8-[4-Amino-1-methylbutyl)amino]-2,6-dimethoxy-4-methyl-5-(3-trifluoromethyl-phenoxy)quinoline succinate

CAS #106635-81-8

Bottle number BM12562

5.2 TRL Chemical No:

0720614

5.3 Physical Description:

Pale vellow powder

5.4 Storage Conditions to Maintain Stability:

5.4.1 Temperature:

0 to 4°C.

5.4.2 Humidity:

Ambient conditions.

5.4.3 Light:

Protect from light; amber bottle or silver foil covering.

5.4.4 Special Requirements: None.

5.5 <u>Special Handling Procedures:</u> Standard safety precautions will be followed including gloves, eve protection, mask, and lab coats.

5.6 <u>Log of Test Article:</u> The amount, date, identity of person(s) removing aliquots and the purpose for which each aliquot of the test article was removed from the batch will be documented. At termination of the study, unused test article may be returned to the Sponsor.

6.0 PERSONNEL:

Study Director

Barry S. Levine, D.Sc., D.A.B.T.

Reproductive Toxicologist

Ashraf F. Youssef, M.D., Ph.D.

Reproductive Scientist

Roberto A. Matamoros, D.V.M., Ph.D.

Teratologist (PAI)
Analytical Chemist

Adam Negrusz, Ph.D.

Clinical Veterinarian

James Artwohl, D.V.M., M.S., D.A.C.L.A.M.

Michael D. Mercieca, B.S.

Veterinarian Support Tox. Lab Supervisor

Documented in raw data Soudabeh Soura, B.S.

Lead Technician Chemistry Specialist

Documented in raw data Thomas Tolhurst, B.S.

Quality Assurance

Ronald C. Schoenbeck

PRTL154

Page 2

Task Order No.: UIC-10B Study No.: 154

DRAFT

7.0 TEST SYSTEM:

7.1 Species: Rat

7.2 Strain: CD® (Virus Antibody Free)

7.3 $\frac{\text{Sex(s)/Number:}}{\text{Sex(s)/Number:}}$ 125 time-mated females (day 0 = day of vaginal plug detection)

in two shipments (a few days apart)

7.4 Age of Animals: ~60 - 70 days old at study initiation.

7.5 Body Weight: ~200 - 250 g at study initiation.

7.6 Source of Animals: Charles River Breeding Laboratories, Inc. The specific source

will be documented in the raw data.

Justification for Selection of Test System: The FDA requires the use of two animal species for preclinical developmental toxicity studies, typically the rat and rabbit. The CD* rat was selected for evaluation because; (1) it is one mammalian species accepted for use in embryo/fetal toxicity - teratogenicity studies; (2) this strain of rat has been demonstrated to be sensitive to developmental toxicants; (3) it has been used for nonclinical studies of developmental toxicity; (4) historical data and experience exist; and (5) it was specified by the Sponsor.

- 7.8 Procedure for Unique Identification of Test System: Each animal will be given a study-unique animal number (ear tag) by the Supplier. This number will also appear on a cage card visible on the front of each cage. The cage card will additionally contain the study number, test article identification, treatment group number and dose level. Cage cards will be color-coded as a function of treatment group. Raw data records and specimens will also be identified by the unique test animal number.
- Housing: The animals will be housed in an AAALAC-accredited facility. Animals will be singly housed in polycarbonate cages with Anderson-bed-a-cob bedding (Heinold, Kankakee, Illinois) in a temperature (65-78°F) and humidity (30-70%) controlled room with a 14 hour light/10 hour dark cycle. The cage size, 840 cm² area and 20 cm height, is adequate to house rats at the upper weight range as described in the Guide for the Care and Use of Laboratory Animals, DHHS (NIH) No. 86.23. All animals will be routinely transferred to clean cages with fresh bedding once weekly.
- 7.10 Quarantine Procedure: Animals will be quarantined for at least 3 days, from receipt until dosing is initiated on day 6 of gestation. During the quarantine period, the animals will be observed daily for signs of illness, and all unusual observations will be reported to the Study Director, Toxicologist or Clinical Veterinarian. Animals will be examined during quarantine and approved for use by the Clinical Veterinarian prior to being placed on test.

REVISED PAGE
STUDY NO: 154 INITIAL: 252
DATE: 1412/19

PRTL154

Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B Study No.: 154

Any sickly animals will be eliminated prior to the test animal selection process. If a selected animal appears sickly prior to initiation of treatment, it will be replaced by a healthy animal prior to initiation of treatment under the direction of the Study Director or Toxicologist. Quarantine release will be documented on the Clinical Veterinarian Log by the veterinarian prior to study initiation.

- 7.11 Food: Purina Certified Rodent Chow No. 5002 (PMI Feeds, Inc., St. Louis, MO) will be provided *ad libitum* from arrival until termination.
- 7.12 Water: Tap water from an automatic watering system in which the room distribution lines are flushed daily will be provided ad libitum from arrival until termination. The water is untreated with additional chlorine or HCl.
- 7.13 There are no known contaminants in the feed or water which are expected to influence the study. A copy of the feed certification will be kept with the study records. The results of bimonthly comprehensive chemical analyses of Chicago water are documented in files maintained by Quality Assurance.
- 7.14 It is not known if the animals will experience pain or distress during the study. Analgesic or anesthetic agents will confound the ability to determine the toxic potential of the test article, and therefore will not be used. If an animal is in severe pain or distress, following consultation with the veterinary staff, it will be euthanized in accordance with standard operating procedures.

8.0 EXPERIMENTAL DESIGN:

8.1 Treatment Groups:

| | | Dose Level | Number of |
|-----------|-------------------------------|----------------------------------|-----------|
| Group No. | Treatment | (mg base/kg/dav) | Females* |
| 1 | Vehicle | 0 | 25 |
| 2 | WR238605 Succinate | 3 | 25 |
| 3 | WR238605 Succinate | 10 | 25 |
| 4 | WR238605 Succinate | 30 | 25 |
| 5** | Vitamin A (Retinol Palmitate) | 250,000 IU/kg/day (1g/kg/day) | 25 |

- * Presumed pregnant
- ** The positive control agent, will be administered orally at the specified dose on days 9 and 10 of gestation at a dosing volume of 5 ml/kg.



Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B

Study No.: 154

Test article dose levels will be selected on the basis of a range-finding developmental toxicity study in rats (UIC/TRL Study No. 153). The number of animals, 25/dose level, is the number of animals required by the 1966 FDA Guidelines for Reproduction Studies for Safety Evaluation of Drugs for Human Use (Goldenthal Guidelines), and is the number of animals indicated by the Sponsor in Task Order UIC-10.

- 8.2 <u>Frequency and Route of Administration of Test Article:</u> The test article will be administered once daily by gavage during the period of major organogenesis, gestation days 6 through 15. It will be given at a dosing volume of 5 ml/kg. The control group will receive the vehicle at the same dosing volume. The specific volume to be administered will be adjusted on the basis of the animal's most recent body weight.
- 8.3 <u>Justification of Route(s):</u> The oral route is a convenient and accepted procedure for administering a specific amount of a test article to each animal. It mimics potential human exposure conditions and is specified by the Sponsor.
- Procedure to Control Bias during the Assignment of Animals to Treatment Groups:

 During the quarantine/pretest period, animals judged to be healthy and meeting acceptable body weight requirements will be assigned to the study at random using a randomization procedure on the basis of body weight.
- 8.5 Test Article Vehicle: 1% Methylcellulose/0.2% Tween 80.
- 8.6 Test Article Dosage Form Preparation and Analyses: The dosage formulations of the test article will be prepared once at the beginning of the study. Stability data obtained from a previous study (UIC/TRL Study No. 047) indicated that dosing suspensions are stable for two weeks. Homogeneity data obtained from UIC/TRL Study No. 047 demonstrated that the test article suspensions are homogeneous (coefficients of variation for sampling in the top, middle and bottom of several test suspensions were typically less than 4%).

The stock test article suspension will be prepared by suspending the appropriate quantity of test article in the vehicle. All dosing suspensions will be stored at 0 - 4°C. Samples of the dosage formulations will be analyzed for test article concentration prior to use. Only samples within 10% of their intended concentration will be used. The dosing suspensions will be re-analyzed at the end of the dosing period.

- 8.7 Frequency of Observations, Test Analyses and Measurements:
 - 8.7.1 Mortality Check: All animals will be observed twice daily, at least six hours apart for moribundity/mortality.
 - 8.7.2 <u>Clinical Signs:</u> All animals will be observed daily for clinical signs of toxicity approximately 1-2 hours after dosing (days 6-15), and in the morning after completion of the dosing period (days 16-20). Moribund animals will be sacrificed on that day and the uterine contents will be examined as described in Section 8.7.6.

REVISED PAGE
STUDY NO: 154 INITIAL: 12

PRTL154

Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B Study No.: 154

8.7.3 <u>Body Weights:</u> Individual body weights will be recorded on day 0 of gestation (the day a vaginal plug is observed), on the day of randomization, and on gestation days 6 - 15, 18 and 20.

- 8.7.4 <u>Food Consumption:</u> Food consumption for all animals will be measured during the following intervals: days 6 10; 10 15; 15 20.
- 8.7.5 <u>Sacrifice:</u> On day 20 of presumed gestation, all surviving female rats will be euthanized by carbon dioxide asphyxiation followed immediately by cesarean section.
- 8.7.6 <u>Cesarean-Sectioning Observations:</u> The abdominal and thoracic cavities will be opened by a ventral midline incision and the contents examined. In gravid animals, the ovaries will be examined. The number of corpora lutea on each ovary will be recorded (ovaries discarded after evaluation). The gravid uterus will be examined and weighed. The number and location of viable and nonviable fetuses* in utero, early and late resorptions** and the total number of implantation sites will be recorded.

The uterine position of each fetus will be documented using the following procedure. All implantation sites, including resorptions, will be numbered in consecutive fashion beginning with the left distal uterine horn, noting the position of the cervix. Maternal tissues will only be saved for histopathological examination in 10% neutral buffered formalin as deemed necessary by the gross findings. The carcass of each dam will then be discarded.

- *A viable fetus is defined as one which responds to stimuli. A non viable fetus is defined as a term fetus, which does not respond to stimuli *in utero* or is not breathing.
- **An early resorption is defined as one in which it is not grossly evident that organogenesis has occurred. A late resorption is defined as one in which it is grossly evident that organogenesis has occurred. A fetus with evident autolysis is considered a late resorption.
- 8.7.7 <u>Confirmation of Pregnancy:</u> Uteri from females that appear nongravid will be opened and placed for approximately 10 minutes in ammonium sulfide solution (0.5%) for detection of possible implantation sites. If implantation sites are detected, the ovaries will be examined as in 8.7.6.
- 8.7.8 Necropsy: Animals which die on test or are sacrificed if moribund will be examined as soon as possible for the cause of death. Examination will not be performed if precluded by postmortem autolysis. Pregnancy status and uterine contents will be recorded. Maternal tissues with gross lesions appropriate for retention will be fixed in neutral buffered 10% formalin for possible future

Task Order No.: UIC-10B Study No.: 154

evaluation. Viscera which appear normal will be discarded. Naturally-delivered pups will be examined to the extent possible using the same methods described for fetuses.

Fetal Gross Observations: The number of fetuses will be recorded. Each fetus 8.7.9 will be sexed and weighed, and will be individually identified noting litter, uterine placement and study number. All of the fetuses will be euthanized by an ip injection of a 40% solution of sodium pentobarbital (0.04 ml/fetus). Subsequently, a morphological examination will be performed as noted in Section 8.7.10.

8.7.10 Fetal Morphological Examination:

- 8.7.10.1 External: A detailed examination of each fetus will be conducted to include the eyes, palate, head shape and extremities. Any abnormal finding will be recorded.
- 8.7.10.2 Visceral Evaluation: One-half of the viable and nonviable fetuses from each litter will be fixed in Bouin's solution for subsequent examination. Following fixation, each fetus will be examined using the Wilson free-hand slicing technique (Wilson, 1965).
- 8.7.10.3 Skeletal Evaluation: The remaining viable and nonviable fetuses in each litter will be evascerated and the skeletons will be examined for alterations following staining with Alizarin Red S and then cleared in glycerin as recommended by Dawson (Dawson, 1926). Skeletal preparations will be stored in glycerin 100% and will be retained.
- 8.7.11 Statistical Analyses: Maternal body weights and weight gains, uterine absolute and relative weight (% body weight), maternal food consumption and mean fetal body weights will be analyzed by a one-way analysis of variance. If a significant F ratio is obtained ($\rho \le 0.05$), Dunnett's test will be used for pair-wise comparisons to the control group.

The incidence of fetal abnormalities will be examined in terms of the fetal and litter percentages (% abnormal fetuses/group & % abnormal litters/group). Abnormalities will include malformations in addition to variations. The proportions of litters with abnormalities and male to female fetal sex ratios will be compared by using the Chi-square test criterion with Yate's correction for 2 x 2 contingency tables and/or Fisher's exact probability test.



Task Order No.: UIC-10B Study No.: 154

The mean numbers of resorptions, nonviable fetuses, viable fetuses, corpora lutea (C.L.), implantations, preimplantation loss* and postimplantation deaths** will be compared using the Kruskal-Wallis test. If a significant effect is seen (p \leq 0.05), the Mann-Whitney U test will be used for pairwise comparisons to the control group.

*Preimplantation loss = # C.L. - # implantations

**Postimplantation death = # implantations - # live fetuses

Other statistical analyses will be conducted as deemed necessary and will be documented in the raw data.

In addition to the written report, summary data tables of parameters and variability will be transmitted to the Sponsor on magnetic media (computer diskette) in "ASCII" form. The transcribed data on disk will no longer be considered GLP compliant.

9.0 RECORDS TO BE MAINTAINED:

All data generated during the conduct of the study, except those that are generated as direct computer input, shall be recorded directly, promptly, and accurately in ink in bound books with prenumbered pages or on worksheets that shall be bound during or at the conclusion of the nonclinical laboratory study. All appropriate computer and machine output shall be bound during or at the conclusion of the study. All data entries shall be dated on the day of entry and signed or initialed by the person entering the data.

Any changes in entries for whatever reason (e.g., to correct an error or transposition) shall be made so as not to obscure the original entry, shall indicate the reason for such change, and shall be dated and signed or identified at the time of data input. In computer driven collection systems, the operator responsible for direct data input shall be identified at the time of data input. Any changes in computer entries for whatever reason (e.g., to correct an error or transposition) shall be made in such a manner so as not to obscure the original entry, if possible, shall indicate the reason for such change, and shall be dated and signed by the responsible individual.

All recorded data shall be reviewed, signed, and dated by a knowledgeable person, other than the person making the entry, to assure adherence to procedures and to verify observations.

Upon completion of the study and submission of the final report, all raw data, documentation, specimens, test article reserves and other materials necessary to reconstruct the study will be stored in the TRL archives maintained by Quality Assurance.

All changes or revisions, and reasons therefore, to this protocol once it is approved shall be documented, signed by the Study Director and Sponsor, dated and maintained with the protocol.

REVISED PAGE
STUDY NO: 15-1 INITIAL: 8/2
DATE: 1612/19

PRTL154

Contract No.: DAMDIA
Task Order No.: UIC-10B

Contract No.: DAMD17-92-C-2001

Study No.: 154

REGULATORY REQUIREMENTS: 10.0

This study will be performed in compliance with the UIC/TRL Quality Assurance Program designed to conform with FDA Good Laboratory Practice Regulations and EPA Good Laboratory Practice Standards.

Will this study be submitted to a regulatory agency? Yes If so, to which agency(ies)? Food and Drug Administration

Does the Sponsor Request that remaining test article be returned? Possibly; direction will be provided by the Sponsor.

Does the Sponsor request that samples of the test article/carrier mixture(s) be returned to the Sponsor? No

11.0 REFERENCES:

PRTL154

Dawson, AB (1926). A note on the staining of cleared specimens with Alizarin Red S. Stain Technol. 1:123-124.

Dunnett, CW (1955). A multiple comparison procedure for comparing several treatments with a control. J. Amer. Stat. Assoc. 50:1096-1129.

DTSC (1992). The assessment of developmental and reproductive risks. Toxicology and Risk Assessment Section, Department of Toxic Substances Control (DTSC), California Environmental Protection Agency, Sacramento, CA. Review Draft dated March, 1992.

EPA (1984b). Guideline for the health assessment of suspect developmental toxicants. Draft document from the Office of Research and Development, EPA, Washington, D.C.

EPA (1985). Hazard evaluation division standard evaluation procedure Teratology Studies. U.S. Environmental Protection Agency, Office of Pesticide Programs, document EPA-540/9.85.018.

FDA (1982). Toxicological principles for safety assessment of direct food additives and color additives used in food. Bureau of Foods, Food and Drug Adminsitration, Washington, D.C.

Gad, S and Weil, CS (1988). Statistics and Experimental Design for Toxicologists, 2nd ed. pp. 53-70, 147-176, Telforel Press. Caldwell, NJ.

Hayes, W (1989). Principles and Methods of Toxicology, pp 311-361, Raven press. New York,

Lang, LP (1993). Historical control data for development and reproductive toxicity studies using the Crl:CD BR rat, p3, Charles River Laboratories.

Page 9

REVISED PAGE STUDY NO: DATE

Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B

Study No.: 154

Snedecor, GW and Cochran, WG (1967). Variance test for homogenicity of the binomial distribution. Statistical Methods, 6th Edition, pp. 240-241, Iowa State University Press. Ames, IA.

U.S. Department of Health and Human Services (1985). Guide for the Care and Use of Laboratory Animals. Prepared by the Committee on Care and Use of Laboratory Animals of the Institute of Laboratory Animal Resources. Commission on Life Sciences, National Research Council. Public Health Service, National Institutes of Health, NIH Publications No. 86-23.

U.S. Environmental Protection Agency (1991). Guidelines for developmental toxicity risk assessment. Notice. Fed. Regist. 56: 63798-63826.

U.S. Food and Drug Administration (1966). Guidelines for reproduction studies for safety evaluation of drugs for human use.

Wilson, JG (1965). Methods for administering drugs and detecting malformations in experimental animals. In: Teratology Principles and Techniques (Wilson, JG and Warkany, J. eds.). pp. 262-277, Un. Chicago Press. Chicago, IL.

ORAFT

Contract No.: DAMD17-92-C-2001

Task Order No.: UIC-10B Study No.: 154

12.0 PROTOCOL APPROVAL:

STUDY DIRECTOR:

Barry S. Levine, D.Sc., D.A.B.T.

6/22/94 Date

QUALITY ASSURANCE:

Konald Schaenhill
Ronald Schoenbeck

6/29/94 Date

SPONSOR APPROVAL:

George J. Schieferstein, Ph.D.

Contracting Officer's Representative (COR)

Date

COMMENTS FROM THE COR:





Task Order No.: UIC-10B UIC/TRL Study No.: 154

Office of the Vice Chancellor for Research (M/C 672) 310 Administrative Office Building 1737 West Polk Street Chicago, Illinois 60612-7227 (312) 996-4995

Appendix 1

June 22, 1994

Barry S. Levine Pharmacology 312 BGRC, M/C 868

Dear Dr. Levine:

The modifications requested in your correspondence of June 15, 1994 pertaining to your approved protocol ACC: #93-077-12: "Developmental Toxicity (Segment II) Study of WR238605 in Rats" have been reviewed in accordance with the Animal Care and Use Policies of the University of Illinois at Chicago. You will be pleased to know that the modifications were approved on June 20, 1994 and consequently the records of Animal Care Committee will be revised to reflect these changes.

Thank you for complying with the Animal Care Policies and Procedures of UIC.

Jusephene B. Willer

Josephine B. Miller, Ph.D.

Chair, Animal Care Committee

JBM:st

xc: BRL

PROTOCOL AMENDMENT

Study No.:

154

Title:

Developmental Toxicity (Segment II) Study of WR238605 Succinate in Rats

1. Page 1 Section 4

The following dates were assigned to the study

- 4.1 Proposed Initiation of In-Life Phase (Day 0): 10/12/94
- 4.2 Proposed Completion of In-Life Phase: 11/04/94
- 4.3 Proposed Study Completion Date:

 (Draft Final Report): 02/04/95

Reason: Dates were not decided at the time the protocol was submitted.

2. Page 3 Section 7.3

Add the following phrase "in two shipments (a few days apart)"

Reason: To clarity the procedure for receiving animal shipments.

3. Pages 4 and 5 Section 8.1

The following doses were assigned for Groups 1-5,

| Group No. | <u>Treatment</u> | Dose Level |
|-----------|---------------------|-------------------------------|
| | | (mg base/kg/dav) |
| 1 | Vehicle | 0 |
| 2 | WR238605 | 3 |
| 3 | WR238605 | 10 |
| 4 | WR238605 | 30 |
| 5 | (Retinol Palmitate) | 250,000 IU/kg/day (lg/kg/day) |

Reason:

To reflect that the dose range-finding study has been done, from which dose levels were chosen and to clarify the equivalence of the retinol palmitate dose.

4. Page 5 Section 8.5

Change the concentration of Tween 80 in the vehicle from 0.4% to 0.2%.

Reason: Mistake in protocol.

PROTOCOL AMENDMENT

Study No.:

154

Title:

Developmental Toxicity (Segment II) Study of WR238605 Succinate in Rats

5. Page 8 Section

At the third paragraph, change postimplantation "death (s)" to postimplantation loss (es).

Reason:

More accurate expression of the calculated parameter.

6. Page 9 Section 11

Delete "HRP, Inc." from the list of references.

Reason:

Irrelevant reference.

APPROVAL:

STUDY DIRECTOR:

Barry S. Leving, D.Sc., D.A.B.T.

Date


SPONSOR APPROVAL:

George J. Schieferstein, Ph.D.

Contracting Officer's Representative (COR)

APPENDIX 7

Study Deviations



DOSE RANGE-FINDING DEVELOPMENTAL TOXICITY STUDY OF WR238605 SUCCINATE IN RATS

Study Deviations*

| Deviation Type | Specific Deviation | Effect on Study |
|----------------|---|---|
| Protocol | Temperature was out of range on three occasions. | None; the deviations were minimal. |
| Protocol | A few litters (i.e., 3 - 4/dose) have disarticulated skeletons. Only 5 litters in the positive control dose group showed similar effects. | None; since the appearance of the disarticulated bones did not differ from those observed in the rest of the litters in each group. |
| Protocol | Relative uterine weight (% body weight) was not calculated. | None; mistake in protocol. Statistical analysis should be based on absolute uterine weights. |

The above deviations did not affect the integrity of the study.

Barry S. Levine, D.Sc., D.A.B.T.

Date

^{*}The detailed "Deviation Reports" are contained in the raw data which are archived at the Toxicology Research Laboratory, University of Illinois at Chicago, Department of Pharmacology, 1940 W. Taylor St., Chicago, Illinois, 60612.